

OpenNMS Release Notes

Copyright (c) 2014 The OpenNMS Group, Inc.

OpenNMS v17.1.0

Last updated 2015-12-01 17:26:19 -05:00

Table of Contents

OpenNMS Development Team	1
1. Changelog	2
OpenNMS 17	2
Release 17.1.0	2
New Features	2
Enhancements	2
Bugs	3
Release 17.0.0	4
Enhancements	4
Bugs	5
Release 16.0.4	10
Bug	10
Enhancement	11
Release 16.0.3	11
Bug	11
Release 16.0.2	11
Release 16.0.1	12
Bug	12
Enhancement	12
Release 16.0.0	13
Bug	13
Enhancement	16
Story	17
OpenNMS 15	18
Release 15.0.2	18
Sub-task	18
Bug	18
Enhancement	20
Release 15.0.1	20
Sub-task	20
Bug	20
Enhancement	21
Release 15.0.0	21
Sub-task	21
Bug	22
Enhancement	24
OpenNMS 14	25
Release 14.0.3	25
Bug	25
Enhancement	25
Release 14.0.2	26
Sub-task	26
Bug	26
Enhancement	26
Release 14.0.1	27
Release 14.0.1	27
Bug	27

Release 14.0.0	27
Sub-task	27
Bug	27
Enhancement	34
Task	34
Release 1.13	35
Release 1.13.4	35
Bug	35
Enhancements	36
Release 1.13.3	36
Bug	36
Release 1.13.2	36
Bug	37
Enhancements	37
Release 1.13.1	37
Bug	37
Enhancements	38
Release 1.13.0	39
Bug	39
Enhancements	41
Release 1.12	42
Release 1.12.9	42
Bug	42
Enhancements	42
Release 1.12.8	43
Bug	43
Release 1.12.7	43
Bug	43
Enhancements	44
Release 1.12.6	44
Bug	44
Enhancements	44
Release 1.12.5	45
Bug	45
Enhancements	45
Release 1.12.4	45
Bug	45
Enhancements	46
Release 1.12.3	46
Bug	46
Enhancements	47
Release 1.12.2	47
Bug	47
Enhancements	49
Release 1.12.1	50
Bug	50
Enhancements	51
Release 1.12.0	51
Bug	51
Release 1.11	52

Release 1.11.94	52
Bug	52
Release 1.11.93	52
Bug	52
Enhancements	53
Release 1.11.92	53
Bug	54
Release 1.11.91	54
Bug	54
Enhancements	55
Release 1.11.90	55
Bug	55
Enhancements	57
Release 1.11.3	58
Bug	58
Enhancements	58
Release 1.11.2	58
Bug	58
Enhancements	59
Release 1.11.1	59
Bug	59
Enhancements	59
Release 1.11.0	59
Bug	60
Enhancements	60
Release 1.10	61
Release 1.10.14	61
Bug	62
Release 1.10.13	62
Bug	62
Enhancements	63
Release 1.10.12	63
Bug	63
Release 1.10.11	63
Bug	63
Release 1.10.10	63
Bug	64
Enhancements	64
Release 1.10.9	64
Enhancements	64
Bug	64
Enhancements	65
Release 1.10.8	65
Bug	65
Enhancements	66
Release 1.10.7	66
Bug	66
Enhancements	67
Release 1.10.6	67
Bug	67

Enhancements	67
Release 1.10.5	67
Bug	67
Enhancements	68
Release 1.10.4	68
Bug	68
Enhancements	68
Release 1.10.3	68
Bug	68
Release 1.10.2	69
Bug	69
Enhancements	70
Release 1.10.1	70
Bug	70
Enhancements	71
Release 1.10.0	72
Bug	72
Enhancements	73
Release 1.9	73
Release 1.9.93	73
Bug	74
Enhancements	74
Release 1.9.92	74
Bug	74
Enhancements	76
Release 1.9.91	76
Bug	76
Enhancements	78
Release 1.9.90	78
Bug	78
Enhancements	80
Release 1.9.8	81
Bug	81
Enhancements	83
Release 1.9.7	84
Bug	84
Enhancements	85
Release 1.9.6	85
Bug	85
Enhancements	86
Release 1.9.5	87
Bug	87
Release 1.9.4	87
Bug	87
Enhancements	89
Release 1.9.3	89
Bug	89
Enhancements	90
Release 1.9.2	91
Changes in OpenNMS 1.9.2	91

Release 1.9.1	91
Enhancements	91
Release 1.9.0	91
Enhancements	91
2. Known Issues and Caveats	92
2.1. Current Release	92
2.2. OpenNMS 1.12.7 and Newer	92
3. Supported Systems	93
3.1. Supported UNIX-like OSes	93
3.2. Fully Supported	93
3.3. 3rd-Party Dependencies	93

OpenNMS Development Team

Tarus Balog < tarus@opennms.org >
David Hustace < david@opennms.org >
Benjamin Reed < ranger@opennms.org >

Copyright © 2004-2015 The OpenNMS Group, Inc.

Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.1 or any later version published by the Free Software Foundation; with no Invariant Sections, with no Front-Cover Texts and with no Back-Cover Texts. A copy of the license is available at <http://www.gnu.org/copyleft/fdl.html> OpenNMS is the creation of numerous people and organizations, operating under the umbrella of the OpenNMS project. The original code base was developed and published under the GPL by the Oculan Corporation until 2002, when the project administration was passed on to Tarus Balog.

The current corporate sponsor of OpenNMS is The OpenNMS Group, which also owns the OpenNMS trademark.

OpenNMS is a derivative work, containing both original code, included code and modified code that was published under the GNU General Public License. Please see the source for detailed copyright notices, but some notable copyright owners are listed below:

- Copyright © 2002-2013 The OpenNMS Group, Inc.
- Original code base for OpenNMS version 1.0.0 Copyright © 1999-2001 Oculan Corporation.
- Mapping code Copyright © 2003 Networked Knowledge Systems, Inc.
- ScriptD code Copyright © 2003 Tavve Software Company.

Please send any omissions or corrections to this document to Tarus Balog.

Chapter 1. Changelog

OpenNMS 17

Release 17.1.0

Release 17.1.0 is the latest stable release of OpenNMS. It contains a number of important bug fixes and a few new features. For a high-level overview of what's changed in OpenNMS 17, see [What's New in OpenNMS 17](#).

The codename for 17.1.0 is *Talisker*.

New Features

- Support for [Web Services-Management](#) protocol for collecting performance data and monitoring status ([HZN-583](#), [HZN-584](#))
- Expose the Northbound Interfaces configuration through ReST ([HZN-570](#))
- Northbound interface for E-Mail ([HZN-565](#))
- Northbound implementation for SNMP Traps ([HZN-564](#))
- AMQP Northbound Integration ([HZN-537](#))
- Provide a tool for importing existing .rrd / .jrb metrics into Newts ([HZN-344](#))

Enhancements

- Add more flexibility to the syslog alarm northbound implementation ([HZN-563](#))
- Define optional event parameters on the event definition ([HZN-551](#))
- Create upgrade script for service-configuration.xml ([HZN-545](#))
- Expose SNMP4J 2.x noGetBulk and allowSnmpV2cInV1 capabilities (Issue [NMS-7123](#))
- Add threshold comments and whitespace changes to match how the OpenNMS web GUI generates XML files (Issue [NMS-7978](#))
- Add support for using NRTG via Ajax calls (Issue [NMS-8005](#))
- Add support for OSGi-based Ticketing plugins (Issue [NMS-8024](#))
- Add event definition for postfix syslog message TLS disabled (Issue [NMS-8028](#))
- Improve the SNMP data collection config parsing to give more flexibility to the users (Issue [NMS-8030](#))
- set Up severities for RADLAN-MIB.events.xml (Issue [NMS-8042](#))
- Add support for marshalling NorthboundAlarms to XML (Issue [NMS-8068](#))
- Event definition file for JUNIPER-IVE-MIB (Issue [NMS-8071](#))
- Fixed a paragraph in the "Automatic Discovery" provisioning chapter (Issue [NMS-8120](#))

Bugs

- OTRS integration doesn't properly validate SOAP responses ([HZN-518](#))
- Bad suggestions in install guide (Issue [NMS-4108](#))
- Enlinkd Topology Plugin fails to create LLDP links for mismatched link port descriptions. (Issue [NMS-7152](#))
- snmp-graph.properties.d files with --vertical-label="verticalLabel" in config (Issue [NMS-7820](#))
- Incorrect host in Location header when creating resources via ReST (Issue [NMS-7866](#))
- config-tester is broken (Issue [NMS-7910](#))
- Opsboard and Opspanel use wrong logo (Issue [NMS-7953](#))
- Unable to generate eventconf if a MIB (improperly?) uses a TC to define a TC (Issue [NMS-7966](#))
- container features.xml still references jersey 1.18 when it should reference 1.19. (Issue [NMS-7988](#))
- Topology-UI shows CDP links not correct (Issue [NMS-8000](#))
- Backshift graphs show dates in UTC instead of the browser's timezone (Issue [NMS-8014](#))
- StrafePing: Unexpected exception while polling PollableService (Issue [NMS-8017](#))
- Grafana Box did not work anymore (Issue [NMS-8023](#))
- Constant Thread Locking on Enlinkd (Issue [NMS-8026](#))
- Wrong use of opennms.web.base-url (Issue [NMS-8029](#))
- NRTG with newts - get StringIndexOutOfBoundsException (Issue [NMS-8038](#))
- The newts script only works if cassandra runs on localhost (Issue [NMS-8051](#))
- AlarmPersisterIT test is empty (Issue [NMS-8054](#))
- The 'newts init' script does work when authentication is enabled in Cassandra (Issue [NMS-8064](#))
- ReST Regression in Alarms/Events (Issue [NMS-8065](#))
- Newts only uses a single thread when writing to Cassandra (Issue [NMS-8066](#))
- User Restriction Filters: mapping class for roles to groups does not work (Issue [NMS-8073](#))
- The "Remove From Focus" button intermittently fails (Issue [NMS-8074](#))
- The OnmsDaoContainer does not update its cache correctly, leading to a NumberFormatException (Issue [NMS-8079](#))
- File not found exception for interfaceSTP-box.jsp on SNMP interface page (Issue [NMS-8084](#))
- Installation Guide Debian Bug Version 17.0.0 (Issue [NMS-8097](#))
- Unable to complete creation of scheduled reports (Issue [NMS-8100](#))

- NPE when persisting data with Newts (Issue [NMS-8103](#))
- init script checkXmlFiles() fails to pick up errors (Issue [NMS-8104](#))
- INFO-severity syslog-derived events end up unmatched (Issue [NMS-8106](#))
- Memory leak when using the BSFDetector (Issue [NMS-8109](#))
- init script "configtest" exit value is always 1 (Issue [NMS-8112](#))
- Heat map Alarms/Categories do not show all categories (Issue [NMS-8116](#))
- WS-MAN has broken ForeignSourceConfigRestService and the requisitions UI doesn't work. (Issue [NMS-8119](#))
- Removing ops boards via the configuration UI does not update the table (Issue [NMS-8123](#))
- JNA ping code reuses buffer causing inconsistent reads of packet contents (Issue [NMS-8126](#))
- Synchronizing a requisition fails (Issue [NMS-8133](#))
- Add all the services declared on Collectd and Pollerd configuration as available services on `/opennms/rest/foreignSourceConfig/services` (Issue [NMS-8147](#))

Release 17.0.0

Release 17.0.0 is the latest stable release of OpenNMS. It contains a large number of bug fixes and new features. For a high-level overview of what's changed in OpenNMS 17, see [What's New in OpenNMS 17](#).

The codename for 17.0.0 is *Glen Moray*.

Enhancements

- Add option to the `<service>` element in `poller-configuration.xml` to specify service-specific RRD settings (Issue [NMS-1488](#))
- Additional `storeByGroup` capabilities (Issue [NMS-1910](#))
- Infoblox events file (Issue [NMS-2362](#))
- Adding SNMP traps for Raytheon NXU-2A (Issue [NMS-3479](#))
- Add A10 AX load balancer trap events (Issue [NMS-4008](#))
- Interactive JMX data collection configuration UI (Issue [NMS-4364](#))
- Add Force10 Event/Traps (Issue [NMS-5016](#))
- Event definition for Juniper screening SNMP traps (Issue [NMS-5071](#))
- events definiton file for DSVIEW-TRAP-MIB (Issue [NMS-5272](#))
- Trap definition files for Evertz Multiframe and Modules (Issue [NMS-5397](#))
- Trap and data collection definitions for Ceragon FibeAir 1500 (Issue [NMS-5398](#))

- New (additional) event file for NetApp filer (Issue [NMS-5791](#))
- New Fortinet datacollection / graph definition (Issue [NMS-6770](#))
- DefaultResourceDao should use RRD-API to find resources (Issue [NMS-7108](#))
- MIB support for Zertico environment sensors (Issue [NMS-7131](#))
- Implement "integration with OTRS-3.1+" feature (Issue [NMS-7191](#))
- Unit tests should be able to run successfully from the start of a compile. (Issue [NMS-7258](#))
- Create a detector for XMP (Issue [NMS-7404](#))
- Remove linkd (Issue [NMS-7520](#))
- Add Juniper SRX flow performance monitoring and default thresholds (Issue [NMS-7553](#))
- Enable real SSO via Kerberos (SPNEGO) and LDAP (Issue [NMS-7614](#))
- Create opennms.properties option to make dashboard the landing page (Issue [NMS-7618](#))
- Get rid of servicemap and servermap database tables (Issue [NMS-7689](#))
- Add support for Javascript-based graphs (Issue [NMS-7700](#))
- Dell Equallogic Events (Issue [NMS-7722](#))
- Persist the CdpGlobalDeviceIdFormat (Issue [NMS-7768](#))
- Add Sonicwall Firewall Events (Issue [NMS-7798](#))
- JMS Alarm Northbounder (Issue [NMS-7805](#))
- DNS Resolution against non-local resolver (Issue [NMS-7821](#))
- Recognize Cisco ASA5580-20 for SNMP data collection (Issue [NMS-7868](#))
- Promote Compass app when mobile browser detected (Issue [NMS-7949](#))
- Document how to configure RRDtool in OpenNMS (Issue [NMS-7986](#))
- nodeSource[] resource ids only work when storeByFs is enabled (Issue [NMS-7711](#))
- Flatten and improve web app style (Issue [NMS-7894](#))
- Document HeatMap ReST services (Issue [NMS-7929](#))
- Cleanup docs modules (Issue [NMS-7940](#))

Bugs

- odd index "ifservicves_ipinterfaceid_idx" in database - typo? (Issue [NMS-5613](#))
- JMX Config Tool CLI is not packaged correctly (Issue [NMS-5946](#))

- Statsd randomly looks for storeByForeignSource rrrds (Issue [NMS-6012](#))
- 'Overall Service Availability' bad info in case of nodeDown / nodeUp transition (Issue [NMS-6478](#))
- Running online report "Response Time Summary for node" produces Unexpected Error (Issue [NMS-6493](#))
- Outdated Quartz URL in provisiond-configuration.xml file (Issue [NMS-6555](#))
- Not evaluating threshold for data collected by HttpCollector (Issue [NMS-6803](#))
- test failure: org.opennms.web.alarm.filter.AlarmRepositoryFilterTest (Issue [NMS-6927](#))
- test failure: org.opennms.web.svclayer.DefaultOutageServiceIntegrationTest (Issue [NMS-6942](#))
- When building the "Early Morning Report" I get a "null" dataset argument Exception. (Issue [NMS-6944](#))
- Early Morning Report will not run correctly without any nodes in OpenNMS (Issue [NMS-7000](#))
- Availability by node report needs a "No Data for Report" Section (Issue [NMS-7001](#))
- Event Translator cant translate events with update-field data present (Issue [NMS-7024](#))
- Topology Map does not show selected focus in IE (Issue [NMS-7095](#))
- MigratorTest fails on two of the 3 tests. (Issue [NMS-7254](#))
- Inconsistent naming in Admin/System Information (Issue [NMS-7407](#))
- Fonts are too small in link detail page (Issue [NMS-7411](#))
- Fix header and list layout glitches in the WebUI (Issue [NMS-7417](#))
- Dashboard node status shows wrong service count (Issue [NMS-7459](#))
- XML Collector is not working as expected for node-level resources (Issue [NMS-7516](#))
- build failure in opennms-doc/guide-doc on FreeBSD (Issue [NMS-7600](#))
- etc folder still contains references to capsd (Issue [NMS-7649](#))
- Vaadin dashboard meaning of yellow in the surveillance view (Issue [NMS-7667](#))
- Audiocodes.events.xml overrides RMON.events.xml (Issue [NMS-7679](#))
- JMX Configuration Generator admin page fails (Issue [NMS-7680](#))
- Example Drools rules imports incorrect classes (Issue [NMS-7693](#))
- Logging not initialized but used on Drools Rule files. (Issue [NMS-7695](#))
- Problems on graphs for 10 gigabit interface (Issue [NMS-7702](#))
- Database Report - Statement correction (Issue [NMS-7703](#))
- Building OpenNMS results in a NullPointerException on module "container/features" (Issue [NMS-7709](#))

- `SQLException`: column "nodeid" does not exist when using manage/unmanage services (Issue [NMS-7723](#))
- Add support for `jrrd2` (Issue [NMS-7728](#))
- Log messages for the Correlation Engine appear in `manager.log` (Issue [NMS-7729](#))
- bug in `EventBuilder` method `setParam()` (Issue [NMS-7736](#))
- Unit tests fail for loading data collection (Issue [NMS-7739](#))
- `SeleniumMonitor` with `PhantomJS` driver needs `gson` JAR (Issue [NMS-7748](#))
- Cannot edit some Asset Info fields (Issue [NMS-7750](#))
- `c.m.v.a.ThreadPoolAsynchronousRunner`:
`com.mchange.v2.async.ThreadPoolAsynchronousRunner$DeadlockDetector@59804d53 — APPARENT DEADLOCK!!!`
Creating emergency threads for unassigned pending tasks! (Issue [NMS-7755](#))
- `noSuchObject` duplicates links on topology map (Issue [NMS-7762](#))
- Error when you drop sequence `vulnnxtid` (Issue [NMS-7764](#))
- Incorrect unit divisor in `LM-SENSORS-MIB` graph definitions (Issue [NMS-7766](#))
- `HttpRemotingContextTest` is an integration test and needs to be renamed as such (Issue [NMS-7770](#))
- Fix unit tests to run also on non-US locale systems. (Issue [NMS-7771](#))
- JMX Configuration Generator (webUI) is not working anymore (Issue [NMS-7772](#))
- node detail page failure (Issue [NMS-7777](#))
- Measurements ReST API broken in develop (CXF) (Issue [NMS-7778](#))
- OSGi-based Web Modules Not Accessible (Issue [NMS-7785](#))
- OSGi-based web applications are unaccessible (Issue [NMS-7791](#))
- Cannot load events page in 17 (Issue [NMS-7794](#))
- JSON Serialization Broken in REST API (CXF) (Issue [NMS-7802](#))
- Queued RRD updates are no longer promoted when rendering graphs (Issue [NMS-7814](#))
- The `DataCollectionConfigDao` returns all resource types, even if they are not used in any data collection package. (Issue [NMS-7816](#))
- Measurements ReST API Fails on strafeping (Issue [NMS-7818](#))
- Requesting IPv6 resources on measurements rest endpoint fails (Issue [NMS-7819](#))
- Remove Access Point Monitor service from service configuration (Issue [NMS-7822](#))
- The reload config for `Collectd` might throws a `ConcurrentModificationException` (Issue [NMS-7824](#))

- Exception in Vacuumd because of location monitor changes (Issue [NMS-7826](#))
- NPE on "manage and unmanage services and interfaces" (Issue [NMS-7828](#))
- Smoke tests failing because OSGi features fail to install: "The framework has been shutdown" (Issue [NMS-7834](#))
- "No session" error during startup in EnhancedLinkdTopologyProvider (Issue [NMS-7835](#))
- KIE API JAR missing from packages (Issue [NMS-7836](#))
- Counter variables reported as strings (like Net-SNMP extent) are not stored properly when using RRDtool (Issue [NMS-7839](#))
- Some database reports are broken (ResponseTimeSummary, etc.) (Issue [NMS-7844](#))
- New Provisioning UI: 401 Error when creating a new requisition (Issue [NMS-7845](#))
- Slow LinkdTopologyProvider/EnhancedLinkdTopologyProvider in bigger environments (Issue [NMS-7846](#))
- Graph results page broken when zooming (Issue [NMS-7847](#))
- Parameter descriptions are not shown anymore (Issue [NMS-7848](#))
- UnsupportedOperationException when using the JMXSecureCollector (Issue [NMS-7852](#))
- distributed details page broken (Issue [NMS-7855](#))
- Default log4j2.xml has duplicate syslogd appender, missing statsd entries (Issue [NMS-7856](#))
- Cisco Packets In/Out legend label wrong (Issue [NMS-7857](#))
- Enlinkd CDP code fails to parse hex-encoded IP address string (Issue [NMS-7858](#))
- IpNetToMedia Hibernate exception in enlinkd.log (Issue [NMS-7861](#))
- Duplicate Drools engines can be registered during Spring context refresh() (Issue [NMS-7867](#))
- PageSequenceMonitor broken in remote poller (Issue [NMS-7870](#))
- The remote poller doesn't write to the log file when running in headless mode (Issue [NMS-7874](#))
- Distributed response times are broken (Issue [NMS-7875](#))
- HttpClient ignores socket timeout (Issue [NMS-7877](#))
- RTC Ops Board category links are broken (Issue [NMS-7884](#))
- Remedy Integration: the custom code added to the Alarm Detail Page is gone. (Issue [NMS-7890](#))
- LazyInitializationException when querying the Measurements API (Issue [NMS-7893](#))
- Statsd PDF export gives class not found exception (Issue [NMS-7897](#))
- Deadlocks on Demo (Issue [NMS-7899](#))

- JMX Configgenerator Web UI throws NPE when navigating to 2nd page. (Issue [NMS-7900](#))
- Incorrect Fortinet System Disk Graph Definition (Issue [NMS-7901](#))
- Pages that contain many Backshift graphs are slow to render (Issue [NMS-7902](#))
- The default location for the JRRD2 JAR in rrd-configuration.properties is wrong. (Issue [NMS-7907](#))
- Missing dependency on the rrdtool RPM installed through yum.postgresql.org (Issue [NMS-7909](#))
- Alarm detail filters get mixed up on the ops board (Issue [NMS-7917](#))
- Startup fails with Syslogd enabled (Issue [NMS-7921](#))
- FasterFilesystemForeignSourceRepository is not working as expected (Issue [NMS-7926](#))
- Heat map ReST services just produce JSON output (Issue [NMS-7930](#))
- ClassNotFoundException JRrd2Exception (Issue [NMS-7935](#))
- HeatMap ReST Xml output fails (Issue [NMS-7939](#))
- Apache CXF brakes the ReST URLs for nodes and requisitions (because of service-list-path) (Issue [NMS-7942](#))
- Jersey 1.14 and 1.5 jars mixed in lib with Jersey 1.19 (Issue [NMS-7944](#))
- Incorrect attribute types in cassandra21x data collection package (Issue [NMS-7945](#))
- Bad substitution in JMS alarm northbounder component-dao wiring (Issue [NMS-7948](#))
- Bouncycastle JARs break large-key crypto operations (Issue [NMS-7959](#))
- Missing graphs in Vaadian dashboard when storeByFs=true (Issue [NMS-7962](#))
- JSoup doesn't properly parse encoded HTML character which confuses the XML Collector (Issue [NMS-7963](#))
- MBean attribute names are restricted to a specific max length (Issue [NMS-7964](#))
- Auto-discover is completely broken - Handling newSuspect events throws an exception (Issue [NMS-7968](#))
- JMS alarm northbounder always indicates message sent (Issue [NMS-7969](#))
- Querying the ReST API for alarms using an invalid alarmId returns HTTP 200 (Issue [NMS-7972](#))
- The ICMP monitor can fail, even if valid responses are received before the timeout (Issue [NMS-7974](#))
- JMX Configuration Generation misbehavior on validation error (Issue [NMS-7977](#))
- The ReST API code throws exceptions that turns into HTTP 500 for things that should be HTTP 400 (Bad Request) (Issue [NMS-7981](#))
- New servers in install guide (Issue [NMS-7985](#))
- Background of notifications bell icon is too dark (Issue [NMS-7997](#))

- Provisiond default setting does not allow to delete monitoring entities (Issue [NMS-7998](#))
- Upgrade to commons-collections 3.2.2 (Issue [NMS-7999](#))
- NPE in JMXDetector (Issue [NMS-8001](#))
- Iplike could not be installed following install guide (Issue [NMS-8004](#)) === OpenNMS 16

Release 16.0.4

Release 16.0.4 is the latest stable release of OpenNMS. It contains a number of bugfixes, including a change to help mitigate remote attacks over RMI.

As of this release, RMI listens only on localhost by default. This can be overridden by setting the property `opennms.poller.server.serverHost=<hostname or IP>` in `opennms.conf` or `opennms.properties`.

The old behavior can be restored by setting the property to: `opennms.poller.server.serverHost=0.0.0.0`.

The codename for 16.0.4 is *Doorman*.

Bug

- JMX Config Tool CLI is not packaged correctly (Issue [NMS-5946](#))
- Event Translator cant translate events with update-field data present (Issue [NMS-7024](#))
- Fonts are too small in link detail page (Issue [NMS-7411](#))
- Discovery.Pinger seems to ignore loglevel (Issue [NMS-7509](#))
- Cannot edit some Asset Info fields (Issue [NMS-7750](#))
- c.m.v.a.ThreadPoolAsynchronousRunner:
com.mchange.v2.async.ThreadPoolAsynchronousRunner\$DeadlockDetector@59804d53 — APPARENT DEADLOCK!!!
Creating emergency threads for unassigned pending tasks! (Issue [NMS-7755](#))
- Linkd Not Start and close OpenNMS starting (Issue [NMS-7789](#))
- NPE on "manage and unmanage services and interfaces" (Issue [NMS-7828](#))
- Slow LinkdTopologyProvider/EnhancedLinkdTopologyProvider in bigger enviroments (Issue [NMS-7846](#))
- distributed details page broken (Issue [NMS-7855](#))
- IpNetToMedia Hibernate exception in enlinkd.log (Issue [NMS-7861](#))
- HttpClient ignores socket timeout (Issue [NMS-7877](#))
- XML data collection with JSON handler fails (Issue [NMS-7885](#))
- Statsd PDF export gives class not found exception (Issue [NMS-7897](#))
- Deadlocks on Demo (Issue [NMS-7899](#))

- JMX Configgenerator Web UI throws NPE when navigating to 2nd page. (Issue [NMS-7900](#))
- Alarm detail filters get mixed up on the ops board (Issue [NMS-7917](#))
- Exception Decoding LLDP ChassisId When type is NetworkAddress (Issue [NMS-7931](#))
- Bouncycastle JARs break large-key crypto operations (Issue [NMS-7959](#))
- JSoup doesn't properly parse encoded HTML character which confuses the XML Collector (Issue [NMS-7963](#))
- RMI should only bind to localhost by default. (Issue [NMS-7971](#))

Enhancement

- Interactive JMX data collection configuration UI (Issue [NMS-4364](#))

Release 16.0.3

Release 16.0.3 is the latest stable release of OpenNMS. It contains a number of bugfixes, including a fix to an NPE that could cause nodes to not show in the topology UI.

The codename for 16.0.3 is *Phillip Fathom*.

Bug

- IfIndex not updated in ipinterface table on change (Issue [NMS-6567](#))
- build failure in opennms-doc/guide-doc on FreeBSD (Issue [NMS-7600](#))
- Log messages for the Correlation Engine appear in manager.log (Issue [NMS-7729](#))
- SeleniumMonitor with PhantomJS driver needs gson JAR (Issue [NMS-7748](#))
- The command `/opt/opennms/bin/ilr` doesn't work (Issue [NMS-7760](#))
- nodeCategoryChanged event on already-down node makes extra nodeDown events (Issue [NMS-7761](#))
- noSuchObject duplicates links on topology map (Issue [NMS-7762](#))
- OpenNMS won't start anymore with 512MB of Heap Size (Issue [NMS-7783](#))
- Some weak cipher suites allowed in example jetty.xml HTTPS config (Issue [NMS-7812](#))
- The reload config for Collectd might throws a ConcurrentModificationException (Issue [NMS-7824](#))
- KIE API JAR missing from packages (Issue [NMS-7836](#))
- Fix for NMS-6567 prevents interfaces from acquiring SNMP interface records on rescan (Issue [NMS-7838](#))
- Counter variables reported as strings (like Net-SNMP extent) are not stored properly when using RRDtool (Issue [NMS-7839](#))

Release 16.0.2

Release 16.0.2 is the latest stable release of OpenNMS. It is a repack of 16.0.1 with a missing bugfix included.

The codename for 16.0.2 is *still Bananaman*. It'll be our secret.

Release 16.0.1

Release 16.0.1 is the latest stable release of OpenNMS. It contains a few small enhancements and a number of bugfixes, including a fix to running OpenNMS on a system that cannot reach the public Internet.

The codename for 16.0.1 is *Bananaman*.

Bug

- Dashboard node status shows wrong service count (Issue [NMS-7459](#))
- XML Collector is not working as expected for node-level resources (Issue [NMS-7516](#))
- Vaadin dashboard meaning of yellow in the surveillance view (Issue [NMS-7667](#))
- Web UI doesn't start on system with no internet connection (Issue [NMS-7683](#))
- Missing release notes v16 (Issue [NMS-7685](#))
- Links and missing docs release for Horizon 16 (Issue [NMS-7690](#))
- Example Drools rules imports incorrect classes (Issue [NMS-7693](#))
- Logging not initialized but used on Drools Rule files. (Issue [NMS-7695](#))
- NumberFormatException in LldpUtils (Issue [NMS-7697](#))
- Hibernate exception in AlarmDetailsDashlet (Issue [NMS-7698](#))
- Nodelist page acts unexpectedly when mouse over nodelabel (Issue [NMS-7699](#))
- CSS Dashboard don't work. (Issue [NMS-7701](#))
- Unable to create a user defined label on nodes after upgrade to 16.0.0 (Issue [NMS-7704](#))
- API documentation links are not up to date (Issue [NMS-7708](#))
- NullPointerException in RrdtoolXportFetchStrategy (Issue [NMS-7710](#))
- 'More...' event link on /opennms/element/service.jsp encodes URL incorrectly (Issue [NMS-7714](#))
- output.log flooded with "java.lang.NumberFormatException: For input string" (Issue [NMS-7733](#))

Enhancement

- Improve drill down workflow for SLA categories on start page (Issue [NMS-7668](#))
- Add links to SLA category on start page (Issue [NMS-7669](#))
- Improve links for SLA categories on start page (Issue [NMS-7713](#))

Release 16.0.0

Release 16.0.0 is the latest stable release of OpenNMS. It is primarily a refactoring/cleanup release, but contains a number of other bug fixes and enhancements. Note that as of OpenNMS 16.0.0, a Java 8 JDK is required. A high-level overview of what's changed since 15.x is available in the [What's New](#) document.

The codename for 16.0.0 is *Daredevil*.

Bug

- "24hr Avail" went negative (Issue [NMS-863](#))
- SLM categories totals are not being updated during runtime (Issue [NMS-2213](#))
- Include all plugins in default configuration (Issue [NMS-2637](#))
- When removing nodes from a provisioning group, the removed nodes may still be referenced in KSC reports; thus resulting in errors accessing those reports until the nodes are manually removed (Issue [NMS-4399](#))
- Unable to add custom poller with capsd disabled (Issue [NMS-4924](#))
- Deadlock inside RTC's DataManager during shutdown (Issue [NMS-5631](#))
- The Stp interface box page throws an exception (Issue [NMS-6100](#))
- When displaying Linkd link info on node, ifAlias data in interface columns missing opening quote (Issue [NMS-6158](#))
- NRTG is throwing ConcurrentModificationException (Issue [NMS-6536](#))
- IfIndex not updated in ipinterface table on change (Issue [NMS-6567](#))
- Requisition UI has inconsistent field labels for building the provisioning requisition (Issue [NMS-6568](#))
- linkd can't make use of learned MAC addresses on ports to determine path mapping (Issue [NMS-6583](#))
- sort order interfaces on node page (Issue [NMS-6593](#))
- EnLinkD IS-IS Link discovery fails on Cisco routers (Issue [NMS-6802](#))
- Geomaps are quite slow (Issue [NMS-6902](#))
- Remove Link Status Menu Item (Issue [NMS-6905](#))
- lldpchassisid not properly decoded for DragonWave in Enhanced Linkd Lldp node discovery (Issue [NMS-6912](#))
- test failure: org.opennms.netmgt.provision.detector.SmtpDetectorTest (Issue [NMS-6972](#))
- Link Status Provider is still an option for older Linkd Topology Provider (Issue [NMS-6974](#))
- Java 8 build fails some tests (Issue [NMS-7029](#))
- MAC 00:00:00:00:00:00 should be treated as null (Issue [NMS-7089](#))
- IpNetToMedia Table: Manage duplicated ip address (Issue [NMS-7090](#))

- Toggle icons on Node List Page are too small on resolutions greater than Full HD (Issue [NMS-7096](#))
- Geo-Maps running on a server without internet connection breaks the UI for valid nodes. (Issue [NMS-7148](#))
- Alarms dashlet: "ago" and node label columns can overlap when tiled (Issue [NMS-7175](#))
- LLdp link discovery: lldpRemLocalPortNum value 0 (Issue [NMS-7183](#))
- LldpHelper decode exception (Issue [NMS-7184](#))
- Remove the logging directories from the DEB package (Issue [NMS-7192](#))
- Switch direction to zoom in and out in the topology (Issue [NMS-7207](#))
- Change filterfavorites.filter to 'text' SQL data type (Issue [NMS-7251](#))
- Enhanced Linkd inserts wrong Local Port bridge number (Issue [NMS-7294](#))
- Java environment in Debian has to be configured twice (Issue [NMS-7320](#))
- Database Report "Response time by node" Not Working. (Issue [NMS-7337](#))
- IllegalArgumentException on ipnettomediatable (Issue [NMS-7358](#))
- No CDP neighbors on a topological map (Issue [NMS-7362](#))
- ACLs ineffective in geographic map (Issue [NMS-7372](#))
- Unable to display performance data from Host Resource processor table (Issue [NMS-7379](#))
- KSC Reports with non-existing resources generate exceptions on the WebUI (Issue [NMS-7400](#))
- Title information on the node detail page are confusing (Issue [NMS-7410](#))
- Double footer in resource graph page (Issue [NMS-7412](#))
- Normalize the HTTP Host Header with the new HttpClientWrapper (Issue [NMS-7432](#))
- Disabling Notifd crashes webUI (Issue [NMS-7434](#))
- JRB to RRD converter no longer compiles (Issue [NMS-7456](#))
- Reload Collectd and Pollerd Configuration without restart OpenNMS (Issue [NMS-7466](#))
- Path Outage severity is not indicated in Web UI (Issue [NMS-7467](#))
- DrayTek Vigor2820 Series agent bug: zero-length IPAddress instance ID (Issue [NMS-7481](#))
- queued creates its own category for loggings (Issue [NMS-7485](#))
- SNMP version syntax inconsistent across components (Issue [NMS-7518](#))
- Surveillance View configuration is no longer dynamic (Issue [NMS-7531](#))
- EventconfFactoryTest fails with no events eventconf.xml (Issue [NMS-7533](#))

- Vaadin SV on index page not fitting to view (Issue [NMS-7537](#))
- Vaadin:Dashboard SV dashlet no longer indicate context of other dashlets (Issue [NMS-7543](#))
- NPE on admin/notification/noticeWizard/chooseUeis.jsp (Issue [NMS-7549](#))
- Smoke test is failing with the new dashboard (Issue [NMS-7554](#))
- gui and maps does not display lldp and cdp links (Issue [NMS-7563](#))
- Dashboard Auto-Refresh runs JVM out of memory (Full-GC) (Issue [NMS-7570](#))
- The XSD for the SNMP Hardware Inventory Provisioning Adapter is not included on the RPM/DEB packages. (Issue [NMS-7576](#))
- Search by foreignSource or severityLabel doesn't work on Geo Maps (Issue [NMS-7577](#))
- List of service names in the requisition editor should be pulled from the poller configuration instead of capsd (Issue [NMS-7590](#))
- Tog depth for VmwareMonitor and VmwareCimMonitor is wrong (Issue [NMS-7597](#))
- Varbinddecodes are being ignored on Notifications (Issue [NMS-7598](#))
- Some parameters logged out of order since slf4j conversion (Issue [NMS-7603](#))
- Replace PermGen VM arguments with Metaspace equivalents (Issue [NMS-7604](#))
- Remote Poller throws ClassNotFoundException when loading config (Issue [NMS-7610](#))
- RPM dependency for JDK 8 is wrong (Issue [NMS-7615](#))
- Compass can't make a POST request from FILE URLs in some cases (Issue [NMS-7616](#))
- Test failure: org.opennms.netmgt.provision.service.Nms5414Test (Issue [NMS-7617](#))
- Scrolling issue (Issue [NMS-7620](#))
- Memory leak in RTC (Issue [NMS-7622](#))
- The PSM doesn't work with IPv6 addresses if the \${ipaddr} placeholder is used on host or virtual-host (Issue [NMS-7626](#))
- Timeline image links are not working with services containing spaces (Issue [NMS-7629](#))
- Database reports don't run in 16 (Issue [NMS-7630](#))
- Match event params for auto-ack of Notification (Issue [NMS-7631](#))
- include-url doesn't work on poller packages (Issue [NMS-7633](#))
- ClassCastException in BSFNotificationStrategy (Issue [NMS-7634](#))
- Node resources are deleted when provisiond aborts a scan (Issue [NMS-7636](#))
- Default date width in Database Reports is too small (Issue [NMS-7637](#))

- Test failure: testImportAddrThenChangeAddr (Issue [NMS-7640](#))
- The IP Interface page is blank. (Issue [NMS-7641](#))
- The global variable org.opennms.rrd.queuing.category is set to OpenNMS.Queued and should be queued (Issue [NMS-7642](#))
- Test failure: testSerialFailover (Issue [NMS-7643](#))
- Fixing Logging Prefix/Category on several classes (Issue [NMS-7644](#))
- Test failure: tryStatus (Issue [NMS-7645](#))
- XML data collection with HTTP POST requests is not working (Issue [NMS-7650](#))
- Improving exception handling on the XML Collector (Issue [NMS-7651](#))
- Vaadin surveillance view configuration doesn't work with Firefox (Issue [NMS-7657](#))
- Error in Debian/Ubuntu init script (Issue [NMS-7658](#))

Enhancement

- Add option to turn off snmp v3 passphrase clear text in log files (Issue [NMS-1504](#))
- Trapd is not able to process SNMPv3 INFORMs (Issue [NMS-2995](#))
- XMPP: Make SASL mechanism configurable (Issue [NMS-4619](#))
- Set vertex to focal point (Issue [NMS-6442](#))
- Drools Update to 6.0.1 Final (Issue [NMS-6581](#))
- PATCH — Bridgewave Wireless Bridge (Issue [NMS-6963](#))
- Move RTC over to Spring and Hibernate (Issue [NMS-7146](#))
- Be able to set the rescanExisting flag when defining a scheduler task on provisiond-configuration.xml (Issue [NMS-7229](#))
- add Siemens HiPath 3000 event files (Issue [NMS-7310](#))
- add Siemens HiPath 3000 HG1500 event files (Issue [NMS-7311](#))
- add Siemens HiPath 8000 / OpenScapeVoice event files (Issue [NMS-7312](#))
- Move notification status indicator to header (Issue [NMS-7318](#))
- Add pathOutageEnabled="false" to poller-configuration.xml by default (Issue [NMS-7424](#))
- Change varchar to text for CDP and LLDP tables (Issue [NMS-7441](#))
- Update Smack API (Issue [NMS-7453](#))
- Update asciidoctor maven plugin from 1.5.0 to 1.5.2 (Issue [NMS-7461](#))
- Remove Capsd from OpenNMS (Issue [NMS-7473](#))

- Modify WebDetector/Monitor/Plugin/Client to expose ability to enable/disable certificate validation (Issue [NMS-7474](#))
- Add support for gzip compression on REST APIs (Issue [NMS-7476](#))
- Allow RRD data to be retrieved via REST (Issue [NMS-7479](#))
- Make resource data accessible through ReST (Issue [NMS-7480](#))
- The DefaultResourceDao loads all child resources when retrieving a specific resource by id (Issue [NMS-7505](#))
- Use the default threshold definition as a template when adding TriggeredUEI/RearmedUEI on thresholds through the WebUI (Issue [NMS-7528](#))
- Remove unnecessary output from opennms-doc module (Issue [NMS-7579](#))
- BSFMonitor creates a new BSFManager every poll which makes caching script engines ineffective (Issue [NMS-7593](#))
- SNMP interface RRD migrator should create and clean up backups interface-wise (Issue [NMS-7595](#))
- Create a ReST API to expose the available detectors/policies/categories/assets/services required to manipulate foreign sources (Issue [NMS-7609](#))
- Need upgrade task for collection strategy classes (Issue [NMS-7612](#))
- Create opennms.properties option to choose between new and old dashboard (Issue [NMS-7619](#))
- Deprecation of LinkD (Issue [NMS-7632](#))

Story

- Allow user to create and modify surveillance views (Issue [NMS-7299](#))
- Migrate Surveillance view GWT UI component to Vaadin (Issue [NMS-7303](#))
- Migrate Alarms GWT UI component to Vaadin (Issue [NMS-7304](#))
- Migrate Notifications GWT UI component to Vaadin (Issue [NMS-7305](#))
- Migrate Node Status component from GWT to Vaadin (Issue [NMS-7306](#))
- Migrate Resource Graph Viewer component from GWT to Vaadin (Issue [NMS-7307](#))
- Update user documentation (Issue [NMS-7323](#))
- Allow user to select surveillance view in the Dashboard (Issue [NMS-7325](#))
- Remove the GWT dashboard from the code base (Issue [NMS-7326](#))
- Remove "report-category" attribute (Issue [NMS-7429](#))
- Add surveillance view's name in the left header cell (Issue [NMS-7430](#))
- Add an option to disable "refreshing" (Issue [NMS-7431](#))
- Add preview window in config UI (Issue [NMS-7469](#))

- Icons for alarms and notifications (Issue [NMS-7489](#))
- Modal window to show node, alarm and notification details (Issue [NMS-7490](#))
- Admin configuration panel shows dashboard instead of surveillance view (Issue [NMS-7491](#))
- Allow to configure refresh time per surveillance view (Issue [NMS-7492](#))
- Rename the surveillance config panel link in Admin menu (Issue [NMS-7530](#))
- Dashboard Dashlet: Refresh indicator (Issue [NMS-7540](#))
- Vaadin Dashboard: Alarm Dashlet should have severity sorting by default (Issue [NMS-7542](#))

OpenNMS 15

Release 15.0.2

Release 15.0.2 is the latest stable release of OpenNMS. It consists of a large number of bugfixes and other small changes included in Meridian 2015.1.0.

The codename for 15.0.1 is *Psychonauts*.

Sub-task

- Enhance documentation for VmwareCimMonitor (Issue [NMS-7214](#))
- Enhance VmwareCimMonitor (Issue [NMS-7215](#))
- Test the feature in Test environment (Issue [NMS-7216](#))
- Merge feature in develop for release (Issue [NMS-7217](#))

Bug

- "24hr Avail" went negative (Issue [NMS-863](#))
- The Stp interface box page throws an exception (Issue [NMS-6100](#))
- When displaying Linkd link info on node, ifAlias data in interface columns missing opening quote (Issue [NMS-6158](#))
- EnLinkD IS-IS Link discovery fails on Cisco routers (Issue [NMS-6802](#))
- lldpchassisid not properly decoded for DragonWave in Enhanced Linkd Lldp node discovery (Issue [NMS-6912](#))
- IpNetToMedia Table: Manage duplicated ip address (Issue [NMS-7090](#))
- LLdp link discovery: lldpRemLocalPortNum value 0 (Issue [NMS-7183](#))
- LldpHelper decode exception (Issue [NMS-7184](#))
- Enhanced Linkd inserts wrong Local Port bridge number (Issue [NMS-7294](#))
- Java environment in Debian has to be configured twice (Issue [NMS-7320](#))

- No CDP neighbors on a topological map (Issue [NMS-7362](#))
- 1.12.9-2 rpm install broken (Issue [NMS-7398](#))
- KSC Reports with non-existing resources generate exceptions on the WebUI (Issue [NMS-7400](#))
- Double footer in resource graph page (Issue [NMS-7412](#))
- JRB to RRD converter no longer compiles (Issue [NMS-7456](#))
- opennms-remoting webapp fails due to org.opennms.core.soa classloader issue (Issue [NMS-7464](#))
- Reload Collectd and Pollerd Configuration without restart OpenNMS (Issue [NMS-7466](#))
- Path Outage severity is not indicated in Web UI (Issue [NMS-7467](#))
- DrayTek Vigor2820 Series agent bug: zero-length IPAddress instance ID (Issue [NMS-7481](#))
- Semantic Zoom problems in Topology Map (Issue [NMS-7483](#))
- When adding a new escalation to an existing destination path, the default value for initial delay is null (Issue [NMS-7502](#))
- PageSequenceMonitor HTTP 1.1 traffic is missing host header (Issue [NMS-7503](#))
- OpenNMS should fall back to HTTP/1.0 if virtual-host is not configured. (Issue [NMS-7506](#))
- Timeline renders very slowly with a couple hundred outages (Issue [NMS-7511](#))
- Outages are not getting created (Issue [NMS-7519](#))
- JRobin: Unrecognized graph argument (Issue [NMS-7522](#))
- The 404 handler in the ROOT web-app generates a 500 error (Issue [NMS-7527](#))
- Event replacement items that contain '%' characters in result in broken notification text sometimes (Issue [NMS-7529](#))
- NullPointerException in Notifd JMX Attributes (Issue [NMS-7546](#))
- NPE on admin/notification/noticeWizard/chooseUeis.jsp (Issue [NMS-7549](#))
- linkd topology up/down status inconsistent (Issue [NMS-7550](#))
- DiskUsageMonitor never fails with a non existing disk (Issue [NMS-7551](#))
- Ops Board Configuration "create new board" button stops working. (Issue [NMS-7560](#))
- gui and maps does not display lldp and cdp links (Issue [NMS-7563](#))
- Blank login page in Debian (Issue [NMS-7565](#))
- send-event.pl event datestamp fails to parse where system locale is not English (Issue [NMS-7566](#))
- Lower collectd log severity (Issue [NMS-7575](#))

- Search by foreignSource or severityLabel doesn't work on Geo Maps (Issue [NMS-7577](#))
- Pollerd attempts to create duplicate outages (Issue [NMS-7585](#))
- CORS should be disabled by default (Issue [NMS-7591](#))
- @JUnitTemporaryDatabase tests do not use connection pooling (Issue [NMS-7594](#))
- Print style regression (Issue [NMS-7596](#))
- Varbinddecodes are being ignored on Notifications (Issue [NMS-7598](#))
- Node ReST service cannot update geolocation information (Issue [NMS-7599](#))
- Remote Poller throws ClassNotFoundException when loading config (Issue [NMS-7610](#))
- Compass can't make a POST request from FILE URLs in some cases (Issue [NMS-7616](#))

Enhancement

- Trapd is not able to process SNMPv3 INFORMs (Issue [NMS-2995](#))
- VMware CIM monitor should be configurable to allow DPM (Issue [NMS-7213](#))
- Update ticket.id after creating a new JIRA issue (Issue [NMS-7470](#))
- Make availability (RTC) data accessible through ReST (Issue [NMS-7478](#))
- Notification wizard client-side filtering of event list (Issue [NMS-7507](#))
- Use the default threshold definition as a template when adding TriggeredUEI/RearmedUEI on thresholds through the WebUI (Issue [NMS-7528](#))

Release 15.0.1

Release 15.0.1 is the latest stable release of OpenNMS. It consists primarily of bugfixes to the new UI and a fix for some database-related issues that could cause duplicate outages.

The codename for 15.0.1 is *Silpheed*.

Sub-task

- XmpMonitor (Issue [NMS-6702](#))

Bug

- Outage timeline does not show all outages in timeframe (Issue [NMS-7331](#))
- Side-menu layout issues in node resources (Issue [NMS-7392](#))
- Outage records are not getting written to the database (Issue [NMS-7394](#))
- Overlapping input label in login screen (Issue [NMS-7395](#))
- Notifications with asset fields on the message are not working (Issue [NMS-7396](#))

- Surveillance box on start page doesn't work (Issue [NMS-7399](#))
- Data Collection Logs in wrong file (Issue [NMS-7403](#))
- Incorrect Availability information and Outage information (Issue [NMS-7406](#))
- Visual issues on the start page (Issue [NMS-7409](#))
- Duplicate copies of bootstrap.js are included in our pages (Issue [NMS-7423](#))
- Poller: start: Failed to schedule existing interfaces (Issue [NMS-7425](#))
- Not monitored services are shown as 100% available on the WebUI (Issue [NMS-7426](#))
- The PageSequenceMonitor is broken in OpenNMS 15 (Issue [NMS-7427](#))
- Normalize the HTTP Host Header with the new HttpClientWrapper (Issue [NMS-7432](#))
- Topology UI takes a long to load after login (Issue [NMS-7433](#))
- Disabling Notifd crashes webUI (Issue [NMS-7434](#))
- The Quick Add Node menu item shouldn't be under the Admin menu (Issue [NMS-7435](#))
- The default log level is DEBUG instead of WARN on log4j2.xml (Issue [NMS-7437](#))
- CORS filter not working (Issue [NMS-7452](#))
- Netscaler systemDef will never match a real Netscaler (Issue [NMS-7454](#))

Enhancement

- Read port and authentication user from XMP config (Issue [NMS-7419](#))
- Apply the auto-resize feature for the timeline charts (Issue [NMS-7438](#))

Release 15.0.0

Release 15.0.0 is the latest stable release of OpenNMS. Alongside the usual enhancements and bug fixes, OpenNMS 15 gets a name (Horizon) and starts the process of finally modernizing the web UI. We have completely replaced our existing layout using [Bootstrap](#). While it may look visually similar for now, this puts us on a footing to make better and more frequent UI changes going forward.

The codename for 15.0.0 is *Sundog*.

Sub-task

- CiscoPingMibMonitor (Issue [NMS-6642](#))
- NetScalerGroupHealthMonitor (Issue [NMS-6674](#))
- merge DocuMerge branch into develop branch (Issue [NMS-7060](#))
- alter documentation deploy step in bamboo to match the new structure (Issue [NMS-7086](#))

- Fix fortinet event typos (fortinet vs fortimail) (Issue [NMS-7164](#))
- Fix UEI names for CitrixNetScaler trap events (Issue [NMS-7238](#))
- Document CORS Support (Issue [NMS-7264](#))

Bug

- Missing localised time in web pages (Issue [NMS-1956](#))
- Time to load Path Outages page grows with each entry added (Issue [NMS-2358](#))
- Null/blank sysName value causes null/blank node label (Issue [NMS-2580](#))
- Create a HibernateEventWriter to replace JdbcEventWriter (Issue [NMS-3033](#))
- Able to get to non authorised devices via path outages link. (Issue [NMS-3207](#))
- Custom Resource Performance Reports not available (Issue [NMS-3615](#))
- jdbcEventWriter: Failed to convert time to Timestamp (Issue [NMS-3847](#))
- wrong content type in rss.jsp (Issue [NMS-4009](#))
- Paging arrows invisible with firefox on mac (Issue [NMS-4246](#))
- Notification WebUI has issues (Issue [NMS-4493](#))
- Time format on Event webpage is different that on Notices webpage (Issue [NMS-4528](#))
- Installer database upgrade script (install -d) scans every RRD directory, bombs with "too many open files" (Issue [NMS-5057](#))
- RSS feeds are not valid (Issue [NMS-5427](#))
- notifications list breadcrumbs differs from notifications index page (Issue [NMS-5618](#))
- Resource Graphs No Longer Centered (Issue [NMS-5858](#))
- Vaadin Header not consistent with JSP Header (Issue [NMS-6022](#))
- Empty Notification search bug (Issue [NMS-6042](#))
- Map Menu is not listing all maps (Issue [NMS-6472](#))
- Web UI shows not the correct Java version (Issue [NMS-6529](#))
- Problems installing "Testing" on Ubuntu 14.04 (Issue [NMS-6613](#))
- Queued Ops Pending default graph needs rename (Issue [NMS-6826](#))
- Many graph definitions in snmp-graph.properties have line continuation slashes (Issue [NMS-6827](#))
- New Focal Point Topology UI (STUI-2) very slow (Issue [NMS-6894](#))
- Node page availability graph isn't "(last 24 hours)" (Issue [NMS-6917](#))

- WMI collector does not support persistence selectors (Issue [NMS-6924](#))
- test failure: org.opennms.mock.snmp.LLDPmibTest (Issue [NMS-6956](#))
- Requisition list very slow to display (Issue [NMS-6958](#))
- GeoMap polygons activation doesn't accurately reflect cursor location (Issue [NMS-6967](#))
- Navbar in Distributed Map is missing (Issue [NMS-7015](#))
- Local interface not displayed correctly in "Cdp Cache Table Links" (Issue [NMS-7059](#))
- xss in device snmp settings (Issue [NMS-7075](#))
- provision.pl just works if the admin user credentials are used (Issue [NMS-7112](#))
- Message Error in DnsMonitor (Issue [NMS-7115](#))
- Unable to add graph to KSC report (Issue [NMS-7120](#))
- ReST call for outages ends up with 500 status (Issue [NMS-7126](#))
- OpenNMS logo doesn't point to the same file (Issue [NMS-7144](#))
- footer rendering is weird in opennms docs (Issue [NMS-7149](#))
- Add a unit test for NodeLabel.computeLabel() (Issue [NMS-7170](#))
- ie9 does not display any 'interfaces' on a switch node - the tabs are blank (Issue [NMS-7176](#))
- NullPointerException When Querying offset in ReST Events Endpoint (Issue [NMS-7185](#))
- OpenNMS does not eat yellow runts (Issue [NMS-7246](#))
- HTTP 500 errors in WebUI after upgrade to 14.0.2 (Issue [NMS-7270](#))
- WMI changed naming format for wmiLogicalDisk and wmiPhysicalDisk device (Issue [NMS-7277](#))
- Enable WMI Opennms Cent OS box (Issue [NMS-7279](#))
- Non provisioned switches with multiple VLANs generate an error (Issue [NMS-7287](#))
- SNMP configuration shows v1 as default and v2c is set. (Issue [NMS-7322](#))
- Include parts of a configuration doesn't work (Issue [NMS-7330](#))
- Outage timeline does not show all outages in timeframe (Issue [NMS-7331](#))
- Unnecessary and confusing DEBUG entry on poller.log (Issue [NMS-7332](#))
- Switches values retrieved incorrectly in the BSF notification strategy (Issue [NMS-7333](#))
- QueryManagerDaoImpl crashes in getNodeServices() (Issue [NMS-7335](#))
- Acknowledging alarms from the geo-map is not working (Issue [NMS-7359](#))

- Add/Edit notifications takes too much time (Issue [NMS-7360](#))
- Update Java in OpenNMS yum repos (Issue [NMS-7363](#))
- Octectstring not well stored in strings.properties file (Issue [NMS-7367](#))
- RrdDao.getLastFetchValue() throws an exception when using RRDtool (Issue [NMS-7368](#))
- Authentication defined in XML collector URLs cannot contain some reserved characters, even if escaped. (Issue [NMS-7381](#))
- The hardware inventory scanner doesn't recognize PhysicalClass::cpu(12) for entPhysicalClass (Issue [NMS-7387](#))
- Crash on path outage JSP after DAO upgrade (Issue [NMS-7391](#))

Enhancement

- header should always contain links for all sections (Issue [NMS-1595](#))
- No link back to node after manually unmanaging services (Issue [NMS-2233](#))
- Group path outages by critical node (Issue [NMS-2359](#))
- Search for nodes by sysObjectID in web UI (Issue [NMS-2582](#))
- Modify results JSP to render multiple columns (Issue [NMS-2694](#))
- Sort the Path Outages by Critical Path Node (Issue [NMS-5079](#))
- Default hrStorageUsed disk space relativeChange threshold only alerts on a sudden *increase of free space*, not a decrease of free space (Issue [NMS-5085](#))
- Add ability to search for nodes by SNMP values like Location and Contact (Issue [NMS-5133](#))
- Upgrade JasperReports 3.7.6 to most recent version (Issue [NMS-5182](#))
- Add link to a node's upstream critical path node in the dependent node's web page (Issue [NMS-5448](#))
- Event definitions: Fortinet (Issue [NMS-6508](#))
- ImapMonitor does not work with nginx (Issue [NMS-6736](#))
- Expose SNMP4J 2.x noGetBulk and allowSnmpV2cInV1 capabilities (Issue [NMS-7123](#))
- showNodes.jsp should show nodes in alphabetical order (Issue [NMS-7157](#))
- Backup Exec UEI contain "http://" in uei (Issue [NMS-7166](#))
- Rename link to configure the Ops Board in the Admin section. (Issue [NMS-7205](#))
- Remove "JMX Config Generator Web UI ALPHA" from stable (Issue [NMS-7206](#))
- Document that user must be in 'rest', 'provision' or 'admin' role for provision.pl to work (Issue [NMS-7228](#))
- Add collection of SNMP MIB2 UDP scalar stats (Issue [NMS-7247](#))

- CORS Support (Issue [NMS-7261](#))
- Improve the speed of the ReST API and Service Layer for the requisitions' repositories. (Issue [NMS-7278](#))
- Enforce selecting a single resource for Custom Resource Performance Reports (Issue [NMS-7308](#))
- Rearrange Node/Event/Alarm/Outage links on bootstrap UI (Issue [NMS-7317](#))
- Add configuration property for protobuf queue size (Issue [NMS-7384](#))
- IpInterfaceScan shouldDetect() method should check for empty string in addition to null string (Issue [NMS-7388](#))

OpenNMS 14

Release 14.0.3

Release 14.0.3 is the latest stable release of OpenNMS. It provides a few small fixes and enhancements over OpenNMS 14.0.2, and we believe we have truly squashed the wallboard memory leak this time. ;) It also includes an important security fix which affects all previous versions of OpenNMS for CVE-2015-0975, which can provide remote access to local system files. This upgrade is the STRONGLY recommended for all OpenNMS 14.x users. For an overview of the major changes since OpenNMS 1.12.x, see the [What's New in OpenNMS 14](#) page.

The codename for 14.0.3 is *Surge*.

Bug

- (En)Linkd sends too many logged events re: scanning (Issue [NMS-7252](#))
- Cannot Clear alarms in STUI - Acknowledge works (Issue [NMS-7255](#))
- TopReportPlugin fails on FreeBSD (Issue [NMS-7260](#))
- Authentication in MailTransportMonitor not working (Issue [NMS-7265](#))
- The OpenNMS Web User Interface Has Experienced an Error (Issue [NMS-7266](#))
- Error reading ami-config.xml (Issue [NMS-7269](#))
- Error attempting to get SnmpInterfaces (IpInterfaces) on node page (Issue [NMS-7271](#))
- NullPointerException when selecting KSC reports (Issue [NMS-7274](#))
- linkDown event is confusing users (Issue [NMS-7285](#))
- ConcurrentModificationException thrown when adding/modifying graph templates for resource types that are being used (Issue [NMS-7289](#))
- Authenticated XXE Vulnerability (Issue [NMS-7291](#))
- Authenticated XXE Vulnerability (CVE-2015-0975) (Issue [NMS-7321](#))

Enhancement

- Datacollection for Terminal Services on W2K8+ (Issue [NMS-4763](#))

- Add WMI data collection and graphs for paging, disk I/O, and total memory (Issue [NMS-6822](#))
- The Wallboard app makes OpenNMS unusable after a few days even if it is not used. (Issue [NMS-7230](#))

Release 14.0.2

Release 14.0.2 is the latest stable release of OpenNMS. It provides a few small fixes and enhancements over OpenNMS 14.0.1, including a fix for a critical memory leak in the OpenNMS web UI. This upgrade is strongly recommended for all OpenNMS 14.x users. For an overview of the major changes since OpenNMS 1.12.x, see the [What's New in OpenNMS 14](#) page.

The codename for 14.0.2 is *Club-Mate*.

Sub-task

- Citrix Netscaler trap events (Issue [NMS-7238](#))

Bug

- Syslog Northbounder throws exceptions on certain alarms (Issue [NMS-6551](#))
- ICMP availability with custom packet size doesn't work with JNI (Issue [NMS-7073](#))
- Node page for a switch or router is unusable with Enhanced Linkd enabled (Issue [NMS-7092](#))
- Vaadin applications show Page Not Found error (Issue [NMS-7130](#))
- The XML Collector is not storing the proper data for node-level resources (Issue [NMS-7186](#))
- The XML Collection Handler is caching the resourceTypes (Issue [NMS-7187](#))
- Edit an existing scheduled outage from node's page doesn't work (Issue [NMS-7190](#))
- The report "Total Bytes Transferred By Interface" is not working with RRDtool (Issue [NMS-7193](#))
- When the DNS name of a discovered node changes, Provisiond doesn't update the node label. (Issue [NMS-7195](#))
- Null pointer exception removing services from node (Issue [NMS-7218](#))
- Some GWT pages are not working on IE (Issue [NMS-7227](#))
- The downtime model never removes the nodes when it is instructed to do it (Issue [NMS-7231](#))
- XML collector in JSON mode assumes all element content is String (Issue [NMS-7243](#))
- NPE on "manage and unmanage services and interfaces" (Issue [NMS-7245](#))
- Clicking On View Node Link Detailed Info Give java.lang.IllegalArgumentException (Issue [NMS-7250](#))

Enhancement

- Move the "Add new outage" to the top of the page. (Issue [NMS-7194](#))
- The Wallboard app makes OpenNMS unusable after a few days even if it is not used. (Issue [NMS-7230](#))

Mikrotik RouterOS trap definitions (Issue [NMS-7237](#))

Release 14.0.1

Release 14.0.1 is the latest stable release of OpenNMS. It provides a few small fixes and enhancements over OpenNMS 14.0.0. For an overview of the major changes since OpenNMS 1.12.x, see the [What's New in OpenNMS 14](#) page.

The codename for 14.0.1 is *Big Red*.

Release 14.0.1

Bug

- WMI collector does not support persistence selectors (Issue [NMS-6924](#))
- "Dashboard" & "Add Node" tabs in the navigation bar doesn't change style when being selected. (Issue [NMS-7150](#))
- debian packages still try to use java 1.5 by default (Issue [NMS-7154](#))
- OpenNMS on Debian Jessie Fails to Install if PostgreSQL is Not Already Configured (Issue [NMS-7155](#))
- When I clicked on "Change Node Label" for modifying node lable it giving the error below. (Issue [NMS-7156](#))
- \$OPENNMS_HOME/bin/system-report throws a ClassNotFoundException (Issue [NMS-7163](#))
- The WebUI is not showing the resources associated with new resource types added on the fly. (Issue [NMS-7168](#))
- command-line scripts should output to the console (Issue [NMS-7174](#))
- "OpenNMS Disconnect — is the OpenNMS daemon running?" is confusing (Issue [NMS-7177](#))

Release 14.0.0

Release 14.0.0 is the latest stable release of OpenNMS. It would have been 1.14.0, but we have changed versioning conventions. There are a huge number of bug fixes and changes in this release since the last unstable version, 1.13.4. For an overview of the major changes since OpenNMS 1.12.x, see the [What's New in OpenNMS 14](#) page.

The codename for 14.0.0 is *Cheerwine*.

Sub-task

- Test installer for Windows 8.1 (Issue [NMS-7021](#))
- Replace GPL'd images of Ops Panel and Vmware Topology Provider (Issue [NMS-7034](#))
- Test installer for Ubuntu 14.04 (Issue [NMS-7071](#))

Bug

- Convert EventsArchiver to use Hibernate (Issue [NMS-3034](#))
- linkd not showing links between nodes and cisco switches (Issue [NMS-3913](#))
- Postgres database upgrade fails in InstallerDb.databaseSetUser on Windows (Issue [NMS-4041](#))
-

- Sending notifications causes exception in javamailer if user is missing smtp address (Issue [NMS-4367](#))
- Provisiond temporarily deletes policy-based surveillance categories from existing nodes when synchronizing (Issue [NMS-5059](#))
- install_iplike.sh needs explicit DROP FUNCTION if PL/PGSQL sproc already exists / PostgreSQL 9.1 / Ubuntu 11.10+ / Fedora 16+ (Issue [NMS-5212](#))
- Threshold expressions for node-level metrics doesn't work on non SNMP Collectors (Issue [NMS-5219](#))
- File based Provisioning Groups nodes lose historic Service Outage information after manual Synchronization for services added with detectors. (Issue [NMS-5266](#))
- config-tester does not run on a standard Debian install (Issue [NMS-5603](#))
- Adding a node through "Add Node" when filling in the hostname/IP but not Node Name results in a null node name (Issue [NMS-5847](#))
- Collectd is still collecting data from each duplicate IPs after removing the duplicates (Issue [NMS-6226](#))
- Small font size in JRobin graphs after upgrade to 1.12.2 (Issue [NMS-6303](#))
- OpenNMS not starting because of dataSource bean NPE (Issue [NMS-6312](#))
- Remote polling does not work (Issue [NMS-6326](#))
- OpenNMS tested 1.12.1 and 1.12.3-Cannot start OpenNMS with a configured Selenium-Monitor (Issue [NMS-6371](#))
- There's no way to rediscover SNMP properties on a discovered node handled by Provisiond (Issue [NMS-6380](#))
- Missing dependency for provision.pl (Issue [NMS-6395](#))
- Topology Map Internal Error (Issue [NMS-6441](#))
- build failures on master (Issue [NMS-6476](#))
- Graph's legend size is too small after upgrading (Issue [NMS-6501](#))
- Drop-down list for nodes and interfaces on Scheduled Outages UI is not responding when having thousands of nodes. (Issue [NMS-6502](#))
- Topology Page failed to load in IE browser (Issue [NMS-6505](#))
- Logging messages from several daemons appear on uncategorized.log (Issue [NMS-6527](#))
- NRTG is throwing ConcurrentModificationException (Issue [NMS-6536](#))
- Compile needs 5 to 6 runs to get 1.12/master compiled (Issue [NMS-6573](#))
- Linkd Nms17216Test success is order dependent on its tests. (Issue [NMS-6602](#))
- When a node doesn't have a primary IP address, the Geo Map displays "null" for the IP (Issue [NMS-6627](#))
- Remote Poller will not start because of asterisk-java.jar in JNLP JAR list (Issue [NMS-6628](#))

- Topology map crashes (Issue [NMS-6728](#))
- The rescanExisting flag in Provisiond is not working as expected (Issue [NMS-6759](#))
- Exception thrown while running CDP discovery on Enhanced Linkd (Issue [NMS-6774](#))
- Upgrading from 1.8 to 1.12 breaks the scheduled reports generated through the WebUI (Issue [NMS-6775](#))
- RemotePollerAvailabilityRestServiceTest has midnight timing issues (Issue [NMS-6779](#))
- NoClassDefFoundError: Could not initialize class sun.reflect.misc.Trampoline (Issue [NMS-6784](#))
- Large values of snmpifspeed come out negative when used in resource-filter (Issue [NMS-6788](#))
- Unmanaged IP interfaces colored as down in IP Interface component of node page (Issue [NMS-6791](#))
- Potential OpenNMS Web GUI XSS Vulnerability (Issue [NMS-6793](#))
- HTTPDetector does not work with Go programs (http request is invalid) (Issue [NMS-6800](#))
- Notification wizard should hide events with donotpersist or auto-clean=true (Issue [NMS-6821](#))
- test failure: org.opennms.web.rest.RemotePollerAvailabilityRestServiceTest (Issue [NMS-6824](#))
- test failure: org.opennms.netmgt.poller.monitors.DnsMonitorTest (Issue [NMS-6825](#))
- org.opennms.netmgt.linkd.Nms10205aTest.testNetwork10205Links (Issue [NMS-6832](#))
- test failure: org.opennms.netmgt.provision.detector.NtpDetectorTest.testDetectorSuccess (Issue [NMS-6834](#))
- test failure: org.opennms.netmgt.rrd.model.RrdConvertUtilsTest (Issue [NMS-6835](#))
- Java Null Pointer exceptions seen more than 3K+ times in output.log (Issue [NMS-6837](#))
- Read-only user should not be able to delete reports (Issue [NMS-6839](#))
- Move XML Collector 3GPP Sample configuration to etc/examples (Issue [NMS-6843](#))
- audit and fix systemd support on modern linuxes (Issue [NMS-6845](#))
- Update Code Signing Cert so 1.14 is signed with new cert (Issue [NMS-6846](#))
- smoke test failure: AddNodePageTest & ServicePageTest (Issue [NMS-6847](#))
- NodeCategorySettingPolicy hit momentarily resolves open outages (Issue [NMS-6848](#))
- Can't modify an existing systemDef through Vaddin UI for Data Collection Groups (Issue [NMS-6855](#))
- Error when stopping opennms during normal operation (Issue [NMS-6857](#))
- Geo Maps are not working (everything is on the Antarctic) (Issue [NMS-6859](#))
- NRTG feature does not work with SNMPv3 (Issue [NMS-6860](#))
- Bad Marker in Geo Maps (Issue [NMS-6861](#))

- Geo Maps are not rendered on Internet Explorer 11 (Issue [NMS-6862](#))
- Increase size of asset fields (Issue [NMS-6864](#))
- "Interface Availability Report" & "Snmp Interface Availability Report" of Database Reports are not working (Issue [NMS-6868](#))
- Create gitflow release document (Issue [NMS-6871](#))
- Bamboo: OutOfMemoryException during compile phase (Issue [NMS-6872](#))
- Copyright in created reports (PDF) is outdated (2002-2011) (Issue [NMS-6875](#))
- Log4j2 configuration breaks the instrumentation logger (Issue [NMS-6876](#))
- New Enhanced Topology no longer shows topology (Issue [NMS-6877](#))
- Link the rpm and deb repos for 1.14.0 to snapshot (Issue [NMS-6879](#))
- Make sure the InstrumentationLogReader works with the new log4j2 output (Issue [NMS-6881](#))
- Confirm 1.14 Runs on JDK 8 (Issue [NMS-6882](#))
- test failure: org.opennms.netmgt.linkd.LinkdSnmpTest (Issue [NMS-6885](#))
- test failure: org.opennms.netmgt.poller.monitors.HttpMonitorTest.testPollStatusReason (Issue [NMS-6886](#))
- Set up bamboo auto-merges (Issue [NMS-6888](#))
- Deprecate sms-reflector, move to opennms-tools (Issue [NMS-6890](#))
- Deprecate access-point-monitor, move to opennms-tools (Issue [NMS-6891](#))
- The XML Collector can't save counter metrics on RRDs (using RRDtool) (Issue [NMS-6895](#))
- A node is listed twice on the search box of the Topology UI (Issue [NMS-6896](#))
- Increase timeout for Selenium smoke tests to avoid failures (Issue [NMS-6897](#))
- UserRestServiceTest.testWriteALotOfUsers() fails fairly often (Issue [NMS-6898](#))
- Node Page View Node Link Detailed Info, creates an exception when no links are available (Issue [NMS-6900](#))
- Geographical Node Map shows no nodes (Issue [NMS-6901](#))
- test failure: org.opennms.mock.snmp.MockSnmpAgentTest (Issue [NMS-6903](#))
- HttpCollector is broken (Issue [NMS-6904](#))
- NullPointerException EnhancedLinkd Bridgediscovery (Issue [NMS-6908](#))
- query did not return a unique result: 12 Exception in EnhancedLink bridge discovery (Issue [NMS-6909](#))
- SQLException in EnhancedLinkd Cdp discovery (Issue [NMS-6910](#))

- Illegal Argument Exception in EnhancedLink Ospf Node Discovery (Issue [NMS-6911](#))
- test failure: org.opennms.web.springframework.security.SecurityAuthenticationEventOnmsEventBuilderTest (Issue [NMS-6913](#))
- Verify that JRobin font handling is fixed (Issue [NMS-6915](#))
- Events API returning invalid XML (Issue [NMS-6918](#))
- test failure: org.opennms.netmgt.provision.adapters.link.LinkMonitoringSnmpTest (Issue [NMS-6921](#))
- Show CDP Information on "Node Link Detailed Info" page (Issue [NMS-6923](#))
- "Loading" spinner in Vaadin apps moves (Issue [NMS-6929](#))
- test failure: org.opennms.netmgt.xmlrpcd.XmlrpcdTest (Issue [NMS-6935](#))
- Upgrade Embedded Karaf to 2.4.0 (Issue [NMS-6937](#))
- test failure: org.opennms.netmgt.collectd.SnmpCollectorTest (Issue [NMS-6940](#))
- test failure: org.opennms.netmgt.poller.monitors.HttpMonitorTest (Issue [NMS-6941](#))
- Error invoking remote poller via Java WebStart (Invalid signature file digest for Manifest main attributes) (Issue [NMS-6945](#))
- snmp-request utility broken from Log4J 2 changeover (Issue [NMS-6949](#))
- DAO context exception (Issue [NMS-6950](#))
- Front page resource graphs combo box always pops up error on enter (Issue [NMS-6953](#))
- test failure: org.opennms.netmgt.collectd.DuplicatePrimaryAddressTest (Issue [NMS-6959](#))
- bin/functions.pl line 153 fails if build directory has a space on it (Issue [NMS-6964](#))
- Remote-Poller Client does not startup without exception. (Issue [NMS-6965](#))
- Remote-Poller started via Java Webstart sometimes freezes when closing (Issue [NMS-6966](#))
- Upgrade Needed for service-configuration.xml (Issue [NMS-6970](#))
- Stop collecting mib2-icmp group by default (Issue [NMS-6973](#))
- vtd xml jar should not be included opennms-base-assembly due to licening (Issue [NMS-6992](#))
- Review include of GPL'd images and other things (Issue [NMS-6993](#))
- Replace Icons with licensed version server.png and group.png (Issue [NMS-6994](#))
- Replace JournalMemo.png with a non GPL2.0 version (Issue [NMS-6995](#))
- Do we really need pngfix.js? What license do iit have? (Issue [NMS-6997](#))
- UP DOG (Issue [NMS-6998](#))

- Installing the Remote Poller on Windows using the .exe file doesn't register Windows Service successfully (Issue [NMS-6999](#))
- "Undefined" dashlet in the Ops Board (Issue [NMS-7002](#))
- The default logging in OpenNMS is DEBUG/TRACE (Issue [NMS-7008](#))
- Configure Discovery throws FileNotFoundException (Issue [NMS-7009](#))
- Ping Window is broken in TopologyMap (Issue [NMS-7010](#))
- Events/Alarms popup shows two scroll bars (Issue [NMS-7011](#))
- Topology Map throws a bunch of exceptions in the browser console (Issue [NMS-7013](#))
- Maps dropdown and Maps Overview mismatch (Issue [NMS-7014](#))
- Missing supported application on about page (Issue [NMS-7016](#))
- Wrong License reference on about page (Issue [NMS-7017](#))
- Removing the focus of a category does not work in firefox (Issue [NMS-7018](#))
- When node was added to Focus due to search the context menu "Add To Focus" is still available (Issue [NMS-7019](#))
- Sometimes I get an Exception when clicking on "Ops Panel" in the Ops Dashboard (Issue [NMS-7022](#))
- Installation on Ubuntu 14.04 failes for unmet dependencies (Issue [NMS-7023](#))
- Lots of "Unable to obtain lock for PollableNode before timeout" on Pollerd (Issue [NMS-7025](#))
- Poodle exploit: exclude SSLv3 in example Jetty HTTPS configuration (thanks to David Gerdes, University of Illinois) (Issue [NMS-7026](#))
- The VMWare Monitor is throwing exceptions related with nodeDao (Issue [NMS-7032](#))
- Unknown NullPointerException on Pollerd related with Category Membership events (Issue [NMS-7033](#))
- NRTG does not work using SNMP v3 (Issue [NMS-7049](#))
- Installer is not working under Windows 8.1 (Issue [NMS-7050](#))
- License Agreement in Windows Installer seems to be wrong. (Issue [NMS-7051](#))
- Installer does not provide a port setting for Database Configuration (Issue [NMS-7052](#))
- Installer does not run install -dis correctly on Windows (Issue [NMS-7053](#))
- FileNotFoundException org.apache.felix.framework-4.0.3.jar (Issue [NMS-7054](#))
- Webapp needs to include source download (Issue [NMS-7055](#))
- Remote poller crashes with no feedback if polled nodes have non-distributable services (Issue [NMS-7057](#))
- Log SNMP request-ID more consistently in Snmp4JStrategy.processResponse (Issue [NMS-7058](#))

- NRTG is broken for passwords containing special characters (Issue [NMS-7064](#))
- SNMP4J logs going to output.log (Issue [NMS-7068](#))
- Installer does not show AGPL license (Issue [NMS-7069](#))
- Installing OpenNMS with the installer under Ubuntu fails due to chmod a+x issue (Issue [NMS-7072](#))
- ICMP availability with custom packet size doesn't work with JNI (Issue [NMS-7073](#))
- OpenNMS does not start on Windows (Issue [NMS-7076](#))
- Not all placeholder get substituted correctly (Issue [NMS-7077](#))
- Unable to resolve missing requirement while navigating to the web frontend (Issue [NMS-7080](#))
- Installer does not run install -dis on *nix systems (Issue [NMS-7082](#))
- IllegalArgumentException on Node Link Detailed Info Page (Issue [NMS-7083](#))
- Logs are spammed with Atomikos warnings (Issue [NMS-7084](#))
- Lower half of Node Link Detailed Info Page is missing (Issue [NMS-7085](#))
- OpenNMS depends on JRobin 1.6.0-SNAPSHOT (Issue [NMS-7087](#))
- Topology Map shows Google Chrome Frame Notice Popup (IE only) (Issue [NMS-7093](#))
- Topology Map does not show Icons on IE (Issue [NMS-7094](#))
- Ping Command in Topology Map causes "Vaadin Communication Problem" (Issue [NMS-7097](#))
- Device Menu items are disabled all the time (Issue [NMS-7098](#))
- Navbar is broken on node list in Internet Explorer (Issue [NMS-7099](#))
- Close button in ping window on topology map does not work (Issue [NMS-7101](#))
- make ops4j pax ours (Issue [NMS-7102](#))
- If a target node is rebooted the RRD/JRB files contains spikes because the sysUpTime check is not working (Issue [NMS-7106](#))
- SMTP with reason code: NumberFormatException (Issue [NMS-7107](#))
- Resource Graphs not working on Windows 2008 R2 install (Issue [NMS-7109](#))
- update documentation as necessary for 14 (Issue [NMS-7110](#))
- Configure SNMP by IP ui does not work in IE when changing snmp versions (Issue [NMS-7111](#))
- The opennms.bat doesn't work for stopping OpenNMS and the Temp directory is not quoted (Issue [NMS-7114](#))
- The MIB Compiler is not working when OpenNMS is running on Windows (Issue [NMS-7116](#))

- Requisitions cannot be edit when using IE (Issue [NMS-7118](#))
- Legend Icons not clickable on Node List Page in IE (Issue [NMS-7119](#))
- Exception in the Alarm Detail View (Issue [NMS-7121](#))
- Audit HttpClient usage to make sure connections are being closed properly (Issue [NMS-7122](#))
- Outage timeline link from image map for outages does not work with Firefox (Issue [NMS-7128](#))

Enhancement

- RESTful API doesn't support SNMP v3 (Issue [NMS-3269](#))
- Create event to trigger linkd to start link scan (Issue [NMS-4177](#))
- Move linkd to his own project (Issue [NMS-5572](#))
- How to delete alert message "The text is too long; the maximum length is" in asset page (Issue [NMS-5625](#))
- Event definitions: Fortinet (Issue [NMS-6508](#))
- Upgrade Selenium libraries to their latest version (Issue [NMS-6766](#))
- SNMP collection systemDefs for ASA5585-SSP10, ASA5585-SSP20, ASA5585-SSP40, ASA5585-SSP60, and Cisco Nexus 7009 (Issue [NMS-6785](#))
- Provide a way to selectively detect services on requisitions (Issue [NMS-6829](#))
- Can't monitor JBoss EAP 6.1.0 or later with the JMXMonitor/JMXCollector (using Jsr160Collector) (Issue [NMS-6830](#))
- Make Topology Provider for CDP (Issue [NMS-6842](#))
- Enable appropriate Linkd topology provider (Issue [NMS-6844](#))
- Upgrade to SNM4J2 (Issue [NMS-6883](#))
- After upgrading HttpClient, the host header always contains the port which is a problem for Microsoft IIS (Issue [NMS-6916](#))
- Warn when the remote poller does not support ICMP (Issue [NMS-6971](#))
- Make default statsd config do little? (Issue [NMS-6985](#))
- Add and collect JMX attribute for OpenNMS uptime (Issue [NMS-7066](#))
- Improve node list presentation of node DBIDs, foreign-source names, and foreign-IDs (Issue [NMS-7088](#))
- Add page for standalone node availability box (Issue [NMS-7117](#))

Task

- Change the OpenNMS license to the AGPL (Issue [NMS-6930](#))
- Rename OpenNMS 1.14.0 to OpenNMS 14.0.0 (Issue [NMS-6931](#))

- audit `git diff` vs. 1.12 (Issue [NMS-6936](#))
- Test Migration from 1.12 (Issue [NMS-6975](#))
- Test Polling (Issue [NMS-6976](#))
- Test Data Collection - JMX (Issue [NMS-6977](#))
- Test Data Collection - HTTP (Issue [NMS-6978](#))
- Test DataCollection - Vmware (Issue [NMS-6979](#))
- Test DataCollection - WMI (Issue [NMS-6980](#))
- Test NRTG on SNMPv2 and v3 (Issue [NMS-6981](#))
- Test that Notifications still work (Issue [NMS-6982](#))
- Web UI testing for OpenNMS 14 (Issue [NMS-6983](#))
- Test Reporting (Issue [NMS-6984](#))
- Test package installs (Issue [NMS-6986](#))
- Test Thresholding (Issue [NMS-6987](#))
- Test Enhanced Linkd (Issue [NMS-6989](#))
- Test Topology GUI (Issue [NMS-6990](#))
- Test Remote Polling (Issue [NMS-6991](#))

Release 1.13

Release 1.13.4

Release 1.13.4 is the 5th unstable release; it is a preview of what will eventually become the OpenNMS 1.14.x stable series.

The codename for 1.13.4 is *Metallica*

Bug

- incorrectly translated trap contents (Issue <http://issues.opennms.org/browse/NMS-5281> [NMS-5281])
- uninformative `notifd.log` messages (Issue <http://issues.opennms.org/browse/NMS-5645> [NMS-5645])
- Linkd reports incorrect topology (Issue <http://issues.opennms.org/browse/NMS-5862> [NMS-5862])
- `net-snmp` extend output not properly interpreted if numbers are exactly 8 characters long (Issue <http://issues.opennms.org/browse/NMS-6202> [NMS-6202])
- OpenNMS depends on OpenJDK 6 instead of OpenJDK 7 (Issue <http://issues.opennms.org/browse/NMS-6396> [NMS-6396])
- Can't monitor JBoss EAP 6.1.0 or later with the JMXMonitor/JMXCollector because they don't support `jmx-remoting` protocol (Issue <http://issues.opennms.org/browse/NMS-6589> [NMS-6589])

- RPM dependencies for Java broken (Issue <http://issues.opennms.org/browse/NMS-6599> [NMS-6599])
- New jetty.xml configuration lacks default keystore passwords (Issue <http://issues.opennms.org/browse/NMS-6601> [NMS-6601])
- Having hundreds of scheduled outage hurts the performance of the OpenNMS server (Issue <http://issues.opennms.org/browse/NMS-6748> [NMS-6748])
- High CPU usage due to DataCollectionConfigDao.getConfiguredResourceTypes() while Collectd starts (Issue <http://issues.opennms.org/browse/NMS-6757> [NMS-6757])
- The rescanExisting flag in Provisiond is not working as expected (Issue <http://issues.opennms.org/browse/NMS-6759> [NMS-6759])

Enhancements

- Remove dead code from org.opennms.web.ServletInitializer (Issue <http://issues.opennms.org/browse/NMS-4945> [NMS-4945])
- Monitoring Asterisk SIP Clients (Issue <http://issues.opennms.org/browse/NMS-5767> [NMS-5767])
- Remove link to Surveillance Category Editor from nodepage for requisitioned nodes (Issue <http://issues.opennms.org/browse/NMS-6372> [NMS-6372])
- Asset page should not be in edit mode for requisitioned nodes (Issue <http://issues.opennms.org/browse/NMS-6373> [NMS-6373])
- Dynamically generated filename cause packaging issues (Issue <http://issues.opennms.org/browse/NMS-6577> [NMS-6577])
- Add a timeline of outages to nodepage availability-box (Issue <http://issues.opennms.org/browse/NMS-6578> [NMS-6578])

Release 1.13.3

Release 1.13.3 is the 4th unstable release; it is a preview of what will eventually become the OpenNMS 1.14.x stable series. It contains a critical security fix.

The codename for 1.13.3 is *De Musikalske Dvergene*

Bug

- Security: downloadReport allow download and view any file in filesystem (Issue [NMS-6580](#))

Release 1.13.2

Release 1.13.2 is the 3rd unstable release; it is a preview of what will eventually become the OpenNMS 1.14.x stable series. It contains a large number of changes over 1.13.1, including collection updates, lots of refactoring, more topology UI enhancements, auto-acknowledge notification updates, Linkd updates, VMware graph enhancements, and many other small improvements.

The codename for 1.13.2 is *Boston*

Bug

- Using the Sftp3gppXmlCollectionHandler affecting the XSLT pre processing. Both are not working together. (Issue [NMS-6533](#))
- ResourceDao.findTopLevelResources() is returning duplicated data because of storeByForeignSource (Issue [NMS-6545](#))
- Notifications are truncated at 4000 chars in database (Issue [NMS-6562](#))
- The SFTP Connection are not closed when an exception is thrown using 3GPP XML Collector (Issue [NMS-6564](#))

Enhancements

- Patch for auto-acknowledgement of threshold events (Issue [NMS-1462](#))
- Embed JMS provider inside OpenNMS (Issue [NMS-2638](#))
- Add ability to match event parms for auto-ack (Issue [NMS-3090](#))
- Alphabetize the polling packages on scheduled outages (Issue [NMS-5243](#))
- Sort notifications by severity (Issue [NMS-6504](#))
- snmp mib compiler should use twin column select for systemDefs (Issue [NMS-6525](#))
- Make visible the scheduled outages that are being executed. (Issue [NMS-6558](#))

Release 1.13.1

Release 1.13.1 is the 2nd unstable release; it is a preview of what will eventually become the OpenNMS 1.14.x stable series. It contains a large number of changes over 1.13.0, including Java 8 support, many core cleanups, support for running Camel and ActiveMQ in the OpenNMS Karaf container, MANY ReST-related cleanups for XML and JSON output, plus tons of other fixes and features.

The codename for 1.13.1 is *Seigmen*

Bug

- REST API - Access to list of all user with non admin rights (Issue [NMS-5391](#))
- Linkd package not working (Issue [NMS-6215](#))
- Linkd LLDP discovery is not able to get links when one end point does not support LLDP mib (Issue [NMS-6233](#))
- Create Link to Topology from Node Page (Issue [NMS-6339](#))
- Can't create a node without path outage information in provisioning web interface (Issue [NMS-6350](#))
- mib2 storage usage graph does not work with RRDtool (Issue [NMS-6356](#))
- Validate the mename of a maskelement when editing an event through the Vaadin UI (Issue [NMS-6378](#))
- The ILR reports wrong data when there are several packages with different collection rates on collectd-configuration.xml for the same service (Issue [NMS-6386](#))

- Deadlock in location_monitors update via Hibernate (Issue [NMS-6392](#))
- Exception thrown while changing transaction to readOnly mode (Issue [NMS-6399](#))
- Security Information disclosed in Service detail screen (Issue [NMS-6403](#))
- Provisiond detectors sometimes fail to detect (Issue [NMS-6412](#))
- Topology Widgets are out of sync with contextual window (Issue [NMS-6416](#))
- IP Interface component bug on Node Page (Issue [NMS-6420](#))
- NRTG Is busted in master (Issue [NMS-6422](#))
- Auto Refresh Interval in Topology APP isn't consistent (Issue [NMS-6423](#))
- Links from Topology Map to Geographical Map are no longer working (Issue [NMS-6425](#))
- WebUI shows 503 for log in (Issue [NMS-6435](#))
- The Valere devices with broken SNMP agents are hanging Provisiond. (Issue [NMS-6484](#))
- Creating a scheduled outage from the node's page doesn't work (Issue [NMS-6490](#))
- Several XSD files are not being generated anymore. (Issue [NMS-6491](#))

Enhancements

- SVG Map: Clean Up Java Classes (Issue [NMS-5013](#))
- Add a regex to test the banner returned by the TCP monitor (Issue [NMS-3218](#))
- Greater flexibility in threshold event parameters (Issue [NMS-5468](#))
- New event file for Konica Traps (Issue [NMS-5699](#))
- Remove the reset button on the login prompt. (Issue [NMS-5738](#))
- Datacollection Konica Printers (Issue [NMS-5781](#))
- New BackupExec event file (Issue [NMS-5789](#))
- New mib/event file for TrendMicro AV (Issue [NMS-5829](#))
- New events/datacollection for Liebert USV (Issue [NMS-5882](#))
- Use a suitable Algorithm to display Elements in SVG maps (Issue [NMS-6104](#))
- Add Discovery Strategy to Links (Issue [NMS-6106](#))
- persist protocol used for discovered links (Issue [NMS-6245](#))
- Add BGP datacollection support for Foundry BigIron 4000/8000/RX (Issue [NMS-6308](#))
- Upgrade JasperReport Engine to current stable release (Issue [NMS-6366](#))

- Search for event from the last hour isn't possible without Event Text (Issue [NMS-6370](#))
- apache jakarta regexp project is discontinued. (Issue [NMS-6427](#))
- Create Provisiond detector for VMwareCim-HostSystem (Issue [NMS-6434](#))
- Monitor for JMX related framework Jolokia (Issue [NMS-6328](#))

Release 1.13.0

Release 1.13.0 is the first unstable release; it is a preview of what will eventually become the OpenNMS 1.14.x stable series. It contains a number of enhancements, most notably GUI work in the topology UI, as well as some code cleanup and other updates that are too invasive to include in 1.12.

The codename for 1.13.0 is *Hedningarna*

Bug

- Maven surefire doesn't properly report some test failures (Issue [NMS-1698](#))
- remote poller logging (Issue [NMS-2800](#))
- Cannot build using IBM's java - Groovy maven plugin error "No providers discovered" (Issue [NMS-3476](#))
- ./maven/bin/mvn dependency:go-offline not fetch all dependences (Issue [NMS-4304](#))
- Jetty 503 Service Unavailable after disabling PollerBackend (Issue [NMS-4330](#))
- JMX jrb filenames can contain spaces (Issue [NMS-4612](#))
- Can't disable all log rotation in log4j.properties (Issue [NMS-4689](#))
- DatabaseReportListController is never used? (Issue [NMS-5034](#))
- NullPointerException in DefaultParameterConversionService with IE8 (Issue [NMS-5134](#))
- Default ONMS JMX graphs broken with storeByGroup enabled (Issue [NMS-5279](#))
- redirection on cancel configuration changes for a KSC report returns to main opennms index page. (Issue [NMS-5443](#))
- manager log messages are too vague or wrong level. (Issue [NMS-5467](#))
- SNMPV3 context not working in provisiond (Issue [NMS-5556](#))
- "No Data for this Entry" in Serial Interface Utilization Summary report (Issue [NMS-5617](#))
- Make possible to set the interface status on the requisition through REsT and WebUI (Issue [NMS-5773](#))
- Selecting topology group doesn't filter alarm widget (Issue [NMS-5787](#))
- VMware integration not gathering statistics on VM host hardware collections such as vmware4Disk or vmware4Cpu (Issue [NMS-5845](#))
- LLDP Failure for non ifIndex references (Issue [NMS-5904](#))

- Topology Map showing non-existent links/missing valid links (Issue [NMS-5906](#))
- Prefab graph ignores properties for width and height (Issue [NMS-5918](#))
- Primary interface is not used for VMware CIM service polling and data collection (Issue [NMS-5938](#))
- Default to Provisiond handling newSuspects, disabling Capsd (Issue [NMS-5943](#))
- Alarm list and alarm details is not showing in the WebUI (Issue [NMS-5947](#))
- Duplicated parameter in notification.xml (Issue [NMS-5948](#))
- Exception when switching tabs in alarm and node browsers on map (Issue [NMS-5968](#))
- Sorting doesn't work on alarm and node browsers (Issue [NMS-5969](#))
- Node availability report wrong calculation of percentage (Issue [NMS-5990](#))
- Add foreignSource parameter to newSuspect Event (Issue [NMS-5991](#))
- "Servlet with alias already registered" Exception occurs on startup in osgi container (Issue [NMS-5999](#))
- Negative filter for services in alarm list shows null (Issue [NMS-6005](#))
- Loading Vaadin parts of the WebUI needs a lot of time (Issue [NMS-6043](#))
- Database connections leak until the system cannot obtain any more connections (Issue [NMS-6051](#))
- Master doesn't start due to PollerBackend Exception (Issue [NMS-6052](#))
- The VMWare collector doesn't work properly when storeByForeignSource is enabled (Issue [NMS-6060](#))
- Make the VMWare Provisioner more useful (Issue [NMS-6070](#))
- provision.pl is not handling properly the 302 and 303 HTTP Responses. (Issue [NMS-6072](#))
- The JAR where the GpDetector is defined doesn't appear on the RPM or DEB files (Issue [NMS-6074](#))
- VmwareConfigBuilder creates too long aliases for vSphere 5.1 (Issue [NMS-6082](#))
- Syslog Northbounder is not translating the node labels (Issue [NMS-6092](#))
- Linkd throws Exception when CdpCacheIpv4Address is blank (Issue [NMS-6101](#))
- Linkd does not update properly datalinkinterface table (Issue [NMS-6102](#))
- Linkd does not manage duplicated ip addresses (Issue [NMS-6103](#))
- Can't use SNMPv3 with NoAuth-NoPriv (Issue [NMS-6108](#))
- NRTG is not working if storeByForeignSource is enabled (Issue [NMS-6119](#))
- XSS vector in admin/error.jsp (Issue [NMS-6147](#))
- LdapMonitor can leak poller threads (Issue [NMS-6148](#))

- VMware metrics for network packet statistics missing for ESX host (Issue [NMS-6166](#))
- GeoMap boundaries (Issue [NMS-6172](#))
- Unresolved constraint in bundle org.opennms.features.vaadin-node-maps (Issue [NMS-6176](#))
- Unresolved constraint in bundle org.opennms.features.jmxconfiggenerator (Issue [NMS-6178](#))
- Unresolved constraint in bundle org.opennms.features.jmxconfiggenerator.webui (Issue [NMS-6179](#))
- GeoMap doughnut markers don't reflect alarm status (Issue [NMS-6214](#))
- 503 Webapp Error (Issue [NMS-6217](#))
- Exception while using topology history feature (Issue [NMS-6218](#))
- SnmpInterfaceRrdMigrator breaks with "javax.xml.bind.UnmarshalException: inf" (Issue [NMS-6302](#))
- send-event.pl invalid in master (Issue [NMS-6304](#))

Enhancements

- Refactor Log Level of OpenNMS Messages (Issue [NMS-1087](#))
- distributed monitor disconnected timeout hardcoded (Issue [NMS-2797](#))
- change the log rotation to use the log4j-extras RollingFileAppender (Issue [NMS-2949](#))
- log4j enhancement to support compression (Issue [NMS-4690](#))
- eclipse maven integration (Issue [NMS-4814](#))
- Add IS-IS discovery to Linkd (Issue [NMS-5582](#))
- JRobinRrdStrategy class does not support RGBA color values (Issue [NMS-5591](#))
- Add OAuth support to microblog notification feature (Issue [NMS-5691](#))
- keep all log4j settings near their main definition. (Issue [NMS-5729](#))
- Bump maven-resources-plugin to 2.6 to avoid annoying message during build (Issue [NMS-5805](#))
- Widget Filtering based on visible vertices (Issue [NMS-5869](#))
- Topology Selection Behavior improvements (Issue [NMS-5870](#))
- Changing RRD graph size with URL parameter width and height (Issue [NMS-5919](#))
- Tool converting JRobin files to RRDtool file format (Issue [NMS-5921](#))
- Detection for VMware CIM service only if the communication is possible (Issue [NMS-5941](#))
- Add a configuration foreignSource element/attribute to a discovery range (Issue [NMS-5992](#))
- Add new sysOID to linkd (Issue [NMS-6039](#))

- Ability to disable rescanning of updated nodes during import (Issue [NMS-6040](#))
- SNMP support for Clavister security devices (Issue [NMS-6107](#))
- Split Linkd Link dicoverly as per discovery Strategy (Issue [NMS-6110](#))
- add provisioning requisition column to outages list display (Issue [NMS-6143](#))

Release 1.12

Release 1.12.9

Release 1.12.9 is the 10th in the stable 1.12 series of OpenNMS. It contains a number of important fixes including handling jetty.xml upgrades better, and a fix for a bug in the rescanExisting flag when provisioning. See What's New in OpenNMS 1.12 for a general list of changes in the 1.12 series.

The codename for 1.12.9 is *Bruce Springsteen*

Bug

- HRULE not working in JRobin graphs (Issue [NMS-2793](#))
- incorrectly translated trap contents (Issue [NMS-5281](#))
- Can't monitor JBoss EAP 6.1.0 or later with the JMXMonitor/JMXCollector because they don't support jmx-remoting protocol (Issue [NMS-6589](#))
- New jetty.xml configuration lacks default keystore passwords (Issue [NMS-6601](#))
- Pollerd stops working if a service is down and the downtime model is not correct. (Issue [NMS-6603](#))
- Problem with disable-ssl-verification in XML_Collector (Issue [NMS-6611](#))
- No Longer Able to Control Graph Report Order (Issue [NMS-6621](#))
- If Jetty HTTP is enabled in opennms.properties, the WebUI doesn't work with SSL (Issue [NMS-6629](#))
- Can't download generated reports, a NPE is thrown by the WebUI (Issue [NMS-6632](#))
- Having hundreds of scheduled outage hurts the performance of the OpenNMS server (Issue [NMS-6748](#))
- High CPU usage due to DataCollectionConfigDao.getConfiguredResourceTypes() while Collectd starts (Issue [NMS-6757](#))
- The rescanExisting flag in Provisiond is not working as expected (Issue [NMS-6759](#))

Enhancements

- Monitoring Asterisk SIP Clients (Issue [NMS-5767](#))
- Remove link to Surveillance Category Editor from nodepage for requisitioned nodes (Issue [NMS-6372](#))
- Asset page should not be in edit mode for requisitioned nodes (Issue [NMS-6373](#))
- If the HostResourceSwRunMonitor fails because of a timeout, the reason does not reflect it. (Issue [NMS-6626](#))

Release 1.12.8

Release 1.12.8 is the 9th in the stable 1.12 series of OpenNMS. It contains an important fix for a security issue that can expose files outside of the OpenNMS directory through the web interface. See [What's New in OpenNMS 1.12](#) for a general list of changes in the 1.12 series.

The codename for 1.12.8 is *John Petrucci*

Bug

- Security: downloadReport allow download and view any file in filesystem (Issue [NMS-6580](#))

Release 1.12.7

Release 1.12.7 is the eighth in the stable 1.12 series of OpenNMS. It contains a number of important fixes including a XSS vulnerability, and also introduces a potentially incompatible change to the way the web UI is configured. For details on the web UI changes, see [Changes to the Web UI Startup](#) on the [What's New in OpenNMS 1.12](#) page.

The codename for 1.12.7 is *Bob Marley*

Bug

- Form too large error on /opennms/admin/getNodes page (Issue [NMS-2846](#))
- exception when unmanaging interfaces via Admin Manage and unmanage (Issue [NMS-3998](#))
- Resource Graph Resources - limited to 55 Resources or less (Issue [NMS-4675](#))
- Long query size for Resource Graphs generates 413 error - increase HeaderBufferSize (Issue [NMS-4760](#))
- Add config option to use persistent session with Jetty (Issue [NMS-5527](#))
- Really large provisioning groups crash Web UI (Issue [NMS-6364](#))
- Syslog Northbounder runs in a NullPointerException (Issue [NMS-6383](#))
- The notification WebUI is unusable when there are notifications associated with events that doesn't exist on the DB. (Issue [NMS-6447](#))
- Embedded Jetty blocking HTTP requests due to "Max threads" settings (Issue [NMS-6519](#))
- WebStart remote poller needs Permissions: manifest attribute to run under Java 7u45 (Issue [NMS-6522](#))
- Using the Sftp3gppXmlCollectionHandler affecting the XSLT pre processing. Both are not working together. (Issue [NMS-6533](#))
- ResourceDao.findTopLevelResources() is returning duplicated data because of storeByForeignSource (Issue [NMS-6545](#))
- Some provisioning adapters do not send reload success / failure events (Issue [NMS-6548](#))
- Eventd does not honor reloadDaemonConfig event (Issue [NMS-6549](#))
- Vacuumd does not honor reloadDaemonConfig event (Issue [NMS-6552](#))
- Notifications are truncated at 4000 chars in database (Issue [NMS-6562](#))

- The SFTP Connection are not closed when an exception is thrown using 3GPP XML Collector (Issue [NMS-6564](#))
- Two XSS vulnerabilities in webapp (Issue [NMS-6571](#))

Enhancements

- there appears to be no way to restrict access to the ajp port (Issue [NMS-3499](#))
- Debian packages need updating to support postgresql-9.2 and postgresql-9.3 (Issue [NMS-6517](#))

Release 1.12.6

Release 1.12.6 is the seventh in the stable 1.12 series of OpenNMS. It contains a number of important fixes including a potential security leak in the ReST interface. See [What's New in OpenNMS 1.12](#).

The codename for 1.12.6 is *Sascha Konietzko*

Bug

- REST API - Access to list of all user with non admin rights (Issue [NMS-5391](#))
- Exception during statsd runs: "Value of line 1 of output from RRD is not a valid floating point number: '2,670374e+03'" Problem of locale? (Issue [NMS-5592](#))
- JdbcEventUtil should not set distPoller to "undefined" (Issue [NMS-5750](#))
- thresholding ignores persistselectorstrategy resulting in threshold events on items that should be ignored (Issue [NMS-6274](#))
- Can't delete an escalation from the WebUI (Issue [NMS-6338](#))
- Provisiond detectors sometimes fail to detect (Issue [NMS-6412](#))
- The Upgrade Tools are throwing a NPE when a JMX service is not configured properly on collectd-configuration.xml (Issue [NMS-6463](#))
- Resource path parser incorrect on Windows when storeByForeignSource enabled (Issue [NMS-6465](#))
- microsoft.cpuPercentBusy is not working with RRDtool (Issue [NMS-6468](#))
- The Valere devices with broken SNMP agents are hanging Provisiond. (Issue [NMS-6484](#))
- Upgrade Tools issue: the snmpStorageFlag from datacollection-config.xml is not being considered while running SnmpInterfaceRrdMigratorOnline (Issue [NMS-6489](#))
- RPM and DEB maintainer scripts remove OPENNMS_HOME/data tree (Issue [NMS-6495](#))

Enhancements

- Correct Manage/Unmanage Behavior in WebUI (Issue [NMS-5515](#))
- Create an Asset Editor Role (Issue [NMS-6414](#))
- Create Provisiond detector for VMwareCim-HostSystem (Issue [NMS-6434](#))

- Expose poller thread pool stats via JMX (Issue [NMS-6466](#))
- Provide a user configuration file for provision.pl (Issue [NMS-6467](#))

Release 1.12.5

Release 1.12.5 is the sixth in the stable 1.12 series of OpenNMS. It contains a fix for upgrades when using `storeByForeignSource`, plus a few other small changes. See [What's New in OpenNMS 1.12](#).

The codename for 1.12.5 is *John Lee Hooker*

Bug

- Can't import a requisition when OpenNMS is installed in "C:\Program Files\OpenNMS" (Issue [NMS-6361](#))
- sftp.3gpp: empty resource label when the PM Group filter doesn't match a given `measObjLdn` (Issue [NMS-6365](#))
- The ILR reports wrong data when there are several packages with different collection rates on `collectd-configuration.xml` for the same service (Issue [NMS-6386](#))
- Security Information disclosed in Service detail screen (Issue [NMS-6403](#))
- NPE on `SnmpAssetProvisioningAdapter.fetchSnmpAssetString()` (Issue [NMS-6405](#))
- Upgrade 1.12.4 breaks `StoreByForeignSource` (Issue [NMS-6409](#))
- Exception on `node.jsp` with `storeByForeignSource` enabled and no data collection for the node. (Issue [NMS-6424](#))

Enhancements

- Remove the reset button on the login prompt. (Issue [NMS-5738](#))
- `Surveillance-Category-Names` can be longer than 64 chars (Issue [NMS-6406](#))

Release 1.12.4

Release 1.12.4 is the fifth in the stable 1.12 series of OpenNMS. It contains more upgrade tool bugfixes, as well as a number of small bug fixes and enhancements. See [What's New in OpenNMS 1.12](#).

The codename for 1.12.4 is *Iggy Pop*

Bug

- OpenNMS+jrobin does not obey font selection (Issue [NMS-2691](#))
- JRobin Ignores `--font` directive (Issue [NMS-3477](#))
- Notices for events with a regex UEI have a bad label (Issue [NMS-5093](#))
- Uncaught exception in `HostResourceSwRunMonitor` when handling empty strings (Issue [NMS-5852](#))
- `DiskUsageMonitor` `startswith` parameter doesn't evaluate all mount points (Issue [NMS-6095](#))
- UI for editing foreign source policies needs larger window for "value" field (Issue [NMS-6161](#))

- IPv6 IPLIKE expressions incorrectly rejected in notification wizard (Issue [NMS-6313](#))
- Requisition editor should trim whitespace from critical fields (Issue [NMS-6314](#))
- VMWare Importer is adding an asset called "memory" and should be "ram" (Issue [NMS-6353](#))
- Can't execute standalone vmwarereqtool when RRDtool is enabled (Issue [NMS-6354](#))
- mib2 storage usage graph does not work with RRDtool (Issue [NMS-6356](#))
- In store-by-FS mode, nodes with only generic-resource RRD data treated as if they have no RRD data at all (Issue [NMS-6359](#))
- SnmpInterfaceRrdMigratorOnline fails with: java.lang.NumberFormatException: For input string: "UNKN" (Issue [NMS-6369](#))
- vmwarereqtool is initializing the DB Pool (Issue [NMS-6389](#))

Enhancements

- New event file for Konica Traps (Issue [NMS-5699](#))
- Remove the reset button on the login prompt. (Issue [NMS-5738](#))
- Datacollection Konica Printers (Issue [NMS-5781](#))
- New BackupExec event file (Issue [NMS-5789](#))
- New mib/event file for TrendMicro AV (Issue [NMS-5829](#))
- Add BGP datacollection support for Foundry BigIron 4000/8000/RX (Issue [NMS-6308](#))
- Add Configuration for Poseidon Sensor data collection. (Issue [NMS-6315](#))
- Monitor the health of a NetScaler's group of servers. (Issue [NMS-6377](#))
- Include remote user and host in parameters of notificationsTurnedOff and ~On events (Issue [NMS-6384](#))
- Enhance DnsMonitor to evaluate size of answer section (Issue [NMS-6398](#))

Release 1.12.3

Release 1.12.3 is the fourth in the stable 1.12 series of OpenNMS. It contains a critical bugfix to the upgrade tools added in 1.12.2, as well as a few small config updates. See [What's New in OpenNMS 1.12](#).

The codename for 1.12.3 is *Charles Mingus*

Bug

- SnmpInterfaceRrdMigrator breaks with "javax.xml.bind.UnmarshalException: inf" (Issue [NMS-6302](#))
- Upgrade Tools issue: java.io.IOException: Server returned HTTP response code: 403 for URL: <http://oss.oetiker.ch/rrdtool/rrdtool.dtd> (Issue [NMS-6306](#))

Enhancements

- Add 64-bit SNMP ifXTable packet counters for unicast, multicast, broadcast (Issue [NMS-6305](#))

Release 1.12.2

Release 1.12.2 is the third in the stable 1.12 series of OpenNMS. It contains quite a few bug fixes and enhancements since the 1.12.1 release. For a high-level overview of what has changed since OpenNMS 1.10, see [What's New in OpenNMS 1.12](#).

The codename for 1.12.2 is *Liberace*

Bug

- Bean name with slashes must be escaped on jrb creation (Issue [NMS-3485](#))
- JMX Collector not stripping path separators from mbean object names when using store-by-group persisting (Issue [NMS-4592](#))
- JMX jrb filenames can contain spaces (Issue [NMS-4612](#))
- Some JMX metrics defined in the default jmx-datacollection-config.xml are not compatible with RRDtool (Issue [NMS-5247](#))
- Default ONMS JMX graphs broken with storeByGroup enabled (Issue [NMS-5279](#))
- Collectd org.apache.commons.jexl2.JexlEngine warnings in tomcat-internal.log (Issue [NMS-5286](#))
- Some monitored devices display errors when selecting to see details (Issue [NMS-5553](#))
- Make possible to set the interface status on the requisition through RESt and WebUI (Issue [NMS-5773](#))
- JMX collector mismatch ds.properties and rrd disk files (Issue [NMS-5824](#))
- Negative filter for services in alarm list shows null (Issue [NMS-6005](#))
- Bits In/Out graph is not working in NRTG graph (Issue [NMS-6023](#))
- Geo Maps don't support web proxying. (Issue [NMS-6046](#))
- SNMP Data Collection Interfaces Directory Structure (Issue [NMS-6056](#))
- changing node name doesn't work (Issue [NMS-6084](#))
- Socket error running on Solaris 11 (Issue [NMS-6088](#))
- Unable to start openNMS 1.12 on HP-UX because of lack of JNA native libs (Issue [NMS-6096](#))
- NRTG is not working if storeByForeignSource is enabled (Issue [NMS-6119](#))
- The VMWare Integration doesn't work if an ESX Server is not accessible due to access restrictions (Issue [NMS-6121](#))
- VMWare Importer: If the vmwareTopologyInfo is too big, some PostgreSQL exceptions are thrown while running the importer (Issue [NMS-6124](#))
- Alarm Details for an not existing alarm shows empty page. (Issue [NMS-6125](#))

- Google Maps API rate-limit leads to persistent (-Inf,-Inf) coordinates in DB (Issue [NMS-6129](#))
- VMWare Collector: There is no way to specify the timeout (Issue [NMS-6130](#))
- The Provisioning Rest API is not managing update-dates in requisitions properly (Issue [NMS-6133](#))
- XSS vector in admin/error.jsp (Issue [NMS-6147](#))
- LdapMonitor can leak poller threads (Issue [NMS-6148](#))
- SSLCertMonitor fails to initialise (Issue [NMS-6149](#))
- VMWare Importer - NPE while building vmwareTopologyInfo on ESX Hosts (Issue [NMS-6150](#))
- Provide backward compatibility methods for JRobinDirectoryUtils when storeByForeignSource is not required (Issue [NMS-6152](#))
- VMWare Importer - Port Groups associated with ESX Hosts are confusing the VMWare Topology (Issue [NMS-6162](#))
- Exceptions exposed on provisiond.log when the MAC address is empty (Issue [NMS-6164](#))
- Possible thread contention on Collectd due to the checking on datacollection-config changes. (Issue [NMS-6165](#))
- maint_events.sh is not working (Issue [NMS-6168](#))
- NPE on output.log due to null ifSpeed when calling PhysicalInterfaceRow.getSpeed (Issue [NMS-6169](#))
- Startup fails due to libc.so being in invalid file format (Issue [NMS-6170](#))
- Date issues in "Response time by node" JR report (Issue [NMS-6182](#))
- Web MIB compiler should stub imports of OBJECT-TYPE macro from RFC-1212 (Issue [NMS-6183](#))
- No way to set Google Maps geocoder API key for node geo map (Issue [NMS-6184](#))
- NullPointerException in collectd.log (Issue [NMS-6186](#))
- It is possible to override a compiled MIBs without asking (Issue [NMS-6189](#))
- The SnmpMonitor is not returning the status with the responseTime value (Issue [NMS-6192](#))
- ThresholdingSet isn't catching the exceptions thrown by the threshold evaluators (Issue [NMS-6193](#))
- Can't see changes on the resource graph page after adding/modifying a Resource Type manually or through the WebUI (Issue [NMS-6198](#))
- RTCManager does multiple Posts if URL is not reachable (Issue [NMS-6199](#))
- Provisioning Silently Clobbers Geolocation Asset Data (Issue [NMS-6221](#))
- There is no link to "Resource Graphs" on any page of the WebUI when storeByForeignSource is enabled (Issue [NMS-6225](#))
- Can't update asset records using provision.pl (Issue [NMS-6229](#))

- The Resource Graphs GWT Widget at the front page is not working with storeByForeignSource (Issue [NMS-6231](#))
- The Resource Graphs link from the Topology Map is not working with storeByForeignSource (Issue [NMS-6232](#))
- There is no way to know how the Thread Pool in Pollerd is behaving (Issue [NMS-6252](#))
- Jasper reports that requires accessing RRD files directly when RRDtool is enabled are not working (Issue [NMS-6263](#))
- Reserved name used as function name in opennms-webapp/src/main/webapp/admin/nodemangement/setPathOutage.jsp (Issue [NMS-6266](#))
- Provisioner creates transient OnmsSnmpInterface on interfaces with null ifIndex (Issue [NMS-6271](#))
- thresholdFilter is ignored if value is null, despite AND condition (Issue [NMS-6275](#))
- Threshold filters based on numeric values are not working when they are not part of the expression or ds-name (Issue [NMS-6278](#))
- provision.pl is mentioning nothing about parent-foreign-source (Issue [NMS-6288](#))
- GeneralPurpose detector doesn't work with banner match (Issue [NMS-6294](#))
- OSPF-TRAP-MIB events need updating (Issue [NMS-6295](#))
- F5 trap clear-events should have severity Normal (Issue [NMS-6298](#))

Enhancements

- JMX Configs For Database Polling (Issue [NMS-1539](#))
- Ability to add parent relationships (path outages) in provisioning WebUI (Issue [NMS-3611](#))
- Ability to define the namespace for WMI operations (Issue [NMS-6094](#))
- VMWare Importer: add a flag to ignore IPv4 or IPv6 Interfaces (Issue [NMS-6138](#))
- VMWare Importer: Merge existing services on interfaces (Issue [NMS-6139](#))
- In 1.12 the default log level is INFO instead of WARN like 1.10 (Issue [NMS-6141](#))
- VMWare Importer - Provide a way to generate the requisition from the command line for testing purposes (Issue [NMS-6151](#))
- Queries in old OutageModel.java class are $O(n^2)$ or worse (Issue [NMS-6163](#))
- The threshold processor doesn't work well with complex JEXL Expressions (Issue [NMS-6194](#))
- Display the Resource ID on the threshold events (Issue [NMS-6195](#))
- Accept either "foreignSource:foreignId" or "nodeId" as a parameter on element/node.jsp (Issue [NMS-6234](#))
- Add alarm-data to some APC and Powerware trap events (Issue [NMS-6247](#))
- CISCO-IF-EXTENSION-MIB trap event definitions (Issue [NMS-6296](#))

Release 1.12.1

Release 1.12.1 is the second in the stable 1.12 series of OpenNMS. It contains a number of bug fixes and small enhancements since the 1.12.0 release. For a high-level overview of what has changed since OpenNMS 1.10, see [What's New in OpenNMS 1.12](#).

The codename for 1.12.1 is *Patrick Murphy*

Bug

- Debian init.d script wrong postgres dependency (Issue [NMS-5879](#))
- threshold filters not processed properly (Issue [NMS-5880](#))
- Prefab graph ignores properties for width and height (Issue [NMS-5918](#))
- Disable Threshd by default in service-configuration.xml (Issue [NMS-6024](#))
- Database connections leak until the system cannot obtain any more connections (Issue [NMS-6051](#))
- No login screen after update 1.10.12.1 (Issue [NMS-6058](#))
- The VMWare collector doesn't work properly when storeByForeignSource is enabled (Issue [NMS-6060](#))
- Distributed map offered when no monitoring locations defined (Issue [NMS-6063](#))
- Mail Transport Monitor exception in 1.12.0 (Issue [NMS-6067](#))
- Make the VMWare Provisioner more useful (Issue [NMS-6070](#))
- provision.pl is not handling properly the 302 and 303 HTTP Responses. (Issue [NMS-6072](#))
- OpenNMS web UI has encountered an error (Issue [NMS-6073](#))
- The JAR where the GpDetector is defined doesn't appear on the RPM or DEB files (Issue [NMS-6074](#))
- The jasper report templates doesn't work after enabling storeByForeignSource (Issue [NMS-6075](#))
- JNA code does not work if tmpdir is mounted noexec (Issue [NMS-6076](#))
- config-tester exception in clean 1.12 installation (Issue [NMS-6077](#))
- Remove sample-report, trivial-report and parameter-test from database-reports.xml (Issue [NMS-6080](#))
- VmwareConfigBuilder is not generating a valid graph templates file. (Issue [NMS-6081](#))
- VmwareConfigBuilder creates too long aliases for vSphere 5.1 (Issue [NMS-6082](#))
- parent-foreign-source is not working anymore (Issue [NMS-6083](#))
- Syslog Northbounder is not translating the node labels (Issue [NMS-6092](#))
- Requisition ReST Caching Does Not Flush On Shutdown (Issue [NMS-6093](#))
- Can't use SNMPv3 with NoAuth-NoPriv (Issue [NMS-6108](#))

- Cron-triggered reports in Reportd do not work (Issue [NMS-6113](#))
- alarmidnotfound.jsp went missing (Issue [NMS-6114](#))

Enhancements

- Changing RRD graph size with URL parameter width and height (Issue [NMS-5919](#))
- Ability to disable rescanning of updated nodes during import (Issue [NMS-6040](#))
- PostgreSQL / JDBC data collection config (Issue [NMS-6062](#))
- SNMP support for Clavister security devices (Issue [NMS-6107](#))

Release 1.12.0

Release 1.12.0 is the first in the stable 1.12 series of OpenNMS. It contains a number of bug fixes since the 1.11.94 release. For a high-level overview of what has changed since OpenNMS 1.10, see http://www.opennms.org/wiki/What%27s_New_in_OpenNMS_1.12[What's New in OpenNMS 1.12].

The codename for 1.12.0 is *Barry Privett*

Bug

- ERROR: insert or update on table "notifications" violates foreign key constraint "fk_eventid3" (Issue [NMS-1668](#))
- Provisiond never generates nodeCategoryMembershipChanged events (Issue [NMS-4951](#))
- Provisiond Error : org.hibernate.exception.SQLGrammarException: could not execute query (Issue [NMS-5348](#))
- SNMPV3 context not working in provisiond (Issue [NMS-5556](#))
- "No Data for this Entry" in Serial Interface Utilization Summary report (Issue [NMS-5617](#))
- OpenNMS 1.11.91 requires a JDK to be installed for Jetty to display the login page (Issue [NMS-5835](#))
- Duplicated parameter in notification.xml (Issue [NMS-5948](#))
- OpenNMS Menu is sometimes left justified (Issue [NMS-5988](#))
- Node availability report wrong calculation of percentage (Issue [NMS-5990](#))
- Node selection dumps to exception error (Issue [NMS-6002](#))
- Topology and Geographical Maps Fail to Load (Issue [NMS-6003](#))
- Alarm Inserts failing with PostgreSQL Exception (Issue [NMS-6011](#))
- Poll Outages "day of week" configuration not working (Issue [NMS-6013](#))
- GWT Errors on Asset Page (Issue [NMS-6015](#))
- Missing HTTP content-type in response of the data export API (Issue [NMS-6016](#))
- Windows CPU graph doesn't work with JRobin (Issue [NMS-6017](#))

- Concurrent modification exception in NRTG nrt.broker (Issue [NMS-6019](#))
- Can't add more than one item to any table while editing Events or Data Collection elements through the UI (Issue [NMS-6020](#))
- NRTG Realtime link does not show up for Storage (MIB-2 Host Resources) (Issue [NMS-6021](#))
- Statistic Reports shows an empty page (Issue [NMS-6028](#))
- Can't log in after creating a new user (Issue [NMS-6030](#))

Release 1.11

Release 1.11.94

Release 1.11.94 is the third release candidate for the OpenNMS 1.12 series. It contains more bugfixes and cleanups.

The codename for 1.11.94 is *Dave Grohl*

Bug

- *Bluecat / Adonis* graph definition fixes and enhancements (Issue [NMS-4767](#))
- It is possible to define an `OnmsServiceType` twice and that can hurt some features. (Issue [NMS-5914](#))
- Alarm list and alarm details is not showing in the WebUI (Issue [NMS-5947](#))
- `.meta` files are re-written on every poll (Issue [NMS-5967](#))
- *JDBC jasperreports* not working with *JniRrdStrategy* configured (Issue [NMS-5975](#))
- The report *SerialInterfaceUtilizationSummary* is showing duplicated data. (Issue [NMS-5978](#))
- *NCS* configuration file found in 1.12 branch (Issue [NMS-5982](#))
- Changed unmarshalling integration test to use parametrized unit tests and a separate coverage test (Issue [NMS-5966](#))

Release 1.11.93

Release 1.11.93 is the third release candidate for the OpenNMS 1.12 series. It contains more bugfixes, and makes `Provisiond` the default for answering node `newSuspect` events, rather than `Capsd`. To revert to the old behavior, set `org.opennms.provisiond.enabledDiscovery=false` in `opennms.properties`.

The codename for 1.11.93 is *Alan Doyle*

Bug

- Java compiler warnings (Issue [NMS-2340](#))
- Ensure that each newly created thread has an uncaught exception handler (Issue [NMS-2636](#))
- Foundry switches do not get identified as having multiple VLANs (Issue [NMS-3303](#))
- Javamail file type overrides Database Report file type for CSV files (Issue [NMS-5020](#))

- no 404 handler found (Issue [NMS-5374](#))
- Searching for interface that returns exactly 1 match does not work (Issue [NMS-5388](#))
- reclassify a collectd.log entry severity (Issue [NMS-5454](#))
- Need to change log level for provisiond node scan completion (Issue [NMS-5629](#))
- liebert.sitenet.bypass43* reports reference column names over rrd datasource name limit (Issue [NMS-5651](#))
- Duty schedule editor defaults to identical start and end time (Issue [NMS-5741](#))
- Karaf deadlock during features:uninstall, features:install (Issue [NMS-5786](#))
- too terse log message in JDBCMonitor (Issue [NMS-5825](#))
- The SnmpPoller is sending the interfaceOperDown events every time a requisition is synched or a single node is rescanned. (Issue [NMS-5841](#))
- incorrect null tests in DefaultAdminCategoryService.java (Issue [NMS-5897](#))
- Primary interface is not used for VMware CIM service polling and data collection (Issue [NMS-5938](#))
- Several plugins not being built as RPMS (Issue [NMS-5939](#))
- AsteriskGateway daemon should not start by default (Issue [NMS-5940](#))
- maclike search fails for non-ip interfaces (Issue [NMS-5949](#))
- Provisioning does not synchronize to database (Issue [NMS-5965](#))

Enhancements

- SNMP GET HEX Values from SAN switch (Issue [NMS-5423](#))
- implement a json collector (Issue [NMS-5435](#))
- XmlCollector enhancements (Issue [NMS-5466](#))
- Detection for VMware CIM service only if the communication is possible (Issue [NMS-5941](#))
- Fix non-well formatted HTML in order to process it with the XML Collector (Issue [NMS-5962](#))
- Apply a XSLT transformation to source XML/HTML/TEXT page before processing it with the XML Collector (Issue [NMS-5963](#))

Release 1.11.92

Release 1.11.92 is the third release candidate for the OpenNMS 1.12 series. It is identical to 1.11.91 except for a fix for reading `eventconf.xml` files that don't have an XML namespace attribute.

The codename for 1.11.92 is *Steve Vai*

Bug

- Regression: New *EventConfDao* won't unmarshal `eventconf.xml` files without an XML namespace (Issue [NMS-5935](#))

Release 1.11.91

Release 1.11.91 is the second release candidate for the OpenNMS 1.12 series.

The codename for 1.11.91 is *Joe Satriani*

Bug

- Release notes says Gentoo is not maintained (Issue [NMS-4338](#))
- incorrectly translated trap contents (Issue [NMS-5281](#))
- Password Encryption Method Needs Improvement (Issue [NMS-5313](#))
- Linkd should persist the discovery strategy (Issue [NMS-5550](#))
- Serial Interface Report has Incorrect Title (Issue [NMS-5616](#))
- Invalid Delete Group Menu Option Wacks the Topology App (Issue [NMS-5671](#))
- Bits of event-acknowledgement UI still showing (Issue [NMS-5733](#))
- Updates on strings.properties are not propagated when using the WebUI on a different server (Issue [NMS-5806](#))
- Change "Last Capsd Poll" to "Last Capabilities Scan" in topology map node browser (Issue [NMS-5811](#))
- Deprecated provision requisition attributes carried over to 1.11+ will cause requisitions to show empty (Issue [NMS-5814](#))
- Startup fails when pending foreign-source exists with no pending requisition (Issue [NMS-5818](#))
- Current event definitions for Aruba Controllers are wrong (Issue [NMS-5830](#))
- Get details from a specific alarmId is redirecting to the wrong page. (Issue [NMS-5838](#))
- VMware integration not gathering statistics on VM host hardware collections such as vmware4Disk or vmware4Cpu (Issue [NMS-5845](#))
- Uncaught exception in HostResourceSwRunMonitor when handling empty strings (Issue [NMS-5852](#))
- Stylesheet Broken for Normal Alarms (Issue [NMS-5865](#))
- 30 second outages caused by ArrayOutOfBoundException in JNI-Ping implementation (Issue [NMS-5874](#))
- Distributed map popup "unknown map implementation:" on new install (Issue [NMS-5886](#))
- System report not working with RPMs (ClassNotFoundException on ServiceRegistry) (Issue [NMS-5889](#))
- Outages appears to be not sorted on service.jsp (and probably interface.jsp) (Issue [NMS-5892](#))
- LLDP Failure for non ifIndex references (Issue [NMS-5904](#))

- Topology Map showing non-existent links/missing valid links (Issue [NMS-5906](#))
- Remove deprecated per-instance SNMP-Informant graph definitions (Issue [NMS-5924](#))
- Uncaught exception in webapp when viewing non-existent alarm: "Missing alarm request attribute" (Issue [NMS-5930](#))

Enhancements

- SSH button on node information screen (Issue [NMS-699](#))
- favicon in webui? (Issue [NMS-3369](#))
- Add nodeID to title field on element/node.jsp (Issue [NMS-3398](#))
- add a new capsd plugin and poller plugin to monitor the SSL Certification Expiration (Issue [NMS-4142](#))
- Add HWg-STE SNMP Temperature Probe Info to OpenNMS (Issue [NMS-5859](#))
- Display the Package Name and Service Parameters on the Service Page (Issue [NMS-5876](#))
- Make optional the addition of default ports to HTTP Host Header on the PSM. (Issue [NMS-5884](#))
- How can I know which poller packages are actively being used for the services on a given interface? (Issue [NMS-5893](#))
- Rename MIBs after successfully compile them to minimize error with dependencies (Issue [NMS-5933](#))
- Persist Ipv6 routing table in Linkd (Issue [NMS-5579](#))

Release 1.11.90

Release 1.11.90 is the first release candidate for the OpenNMS 1.12 series.

The codename for 1.11.90 is *John Roderick*

Bug

- HRULE not working in JRobin graphs (Issue [NMS-2793](#))
- two groovy versions installed in \$OPENNMS_HOME/lib (Issue [NMS-5196](#))
- snmp4j implementation of opennms not usable inside OSGI-Container (Issue [NMS-5462](#))
- XmlCollector data collection failures (Issue [NMS-5464](#))
- Remove jaxb-dependencies module since we now require jdk 1.6 (Issue [NMS-5482](#))
- Deleting many nodes at one time through REST API cause error (Issue [NMS-5524](#))
- OpenNMS start-up error - javax.jmdns.impl.tasks.state.DNSStateTask (Issue [NMS-5535](#))
- No decode for nodelabel in nodeUp/nodeDown event (Issue [NMS-5548](#))
- SnmpMonitor is not able to manage "OCTET STRING" (Issue [NMS-5563](#))
- WebMonitor Broken (Issue [NMS-5567](#))

- verbose messages about old import formats should be removed (Issue [NMS-5571](#))
- Linkd identifies SRT bridges as valid bridge (Issue [NMS-5573](#))
- After provisioning a node getting error after scan. (Issue [NMS-5584](#))
- Modify requisition's policies/detectors is not working (Issue [NMS-5596](#))
- Latency thresholding fails for StrafePing, perhaps others when nulls exist in PollStatus properties (Issue [NMS-5600](#))
- ReST service redirects on PUT and POST are broken (Issue [NMS-5608](#))
- Ability to disable the scheduling for rescan existing nodes when Provisiond starts (Issue [NMS-5622](#))
- Can't hide a single widget from dashboard.jsp (Issue [NMS-5638](#))
- JRobinRrdStrategy in master has bogus import of antlr.StringUtils (Issue [NMS-5646](#))
- JavaSendMailer throws NPE when no e-mail address configured for report (Issue [NMS-5665](#))
- The search page is not displaying the services correctly if Capsd is disabled (Issue [NMS-5669](#))
- NPE in StrafePing (Issue [NMS-5670](#))
- The MIB Compiler UI is not catching the exceptions thrown by the jsmiparser library. (Issue [NMS-5674](#))
- The NTP Detector is broken (Issue [NMS-5677](#))
- dependencies/liquibase/pom.xml contains repository configuration (Issue [NMS-5678](#))
- The remote poller is not working when using HTTP, but it works with RMI (Issue [NMS-5681](#))
- Add a way to use the IP address when building criteria selections for the SNMP interfaces on the SNMP Poller's configuration file. (Issue [NMS-5683](#))
- The JRobin Converter doesn't work when the RRD Step is different than 5 minutes (Issue [NMS-5685](#))
- The hover icon of the delete button from the Surveillance Categories Page is wrong. (Issue [NMS-5693](#))
- Categories with spaces or non alphanumeric characters breaks the delete operation on the WebUI. (Issue [NMS-5694](#))
- Default poller-configuration.xml specifies timeout, retry, port for SNMP-based services (Issue [NMS-5703](#))
- NullPointerException in auto-action code path (Issue [NMS-5708](#))
- Wrong redirect after clicking on any ticket related button from the alarm details page (Issue [NMS-5713](#))
- AssetRecordDao.findByNodeId is not working (Issue [NMS-5714](#))
- Service Registration Strategy Runs up CPU on Mac OS 10.8 (Issue [NMS-5730](#))
- Monitoring big file system using hrStorageTable with Net-SNMP breaks Collectd (Issue [NMS-5747](#))
- JdbcEventUtil should not set distPoller to "undefined" (Issue [NMS-5750](#))

- promoteQueueData should not be stored on the events table. (Issue [NMS-5752](#))
- Allow ILR to output durations in milliseconds (Issue [NMS-5755](#))
- Live threshold merging fails if threshold with new ds-type added to existing group (Issue [NMS-5764](#))
- Page Sequence Monitor fails with Unsupported Operation Exception (Issue [NMS-5801](#))
- Geo-coding for new node-maps requires unnecessary assets (Issue [NMS-5804](#))

Enhancements

- split snmp-graph.properties (Issue [NMS-850](#))
- [PATCH] - Microsoft IIS report definitions (Issue [NMS-1305](#))
- reportd persistent-reports aren't listed. (Issue [NMS-4056](#))
- Need ability to hand-edit service and category names in requisition web editor (Issue [NMS-4858](#))
- refactored snmp-graph.properties into it's component files (Issue [NMS-5495](#))
- web ui send-event (Issue [NMS-5516](#))
- New Access Monitor Daemon (Issue [NMS-5601](#))
- New Ticket Notification Strategy (Issue [NMS-5612](#))
- Order of threshold groups (Issue [NMS-5647](#))
- Dividing snmp graph report configuration for Microsoft SNMP informant (Issue [NMS-5653](#))
- Dividing snmp graph report configuration for f5 Big-IP devices (Issue [NMS-5654](#))
- Add ability to specify certificate alias for Jetty SSL (Issue [NMS-5680](#))
- Improve the ticketer API in order to access more information about the ticket's originator. (Issue [NMS-5705](#))
- Nodes with "Most Recent Outages" list (Issue [NMS-5754](#))
- Add support to Syslog Northbound Interface for parameters and first alarm occurrence only (Issue [NMS-5798](#))
- Use Path Outage with Schedule Outage (Issue [NMS-5119](#))
- Remedy ITSM Trouble Ticket Integration (Issue [NMS-5545](#))
- Add the ack user in alarm list (Issue [NMS-5546](#))
- Enabler Filter for LDAP (Issue [NMS-5547](#))
- Syslog Implementation of Northbound Interface (Issue [NMS-5796](#))
- Merge features/TN branch to master (Issue [NMS-5723](#))

Release 1.11.3

Release 1.11.3 is the latest in the unstable series of OpenNMS. It contains what will eventually be a part of the OpenNMS 1.12.x stable releases.

The codename for 1.11.3 is *Jonathan Coulton*

Bug

- garbage collection vacuumd automation entries can be safely removed (Issue [NMS-5411](#))
- notification text message is not treated as plain text in UI (Issue [NMS-5477](#))
- sched-outage page needs boundary limits for cell content heights. (Issue [NMS-5497](#))
- Thresholding on HTTP collections is broken (Issue [NMS-5504](#))

Enhancements

- Added support for dynamic responses to the Mock SNMP Agent (Issue [NMS-5412](#))
- Linkd use obsolete ip route table to get ip route data (Issue [NMS-5429](#))
- Dns Reverse provisioning Adapter (Issue [NMS-5514](#))
- add nodeid and foreign source to node list page (Issue [NMS-5523](#))
- add date format translation mapping for prefab graph command (Issue [NMS-5533](#))

Release 1.11.2

Release 1.11.2 is the latest in the unstable series of OpenNMS. It contains what will eventually be a part of the OpenNMS 1.12.x stable releases.

The codename for 1.11.2 is *Damian Hess*

Bug

- Get release artifact for com.atlassian.jira.rpc.soap.client:jira-ws-client (Issue [NMS-2181](#))
- Memcached graph definitions left out of default configuration (Issue [NMS-4208](#))
- System Report tool should ignore .git/index and other binary files (Issue [NMS-4441](#))
- linkd needs to "upsert" entries in the ipRouteInterface, atinterface, vlan tables (Issue [NMS-5029](#))
- Null Pointer Exception after session timeout and then editing a path target (Issue [NMS-5269](#))
- Duplicate Links (Issue [NMS-5270](#))
- Extremely intermittent failure to detect services with TcpDetector in unit tests (Issue [NMS-5311](#))
- opening web map fails with java.lang.NumberFormatException (Issue [NMS-5327](#))
- Problems using "offset" parameter on events REST Service (Issue [NMS-5381](#))

- Exception in Linkd (Issue [NMS-5440](#))
- build modifies versioned file in src (Issue [NMS-5460](#))
- Problem creating notifications for syslogd events (Issue [NMS-5475](#))

Enhancements

- Linkd Refactoring (Issue [NMS-4524](#))
- Alphabetize group names in the Users/Groups list (Issue [NMS-4776](#))
- Default netsnmp group ns-dskPercentNode high threshold raises alerts for devices that are not real physical devices that always report 100% inode utilization (Issue [NMS-5116](#))
- Datacollection Config for Isilon Storage Arrays (Issue [NMS-5330](#))
- varbind based notification filtering doesn't support regular expression (Issue [NMS-5399](#))
- Greater flexibility in RelativeTime for Statistics Reports (Issue [NMS-5422](#))
- OSPF nbr discovery (Issue [NMS-5503](#))

Release 1.11.1

Release 1.11.1 is the latest in the unstable series of OpenNMS. It contains what will eventually be a part of the OpenNMS 1.12.x stable releases.

The codename for 1.11.1 is *Mike Doughty*

Bug

- Passwords Cannot Contain non-ASCII Characters (Issue [NMS-5312](#))
- IpAddressTableEntry: Unable to determine IP address type (4) (Issue [NMS-5414](#))
- MockSnmpAgent does not parse properly STRING with quotes "" (Issue [NMS-5415](#))
- Provision service does not persist ifPhysAddress for snmp interfaces without a corresponding ip interface (Issue [NMS-5418](#))
- The Poll Snmp Interface Policy is overwritten if the interface has a valid ip address (Issue [NMS-5425](#))

Enhancements

- Snmp Monitor reports Down when the Agent is not responding (Issue [NMS-4632](#))
- Modify the remote poller to make it friendlier to run multiple instances on the same machine (Issue [NMS-5072](#))

Release 1.11.0

Release 1.11.0 is the first in the latest unstable series of OpenNMS. It contains what will eventually be a part of the OpenNMS 1.12.x stable releases.

The codename for 1.11.0 is *MCA*

Bug

- threshd.log shows wrong nodeId in certain circumstances (Issue [NMS-1121](#))
- Collectd collects for deleted node (Issue [NMS-1996](#))
- More reduction keys for APC events (Issue [NMS-2907](#))
- Link with parentindex -1 are not displayed in jsp pages (Issue [NMS-3722](#))
- translated events are displayed like the original event (Issue [NMS-4038](#))
- Support relativetime in graph URL (Issue [NMS-4114](#))
- threshd process wrong counter-type SNMP data after SNMP data collection failed or restored (Issue [NMS-4244](#))
- Policy Rule using ipAddress with Match Snmp Policy does not work (Issue [NMS-4568](#))
- ipinterface.jsp and snmpinterface.jsp does not show snmp poller data (Issue [NMS-4569](#))
- link.jsp does not show interface details for some entries (Issue [NMS-4570](#))
- race condition in Provisiond IPv6 scanning (Issue [NMS-4717](#))
- When using the GoogleMaps remote poller interface, unchecked markers are visible on initialization (Issue [NMS-4734](#))
- Event Analysis report is missing in default configuration (Issue [NMS-4753](#))
- nodeList page fails to pass the foreignSource when "show interfaces" is selected (Issue [NMS-4777](#))
- Test Failure using Italian IT_it language (Issue [NMS-4810](#))
- Null (\0) characters in logmsg field of events causes org.postgresql.util.PSQLException: ERROR: invalid byte sequence for encoding "UTF8": 0x00 (Issue [NMS-4817](#))
- MExchangeDetectorClient is too verbose on exceptions (Issue [NMS-4856](#))
- Upgrade bug when Linkd tables contain data (Issue [NMS-4873](#))
- Resource graphs picker widget disappears when clicked in the wrong place (Issue [NMS-4915](#))
- update ksc page (Issue [NMS-4917](#))
- Errors in master pom.xml (Issue [NMS-4950](#))
- JmxConfigTool fails to generate Jmx configuration file (Issue [NMS-5260](#))

Enhancements

- small patch to add regex filtering of eventparms (Issue [NMS-2052](#))
- Enhancement - Assets with clean date input (Issue [NMS-2834](#))
- Review The SnmpPoller (Issue [NMS-4646](#))
- Better provisiond debugging (Issue [NMS-4694](#))

- DbHelper class should use dao's (Issue [NMS-4721](#))
- Add new opennms mib events definition (Issue [NMS-4722](#))
- Event Analysis Report should be usable on postgres older than 8.4 (Issue [NMS-4752](#))
- Add support for matching syslog messages by process name, severity, facility in ueiMatch (Issue [NMS-4772](#))
- Convert Linkd to use Hibernate (Issue [NMS-4850](#))
- Add PostgreSQL 9.1 support (Issue [NMS-4923](#))
- Make sure we add -XX:+HeapDumpOnOutOfMemoryError to default runtime arguments (Issue [NMS-4953](#))
- Asset-page shows rancid password readable. Change to password fields. (Issue [NMS-4961](#))
- Asset-page categorie fields validation. (Issue [NMS-4963](#))
- ICMP Monitor packet-size parameter to set the packet size (Issue [NMS-5121](#))
- Events file for websense appliance (Issue [NMS-5314](#))
- Standardize the time zone format reports (Issue [NMS-4785](#))
- The Snmp Poller send oper Down event the first time it runs if admin status is up (Issue [NMS-4781](#))
- Let the provisioning system set if an interface should be polled via policy rules (Issue [NMS-4782](#))
- AvailabilitySummary (Issue [NMS-4786](#))
- AvailabilitySummary_LastMonth (Issue [NMS-4787](#))
- AvailabilitySummary_ThisMonth (Issue [NMS-4788](#))
- AvailabilitySummary_LastYear (Issue [NMS-4789](#))
- NodeAvailabilityReport_ThisMonth (Issue [NMS-4791](#))
- NodeAvailabilityReport_ThisYear (Issue [NMS-4792](#))
- SnmpInterfaceUtilizationSummary (Issue [NMS-4793](#))
- ResponseTimeSummary_Availability_Offenders_subreport (Issue [NMS-4794](#))
- ResponseTimeSummary_Availability_subreport (Issue [NMS-4795](#))
- Top25PercentDown_subreport (Issue [NMS-4796](#))

Release 1.10

Release 1.10.14

Release 1.10.14 is the latest in the stable 1.10 series of OpenNMS releases. It contains a few small bugfixes including an important security fix.

The codename for 1.10.14 is *Chalumeau*.

Bug

- XSS vector in `admin/error.jsp` (Issue [NMS-6147](#))
- `maint_events.sh` is not working (Issue [NMS-6168](#))
- NPE on `output.log` due to null `ifSpeed` when calling `PhysicalInterfaceRow.getSpeed` (Issue [NMS-6169](#))
- Date issues in "Response time by node" JR report (Issue [NMS-6182](#))
- The `SnmpMonitor` is not returning the status with the `responseTime` value (Issue [NMS-6192](#))
- `Collectd` throws `ConcurrentModificationException` when accessing `PollOutagesConfigManager` (Issue [NMS-6277](#))
- `ConcurrentModificationException` inside `ThresholdingSet` (Issue [NMS-6279](#))
- `IfInfo` can throw `NullPointerException` (Issue [NMS-6280](#))
- `Provisiond` detectors sometimes fail to detect (Issue [NMS-6412](#))
- The *Valere* devices with broken SNMP agents are hanging `Provisiond`. (Issue [NMS-6484](#))
- Security: `downloadReport` allow download and view any file in filesystem (Issue [NMS-6580](#))

Release 1.10.13

Release 1.10.13 is the latest in the stable 1.10 series of OpenNMS releases. It contains a few small bugfixes.

The codename for 1.10.13 is *Sopila*.

Bug

- ERROR: insert or update on table "notifications" violates foreign key constraint `fk_eventid3` (Issue [NMS-1668](#))
- `Provisiond` Error : `org.hibernate.exception.SQLGrammarException`: could not execute query (Issue [NMS-5348](#))
- "No Data for this Entry" in Serial Interface Utilization Summary report (Issue [NMS-5617](#))
- Debian `init.d` script wrong postgres dependency (Issue [NMS-5879](#))
- threshold filters not processed properly (Issue [NMS-5880](#))
- It is possible to define an `OnmsServiceType` twice and that can hurt some features. (Issue [NMS-5914](#))
- Duplicated parameter in `notification.xml` (Issue [NMS-5948](#))
- `Node availability report` wrong calculation of percentage (Issue [NMS-5990](#))
- Database connections leak until the system cannot obtain any more connections (Issue [NMS-6051](#))
- `opennms status` should return 3 when unconfigured, not 6 (Issue [NMS-6068](#))
- The JAR where the `GpDetector` is defined doesn't appear on the `RPM` or `DEB` files (Issue [NMS-6074](#))

- parent-foreign-source is not working anymore (Issue [NMS-6083](#))

Enhancements

- Add new `sys0ID` to `linkd` (Issue [NMS-6034](#))
- SNMP support for *Clavister* security devices (Issue [NMS-6107](#))

Release 1.10.12

Release 1.10.12 is the latest in the stable series of OpenNMS releases. It contains a few bugfixes and enhancements, including a fix for thealarm detail page.

The codename for 1.10.12 is *Arghul*.

Bug

- Alarm list and alarm details is not showing in the WebUI (Issue [NMS-5947](#))
- The report *SerialInterfaceUtilizationSummary* is showing duplicated data. (Issue [NMS-5978](#))
- *Serial Interface Utilization Report* is displaying the wrong start date on the report. (Issue [NMS-5985](#))

Release 1.10.11

Release 1.10.11 is the latest in the stable series of OpenNMS releases. It contains a few bugfixes and enhancements.

The codename for 1.10.11 is *Nadaswaram*.

Bug

- Release notes says *Gentoo* is not maintained (Issue [NMS-4338](#))
- Javamail file type overrides Database Report file type for CSV files (Issue [NMS-5020](#))
- Events shows interface *127.0.0.1* (Issue [NMS-5232](#))
- *Serial Interface Report* has Incorrect *Title* (Issue [NMS-5616](#))
- Duty schedule editor defaults to identical start and end time (Issue [NMS-5741](#))
- The *Snmppoller* is sending the *interfaceOperDown* events every time a requisition is synched or a single node is rescanned. (Issue [NMS-5841](#))
- *Provisiond* fails with `java.lang.NullPointerException` (Issue [NMS-5922](#))
- Uncaught exception in webapp when viewing non-existent alarm: "Missing alarm request attribute" (Issue [NMS-5930](#))

Release 1.10.10

Release 1.10.10 is the latest in the stable series of OpenNMS releases. It contains a number of bugfixes and enhancements.

The codename for 1.10.10 is *Tumpong*.

Bug

- Bits of event-acknowledgement UI still showing (Issue [NMS-5733](#))
- Updates on strings.properties are not propagated when using the WebUI on a different server (Issue [NMS-5806](#))
- Current event definitions for Aruba Controllers are wrong (Issue [NMS-5830](#))
- Get details from a specific alarmId is redirecting to the wrong page. (Issue [NMS-5838](#))
- Uncaught exception in HostResourceSwRunMonitor when handling empty strings (Issue [NMS-5852](#))
- Outages appears to be not sorted on service.jsp (and probably interface.jsp) (Issue [NMS-5892](#))
- SmbMonitor no longer effective, needs fixing (Issue [NMS-5894](#))

Enhancements

- SSH button on node information screen (Issue [NMS-699](#))
- *favicon* in webui? (Issue [NMS-3369](#))
- Add nodeID to title field on *element/node.jsp* (Issue [NMS-3398](#))
- Display the *Package Name* and *Service Parameters* on the *Service Page* (Issue [NMS-5876](#))
- Make optional the addition of default ports to HTTP Host Header on the *PSM*. (Issue [NMS-5884](#))
- How can I know which *poller packages* are actively being used for the services on a given interface? (Issue [NMS-5893](#))

Release 1.10.9

Release 1.10.9 is the latest in the stable series of OpenNMS releases. It contains a number of bugfixes and enhancements.

The codename for 1.10.9 is *Nose Flute*.

Enhancements

Bug

- **HRULE** not working in JRobin graphs (Issue [NMS-2793](#))
- Event acknowledgement button, checkboxes, description should be hidden (Issue [NMS-3923](#))
- *XmlCollector* data collection failures (Issue [NMS-5464](#))
- OpenNMS start-up error - `javax.jmdns.impl.tasks.state.DNSStateTask` (Issue [NMS-5535](#))
- Ifspeed displayed is not right (Issue [NMS-5536](#))
- No decode for nodelabel in *nodeUp/nodeDown* event (Issue [NMS-5548](#))
- Error save and restart *Discovery* (Issue [NMS-5606](#))
- *XmlCollector* & thresholding exception (Issue [NMS-5642](#))

- *NullPointerException* in auto-action code path (Issue [NMS-5708](#))
- *HostResourceSwRunMonitor* doesn't work well with processes like `cron` (with many forks) (Issue [NMS-5710](#))
- Missing *isSnmpprimary* in *NetworkElementFactory* for Interface objects. (Issue [NMS-5720](#))
- Service Registration Strategy Runs up CPU on Mac OS 10.8 (Issue [NMS-5730](#))
- Bits of event-acknowledgement UI still showing (Issue [NMS-5733](#))
- Monitoring big file system using *hrStorageTable* with *Net-SNMP* breaks *Collectd* (Issue [NMS-5747](#))
- *promoteQueueData* should not be stored on the events table. (Issue [NMS-5752](#))
- Allow *ILR* to output durations in milliseconds (Issue [NMS-5755](#))
- Live threshold merging fails if threshold with new *ds-type* added to existing group (Issue [NMS-5764](#))
- Remote poller dies on startup if *LDAP*, *RADIUS*, *NSClient* present in *poller configuration* (Issue [NMS-5777](#))
- *Reportd* persistent-reports aren't listed. (Issue [NMS-4056](#))

Enhancements

- Add the ack user in alarm list (Issue [NMS-5546](#))
- Enabler Filter for LDAP (Issue [NMS-5547](#))
- Need ability to hand-edit service and category names in requisition web editor (Issue [NMS-4858](#))
- varbind based notification filtering doesn't support regular expression (Issue [NMS-5399](#))
- Enhance poller with CIFS file and folder monitor (Issue [NMS-5725](#))
- Nodes with "Most Recent Outages" list (Issue [NMS-5754](#))
- Add a shell wrapper for the ILR (Issue [NMS-5766](#))
- "Nodes w/Active Problems" : A new box for the home page based on alarms similar to the Outages Box (Issue [NMS-5807](#))

Release 1.10.8

Release 1.10.8 is the latest in the stable series of OpenNMS releases. It contains a number of bugfixes and enhancements.

The codename for 1.10.8 is *Trikiti*.

Bug

- *NodeAvailabilityReport.jrxml* doesn't work: *SQLException* caused by date string in french locale (Issue [NMS-5379](#))
- *subreports/InterfaceAvailabilityReport_subreport1.jrxml* doesn't work on my locale (Issue [NMS-5457](#))
- *SnmppMonitor* is not able to manage "OCTET STRING" (Issue [NMS-5563](#))
- Selecting Surveillance Categories Per Node Broken (Issue [NMS-5609](#))

- Nodes with the same IP show up in the wrong categories (availability table on the index page) (Issue [NMS-5611](#))
- JavaSendMailer throws NPE when no e-mail address configured for report (Issue [NMS-5665](#))
- The search page is not displaying the services correctly if *Capsd* is disabled (Issue [NMS-5669](#))
- The *NTP Detector* is broken (Issue [NMS-5677](#))
- Add a way to use the IP address when building criteria selections for the SNMP interfaces on the *SNMP Poller's* configuration file. (Issue [NMS-5683](#))
- The *JRobin Converter* doesn't work when the *RRD Step* is different than 5 minutes (Issue [NMS-5685](#))
- The hover icon of the delete button from the Surveillance Categories Page is wrong. (Issue [NMS-5693](#))
- Categories with spaces or non alphanumeric characters breaks the delete operation on the WebUI. (Issue [NMS-5694](#))
- *google-collections* has been replaced with *guava* (Issue [NMS-5695](#))
- *HttpCollector* doesn't detect response locale (PATCH INCLUDED) (Issue [NMS-5701](#))
- Default *poller-configuration.xml* specifies timeout, retry, port for SNMP-based services (Issue [NMS-5703](#))
- *WMI Capsd plugin* mixes up username, domain, and password (Issue [NMS-5707](#))
- Wrong redirect after clicking on any ticket related button from the alarm details page (Issue [NMS-5713](#))
- *AssetRecordDao.findById* is not working (Issue [NMS-5714](#))

Enhancements

- Improve the ticketer API in order to access more information about the ticket's originator. (Issue [NMS-5705](#))

Release 1.10.7

Release 1.10.7 is the latest in the stable series of OpenNMS releases. It contains a number of bugfixes and enhancements.

The codename for 1.10.7 is *Buccina*

Bug

- Missing IP interfaces in *node.jsp* list (Issue [NMS-5261](#))
- *datacollection* stops after making changes in "Schedules Outages" (Issue [NMS-5491](#))
- vague *provisiond.log* *DEBUG* verbage (and misspelling) (Issue [NMS-5518](#))
- *DnsDetector* logs an error message when attempting to detect the DNS service (Issue [NMS-5565](#))
- verbose messages about old import formats should be removed (Issue [NMS-5571](#))
- Latency thresholding fails for *StrafePing*, perhaps others when nulls exist in *PollStatus* properties (Issue [NMS-5600](#))
- Ability to disable the scheduling for rescan existing nodes when *Provisiond* starts (Issue [NMS-5622](#))
- Can't hide a single widget from *dashboard.jsp* (Issue [NMS-5638](#))

- missing `\` in `report.mikrotik.temp.command` in `snmp-graphs.properties` (Issue [NMS-5648](#))
- `nortel.kereltasks` report uses incorrect column name (Issue [NMS-5649](#))
- typo in property name for novell report (Issue [NMS-5650](#))

Enhancements

- Allow user documentation on alarms and a class of alarms (Issue [NMS-5632](#))
- Order of threshold groups (Issue [NMS-5647](#))

Release 1.10.6

Release 1.10.6 is the latest in the stable series of OpenNMS releases. It contains a number of bugfixes and enhancements.

The codename for 1.10.6 is *Cornamuse*.

Bug

- 1.10 Removed IP Hostname Field During Provisioning Scans (Issue [NMS-5233](#))
- `send-event.pl` changes system hostname on *Solaris* systems (Issue [NMS-5351](#))
- The "finished" logging statement is never called for `CollectableService:doCollection()` (Issue [NMS-5441](#))
- provisioning problem for simple services `java.net.SocketException` (Issue [NMS-5469](#))
- Thresholding on HTTP collections is broken (Issue [NMS-5504](#))
- Fedora 17 Packages (Issue [NMS-5538](#))
- `CollectionResourceWrapper` cache takes up large amounts of RAM (Issue [NMS-5557](#))
- Update *RRD* datasources to have a step field (Issue [NMS-5570](#))

Enhancements

- Add UEI to the notification configuration UI (Issue [NMS-5559](#))

Release 1.10.5

Release 1.10.5 is the latest in the stable series of OpenNMS releases. It contains a few minor bugfixes and enhancements.

The codename for 1.10.5 is *Tromboon*.

Bug

- Arithmetic Exception in `QueuedStrategy` (Issue [NMS-4437](#))
- Installer fails when using the *EnterpriseDB PostgreSQL* database. (Issue [NMS-5431](#))
- WebStart (*JNLP*) remote poller is missing `ConfigurationGui` and other *Groovy* bits (Issue [NMS-5447](#))
- `Include/Exclude` range (Issue [NMS-5465](#))

- Fix ReST `count` requests, refactor `PUT/POST` to use `Post/Redirect/Get` pattern (Issue [NMS-5489](#))
- Debian package misses `postgresql` requirement for dependency-based booting (Issue [NMS-5490](#))

Enhancements

- No packaging for `mib2events`, `mibparser`, and `Provisioning Adapters` (Issue [NMS-3183](#))
- Greater flexibility in `RelativeTime` for `Statistics Reports` (Issue [NMS-5422](#))

Release 1.10.4

Release 1.10.4 is the latest in the stable series of OpenNMS releases. It contains a few minor bugfixes and enhancements.

The codename for 1.10.4 is *Archlute*.

Bug

- `Collectd` collects for deleted node (Issue [NMS-1996](#))
- No working breadcrumb on `System Report List` Page (Issue [NMS-4943](#))
- Services not deleted when removed from provisioning requisition (Issue [NMS-5198](#))
- An exception is thrown if a notification is configured to have a subject with more than 256 characters (Issue [NMS-5375](#))
- There are some NPE when trying to collect data from nodes managed by Capsd (Issue [NMS-5400](#))
- `IpAddressTableEntry`: Unable to determine IP address type (4) (Issue [NMS-5414](#))
- `MockSnmpAgent` does not parse properly `STRING` with quotes `""` (Issue [NMS-5415](#))
- `HttpCollector` fails to parse numeric values in locales that use different decimal notation (Issue [NMS-5426](#))
- `NullPointerException` when printing errors in the `JNI6` code (Issue [NMS-5428](#))

Enhancements

- Add `logmsg` support to `send-event.pl` (Issue [NMS-5373](#))
- Add notification ID to `NotificationTask.toString()` (Issue [NMS-5377](#))
- Add SNMP data collection and resource graph definitions for pfSense firewall / router (Issue [NMS-5378](#))

Release 1.10.3

Release 1.10.3 is the latest in the stable series of OpenNMS releases. It contains a few bugfixes, most notably an important deadlock fix when using `provisiond`.

The codename for 1.10.3 is *Fiscorn*.

Bug

- `Path-Outage`: `parent-foreign-id` is not recognized when defined in another requisition (Issue [NMS-4109](#))
- `JRobinRrdStrategy`: `JRobin`: Unrecognized graph argument: (Issue [NMS-4757](#))

- *Provisiond* leaks file handles, eventually causing "Too many open files" crashes (Issue [NMS-4846](#))
- Scheduled outages applied on latency thresholds are ignored by *Pollerd*. (Issue [NMS-5357](#))
- Unable to create reports after upgrade from 1.10.1 to 1.10.2 (Issue [NMS-5359](#))

Release 1.10.2

Release 1.10.2 is the latest in the stable series of OpenNMS releases. It contains bugfixes, including a fix for a filehandle leak regression, Windows installer fixes, and some minor enhancements.

The codename for 1.10.2 is *Charango*.

Bug

- Path-Outage: *parent-foreign-id* is not recognized when defined in another requisition (Issue [NMS-4109](#))
- *nodeAdded* event create when POSTing to REST api does not include *nodeLabel* (Issue [NMS-4891](#))
- POST for `node/<nodeId>/ipinterface` creates interface does not returns its data (Issue [NMS-4892](#))
- Unable to add custom poller with *capsd* disabled. (Issue [NMS-4924](#))
- Deletion of surveillance categories via WebUI is broken (Issue [NMS-4927](#))
- handle bad SNMP ranges gracefully (Issue [NMS-4947](#))
- *collectd* does not unschedule deleted nodes (Issue [NMS-5105](#))
- Graphing Fails on Windows (Issue [NMS-5139](#))
- *DO_NOT_PERSIST* fails on explicitly defined interface when matching any IP address (Issue [NMS-5154](#))
- Some XSDs are missing after installing *opennms-core* (Issue [NMS-5220](#))
- Show interfaces at search for nodes causes crash (Issue [NMS-5230](#))
- Correlator lacks its own log appender (Issue [NMS-5250](#))
- OpenNMS can't load *JICMP* and/or *JICMP6* (Issue [NMS-5253](#))
- OpenNMS-remote-poller debian package requires *sun-java6-jre* (Issue [NMS-5295](#))
- You cannot start OpenNMS with a configured Selenium-Monitor (Issue [NMS-5299](#))
- [Main] *C3P0ConnectionFactory*: C3P0 has no equivalent to *setMaxSize*. Ignoring. (Issue [NMS-5300](#))
- Copy of *jdhcp-1.1.1.jar* Not Included in the *opennms-plugin-protocol-dhcp* Debian Package (Issue [NMS-5305](#))
- Exception when installing OpenNMS 1.10.1 on Windows 2008 Server (Issue [NMS-5306](#))
- Debian package *libopennms-java* does not depend on *libpostgresql-jdbc-java* (Issue [NMS-5308](#))
- clicking on Nodelist throws an error (Issue [NMS-5316](#))

- Threshold Groups page "Request a reload threshold packages configuration" button produces 404 error on IE9 (Issue [NMS-5323](#))
- log messages show up in wrong log file (Issue [NMS-5331](#))
- Automatically created threshold event description missing % at %parm[all]% (Issue [NMS-5336](#))

Enhancements

- Default netsnmp group `memAvailSwap / memTotalSwap` threshold raises alerts for devices that have no swap space allocated (Issue [NMS-5115](#))
- Events file for websense appliance (Issue [NMS-5314](#))
- Add the ability to apply the `SiblingColumnStorageStrategy` to resource's instance (Issue [NMS-5339](#))

Release 1.10.1

Release 1.10.1 is the second in the latest series of stable releases. It contains plenty of bugfixes, as well as a few minor enhancements.

The codename for 1.10.1 is *Hurdy Gurdy*.

Bug

- ONMS in "fr" and "de" locales: all event times end in hh:mm:00 (no seconds) (Issue [NMS-3111](#))
- Model importer can silently fail and report importSuccessful when given badly formed XML (Issue [NMS-4205](#))
- Errors in master pom.xml (Issue [NMS-4950](#))
- KSC Child Resource List is not in alphabetical order (Issue [NMS-4957](#))
- Excluded IP ranges are ignored in discovery (Issue [NMS-5045](#))
- Clicking the search button on the Node Interfaces Gizmo causes strange 128 Interface to appear (Issue [NMS-5054](#))
- missing interfaces on node page physical interface list (Issue [NMS-5127](#))
- Asset CSV import will not import new asset fields. (Issue [NMS-5146](#))
- Reload KSC Report Configuration - Button fails (Issue [NMS-5148](#))
- Linkd generates undefined event (Issue [NMS-5149](#))
- Errors inside the Event Analysis Report related with "Top 25 events by node" (Issue [NMS-5161](#))
- opennms-core RPM is huge - war files packaged in /opt/opennms/lib (Issue [NMS-5166](#))
- Exceptions thrown by one provisioning adapter block further adapters from invocation (Issue [NMS-5167](#))
- etc-pristine in opennms-core contains configuration files from optional packages like the XML Collector (Issue [NMS-5168](#))
- malformed snmp-config.xml entry could cause config to not be read (Issue [NMS-5172](#))

- Only 20 interfaces shown (Issue [NMS-5176](#))
- database report input date wrong (Issue [NMS-5177](#))
- Unable to manually provision service via GUI without first defining detector (Issue [NMS-5178](#))
- Any authenticated user can use the snmpConfig ReST service (Issue [NMS-5184](#))
- Default Provisiond config contains a dns://localhost/localhost URL requisition-def (Issue [NMS-5188](#))
- Old asset field "maintContractNumber" in legacy requisitions breaks provisioning after upgrading to 1.10 (Issue [NMS-5191](#))
- reparenting of snmp interfaces fails (Issue [NMS-5195](#))
- Custom initial-delay not preserved in destination path web editor (Issue [NMS-5197](#))
- Delete an outage through the REST API is not working (Issue [NMS-5200](#))
- The provisioning GUI in the webapp presents the wrong services to add to an interface when creating requisitions (Issue [NMS-5211](#))
- Notifications cannot contain non-ASCII characters and will cause NPEs (Issue [NMS-5216](#))
- TcpHandler in eventd times out too soon (Issue [NMS-5224](#))
- upgrade from 1.8.11 to 1.10.0 breaks provisioning groups and discovery (Issue [NMS-5229](#))
- Nodes marked as deleted in the database still appear in the output of REST calls. (Issue [NMS-5231](#))
- output.log reports java.net.ConnectException error while starting (Issue [NMS-5238](#))
- syslog date parsing fails in non-English locales (Issue [NMS-5242](#))
- The Tcp Exporter cannot process a null Rrd value (Issue [NMS-5248](#))
- A restart is required after changing the resource filter of a threshold (Issue [NMS-5258](#))
- A restart is required after adding a new threshold package. (Issue [NMS-5259](#))
- Resource Types are not ordered on Choose Resources Page (Issue [NMS-5265](#))
- HostResourceSwRunPlugin is not working (Issue [NMS-5274](#))
- Data Export throws an exception when trying to process a '-nan' value. (Issue [NMS-5275](#))
- Small cosmetic problem with the feature "Add to KSC Report" (Issue [NMS-5287](#))
- Provisioning Groups WebUI error (Issue [NMS-5290](#))

Enhancements

- Mib2opennms : replace the unreadable html entities by CDATA sections (Issue [NMS-5142](#))
- import update ArsDigita eclipse code formatter xml (Issue [NMS-5156](#))

- Increase Group Name Size (Issue [NMS-5181](#))
- Handle numbers with units when configuring the XML Collector (Issue [NMS-5185](#))
- Use multiples XPath for the resource identifier (resource key). (Issue [NMS-5186](#))
- Enhance JMXSecureCollector with RMI protocol support (Issue [NMS-5205](#))
- Split jmx-datacollection-config.xml (Issue [NMS-5213](#))
- Be able to control the filterOperator attribute from the WebUI (Issue [NMS-5239](#))
- Add any resource graph to a KSC report (Issue [NMS-5268](#))

Release 1.10.0

Release 1.10.0 is the first in the latest series of stable releases.

The codename for 1.10.0 is *Alboka*.

Bug

- OpenNMS does not keep track of changes that effect the psk map key (Issue [NMS-2384](#))
- VMware traps not recognized (Issue [NMS-2566](#))
- Cisco temperature threshold too low (Issue [NMS-3574](#))
- Link discovery gets confused by Cisco HSRP Mac Addresses (Issue [NMS-3626](#))
- Reasons Missing From nodeLostService events (Issue [NMS-3848](#))
- Opennms silently fails to detect SNMP on Dlink Switches (Issue [NMS-3961](#))
- Standard OpenNMS Solaris SMF manifest creates an insane multi-user-server dependency (Issue [NMS-4543](#))
- Linkd can `t collect QBridgeDot1dTpFdbTable from D-link switches (Issue [NMS-4930](#))
- KSC Overall Report Menu Formatted Strangely (Issue [NMS-4956](#))
- The opennms startup script doesn't work in Solaris on a fresh installation (Issue [NMS-4971](#))
- Resource graph code is forming bad URLs (Issue [NMS-4981](#))
- Invalid characters on MibObj's alias prevent their usage on thresholds expressions (Issue [NMS-5019](#))
- No Reason Code on IPv6 HTTPS outage (Issue [NMS-5028](#))
- linkd needs to "upsert" entries in the ipRouteInterface, atinterface, vlan tables (Issue [NMS-5029](#))
- Broken support for net-snmp (Issue [NMS-5036](#))
- CIDR-notation IP address in linkd causes exception (Issue [NMS-5050](#))
- dateParser in Rfc5424SyslogParser (Issue [NMS-5051](#))

- Map appears to show duplicate links (Issue [NMS-5052](#))
- Terminology around provisioning considered confusing (Issue [NMS-5056](#))
- Enabling DEBUG for Collectd, breaks SiblingColumnStorageStrategy (Issue [NMS-5062](#))
- The placeholders added to sample configuration files are not replaced when generating RPMs (Issue [NMS-5070](#))
- Field reference to script engine appears to cause memory bloat (Issue [NMS-5076](#))
- Change in hrStorage jrb directory naming usage breaks snmp graphs (Issue [NMS-5078](#))
- Notification names cannot contain an apostrophe it breaks the Java script (Issue [NMS-5090](#))
- 1.8-compatible CustomSyslogParser is not actually 1.8-compatible ;) (Issue [NMS-5091](#))
- SyslogNG parser can't handle older Syslog messages (Issue [NMS-5092](#))
- Spike hunter throws an exception that prevents to scan all RRAs. (Issue [NMS-5096](#))
- If a threshold configuration contains invalid data from evaluators point of view a silent exception is thrown. (Issue [NMS-5102](#))
- Security Roles seem to be busted (Issue [NMS-5108](#))
- Batch reports under database reports GUI seems to be broken (Issue [NMS-5111](#))
- Radius (potentially all) Detector logging incomplete (Issue [NMS-5122](#))
- XSS vulnerability in OpenNMS web UI (Issue [NMS-5128](#))
- provision.pl not working "set" (Issue [NMS-5130](#))
- Outage ReST Interface outputs invalid XML (multiple <ipAddress/> fields) (Issue [NMS-5138](#))
- Capsd should exit if org.opennms.provisiond.enableDiscovery is true (Issue [NMS-5157](#))

Enhancements

- Making logging from linkd more readable (Issue [NMS-5081](#))
- Change of log level for certain messages from linkd (Issue [NMS-5087](#))
- Convert OPENNMS-MIB to SMIV2 (Issue [NMS-5099](#))

Release 1.9

Release 1.9.93

Release 1.9.93 is the latest in a series of development releases of OpenNMS. This represents what will eventually become OpenNMS 1.10.0 when it is blessed as the next stable release.

The codename for 1.9.93 is *Kora*.

Bug

- HttpMonitor marks service down when response-text matches first line of server response (Issue [NMS-2702](#))
- linkd not working (Issue [NMS-4005](#))
- events written to DB although dest=suppress (Issue [NMS-4006](#))
- linkd ignores <specific> in <iproutes> section of config file (Issue [NMS-4326](#))
- JDBCCollector Appears to Be Broken - stores last value only (Issue [NMS-4512](#))
- Outages crossing report time boundary counted fully in SNMP Interface Availability Report (Issue [NMS-4699](#))
- Interface MAC addresses don't display (and are missing from the DB) on some SNMP-capable nodes (Issue [NMS-4902](#))
- Configuring SNMP broken for biggish IPv4 ranges (Issue [NMS-4972](#))
- Bubble-up submap status (not severity) (Issue [NMS-4976](#))
- rrd.usetcp crashing on startup (Issue [NMS-4989](#))
- DHCP plugins changed (Java) package, old configs are no longer compatible (Issue [NMS-5011](#))
- ClassCastException when using complex threshold expressions. (Issue [NMS-5014](#))
- OnmsAlarm class incorrectly references the alarm_attributes table as alarm_details (Issue [NMS-5027](#))
- NPE in linkd with two Linux nodes (Issue [NMS-5030](#))
- interfaceOperDown events are sent every time a node with down interfaces is rescanned. (Issue [NMS-5040](#))

Enhancements

- Event definition for Juniper Chassis Cluster SNMP trap (Issue [NMS-4986](#))
- Events definition for Juniper access authentication related SNMP traps (Issue [NMS-4987](#))
- Separate out RADIUS implementation (Issue [NMS-4992](#))
- Split Syslogd configuration across multiple files, add useful definitions and matching events (Issue [NMS-5024](#))
- Missing OID in linkd's config for VLAN classes (Issue [NMS-5031](#))

Release 1.9.92

Release 1.9.92 is the latest in a series of development releases of OpenNMS. This represents what will eventually become OpenNMS 1.10.0 when it is blessed as the next stable release.

The codename for 1.9.92 is *Superbone*.

Bug

- Selected more than 56 things in an add hoc resource graph returns no data (Issue [NMS-2205](#))
- Statsd Database Deadlock (Issue [NMS-2390](#))

- normalize radius code (Issue [NMS-2812](#))
- Deleted node appear in KSC report creation (Issue [NMS-2977](#))
- Provisioning issues with Primary Interface (Issue [NMS-3324](#))
- Unable provisioned node when SNMP Agent is down (Issue [NMS-3470](#))
- provisiond does not create nodelabelchanged event (Issue [NMS-3594](#))
- webUI shows 100% availability although service is not monitored (Issue [NMS-3887](#))
- WebUI shows "rescan to suspend" for "forced unmanaged" services (Issue [NMS-3906](#))
- Thresholding - Absolutechange stored as floating-point value (Issue [NMS-4028](#))
- Poll failure reasons pooched in 1.9.1 Snapshot again (Issue [NMS-4073](#))
- XMPP Failure on empty XMPP addresses (Issue [NMS-4123](#))
- No nodeid found for next hop ip/0.0.0.0 (Issue [NMS-4185](#))
- Sending notifications causes exception in javamailer if user is missing smtp adress (Issue [NMS-4367](#))
- When an IP is configured on an interface, the interface name is no longer visible in Node Link Detailed Info (Issue [NMS-4412](#))
- Provisiond NodeCategorySettingPolicy. Nodes lose categorization in subsequent Synchronizations (Issue [NMS-4423](#))
- 404 NOT_FOUND after generating a system report using FTP (Issue [NMS-4674](#))
- Provisiond allows duplicate nodes (Issue [NMS-4695](#))
- Service monitored with 100% availability instead of Not Monitored (Issue [NMS-4704](#))
- Requisition REST Service allows duplicate nodes (Issue [NMS-4749](#))
- WMI datacollection stops after changes in Schedules Outages (Issue [NMS-4830](#))
- Remote Poller state changes from Paused to Running (Issue [NMS-4834](#))
- InterfaceFilter does not normalize IP addresses (Issue [NMS-4881](#))
- HttpCollector ignores "port" parameter from Collectd config (Issue [NMS-4886](#))
- base-url not used when viewing resource graphs (Issue [NMS-4903](#))
- Provisiond NodeScan aborted scanning IP address tables (Issue [NMS-4904](#))
- wrong implementation of org.opennms.netmgt.correlation.Correlator\$EngineAdapter.getName() ? (Issue [NMS-4914](#))
- Resource Graphs selector - doesn't indicate stale graph data (Issue [NMS-4918](#))
- Resource Graphs selector - "Show more" to infinity and beyond! and other quirks (Issue [NMS-4919](#))

- KSC Reports search box on home page is case sensitive (Issue [NMS-4922](#))
- RadiusAuthenticationProvider.java Tests against wrong variable. (Issue [NMS-4928](#))
- Availability Miscalculated in NodeAvailabilityReport.jrxml (and others) (Issue [NMS-4931](#))
- KSC Reports fails due to Missing Parameter: report (Issue [NMS-4934](#))
- The Snmp Poller does not follow the maxVarBindPerPDU statement (Issue [NMS-4935](#))
- Hung threads causing 100% CPU usage (possibly Jetty + HTTPS/SSL related) (Issue [NMS-4940](#))
- All SNMP Interfaces marked as "no collect" by default on any provisioned node (Issue [NMS-4965](#))
- ReinitializePrimarySNMPInterface event causes SNMP interfaces manually marked as "Collect" to revert to "No collect" (Issue [NMS-4967](#))
- Exception with ldapAuthoritiesPopulator with LDAP and / or Radius integration (Issue [NMS-4975](#))
- Notifications Fail with IPv6 Addresses (Issue [NMS-4977](#))

Enhancements

- DELL DRAC/CMC power stats collection and graphs (Issue [NMS-3299](#))
- Default support AKCP SecurityProbe x20 (Issue [NMS-4156](#))
- New Cisco OIDs for linkd (Issue [NMS-4670](#))
- Report on Windows Servers disk usage (Issue [NMS-4948](#))
- Asset-page categorie fields validation. (Issue [NMS-4963](#))
- HostResourceSwRunMonitor: define the service-name parameter as a regular expression (Issue [NMS-4978](#))
- Make sure we add -XX:+HeapDumpOnOutOfMemoryError to default runtime arguments (Issue [NMS-4953](#))

Release 1.9.91

Release 1.9.91 is the latest in a series of development releases of OpenNMS. This represents what will eventually become OpenNMS 1.10.0 when it is blessed as the next stable release.

The codename for 1.9.91 is *Crumhorn*.

Bug

- HTTP monitor nits (Issue [NMS-1802](#))
- When running the database checker rethrow any exceptions with details (e.g.: database URL) (Issue [NMS-2374](#))
- Make the severity element in event configuration an enumeration and fix our default config files (Issue [NMS-2375](#))
- Node when deleted remains in performance report list (Issue [NMS-2893](#))
- GUI error if we remove Switches from Surveillance (Issue [NMS-3143](#))

- Reporting is truncated by URL length limitation (Issue [NMS-3194](#))
- Broken paged grid in Select SNMP Interfaces (Issue [NMS-3515](#))
- WMI/WQL Poller - Wrong text in event (Issue [NMS-3606](#))
- Create detectors for all protocol plugins (Issue [NMS-3651](#))
- reload of Threshold configuration does not work - only after restart OpenNMS new threshold are applied (Issue [NMS-3905](#))
- Alarm Description in Dashboard not formatted (Issue [NMS-3912](#))
- SNMPPoller is the cause of loss of snmpinterfaces during the re-import / synchronization Provision Groups. (Issue [NMS-4040](#))
- Can't provision a node with one IP address and a policy to avoid all IP address (Issue [NMS-4049](#))
- spring/beanfactory issue Java 1.7.0 - pointcut issues (Issue [NMS-4350](#))
- Provisiond fails with a Unable to return specified BeanFactory instance exception at startup (Issue [NMS-4475](#))
- [patch] Show correct values in net-snmp CPU Usage graph (Issue [NMS-4502](#))
- Remote Poller implodes with lack of WMI classes (Issue [NMS-4526](#))
- Provisiond HOST-RESOURCES process detector (Issue [NMS-4544](#))
- Report Issue - Surveillance Category Not Correctly Chosen (Issue [NMS-4593](#))
- Resource Graph Resources - limited to 55 Resources or less (Issue [NMS-4675](#))
- Various linkd issues (Issue [NMS-4684](#))
- LDAP authorization fails - group to role mapping does not work (Issue [NMS-4725](#))
- Events generated from trapd are not associated with any node (Issue [NMS-4799](#))
- Node.jsp - double clicking physical interfaces goes to interface.jsp instead of snmpinterface.jsp (Issue [NMS-4800](#))
- Null (\0) characters in logmsg field of events causes org.postgresql.util.PSQLException: ERROR: invalid byte sequence for encoding "UTF8": 0x00 (Issue [NMS-4817](#))
- RrdUtils.createRRD log message is unclear (Issue [NMS-4845](#))
- Notification not being sent event if status="on", looks like notifd is not using the status in the config file properly (Issue [NMS-4851](#))
- unit tests on windows creates directories outside of temp directory (Issue [NMS-4853](#))
- StorageStrategy documentation does not match API in code (Issue [NMS-4857](#))
- Runaway threads consuming CPU when rendering certain graphs (Issue [NMS-4861](#))
- With Jetty + HTTPS, certain Web UI actions prompt browser to "Save As" JSP and HTML files (Issue [NMS-4871](#))

- Show all nodes with asset info not working (Issue [NMS-4872](#))
- Upgrade bug when Linkd tables contain data (Issue [NMS-4873](#))
- Typo in datacollection-config.xml (Issue [NMS-4877](#))
- java.lang.ClassCastException when building an event notification with a category filter (Issue [NMS-4880](#))
- IP address formatting does not match (Issue [NMS-4882](#))
- 1.9.90 newer graphics display inconsistency - node.jsp (Issue [NMS-4895](#))
- notifd DEBUG message "supress" misspelling (Issue [NMS-4899](#))
- Change StorageStrategy to throw an IllegalArgumentException when the arguments (or parameters) are not properly configured on datacollection-config.xml (Issue [NMS-4913](#))

Enhancements

- Allow HttpCollector and PageSequenceMonitor to accept all SSL certificates (Issue [NMS-3622](#))
- Configure scheduling outages via RESTful Web Service (Issue [NMS-4232](#))
- Make Jetty headerBufferSize property configurable (Issue [NMS-4815](#))
- notifd.log - Info if message was send (Issue [NMS-4831](#))
- Poorly used INFO log message (Issue [NMS-4833](#))
- jmx collector does direct db lookup of nodeid (Issue [NMS-4838](#))
- Check if a node is currently covered by a scheduled outage using Rest (Issue [NMS-4839](#))
- Add PostgreSQL 9.1 support (Issue [NMS-4923](#))

Release 1.9.90

Release 1.9.90 is the latest in a series of development releases of OpenNMS. This represents what will eventually become OpenNMS 1.10.0 when it is blessed as the next stable release.

The codename for 1.9.90 is *Balafon*.

Bug

- threshd.log shows wrong nodeId in certain circumstances (Issue [NMS-1121](#))
- columnName argument to AssetModel.searchAssets allows SQL injection (Issue [NMS-1769](#))
- Trapd is not able to process SNMPv3 traps (Issue [NMS-2995](#))
- XMPPNotificationStrategy (or JavaMailNotificationStrategy) does not utilise the "Numeric Message" field -nm (Issue [NMS-3322](#))
- reportd missing ability to select mailer from javamail-configuration.xml (Issue [NMS-3771](#))

- Interface Deleted with SNMP supported and no ipAddrTable (Issue [NMS-3982](#))
- SNAPSHOT installer scripts are faulty (Issue [NMS-4034](#))
- translated events are displayed like the original event (Issue [NMS-4038](#))
- provisioning node with NodeCategorySettingPolicy policy in foreign source does not work if node has no SNMP available (Issue [NMS-4039](#))
- Win32ServiceDetector fails to detect services (Issue [NMS-4047](#))
- We need a WmiDetector (Issue [NMS-4106](#))
- Support relativetime in graph URL (Issue [NMS-4114](#))
- Thresholdvalue in scientific notation not displayed/stored correctly (Issue [NMS-4126](#))
- threshd process wrong counter-type SNMP data after SNMP data collection failed or restored (Issue [NMS-4244](#))
- In-line thresholder ignores scheduled outages (Issue [NMS-4261](#))
- Update Copyright Notice to include 2011 (Issue [NMS-4339](#))
- jetty allows directory listings (Issue [NMS-4375](#))
- Problems adding nodes during discovery (Issue [NMS-4376](#))
- Provisiond NodeCategorySettingPolicy. Nodes lose categorization in subsequent Synchronizations (Issue [NMS-4423](#))
- SnmpAsset Adapter has dependency on Trapd (Issue [NMS-4463](#))
- Services drop down list not alphabatized (Issue [NMS-4483](#))
- SiblingIndexStorageStrategy does SNMP Queries and makes collection VERY slow (Issue [NMS-4494](#))
- Collectd's ServiceCollector class was erroneously changed to take Map<String, String> (Issue [NMS-4500](#))
- IPAddress class overrides equals but not hashCode (Issue [NMS-4530](#))
- Provisiond silently fails to import an invalid model importer file but reports importSuccessful anyway. (Issue [NMS-4546](#))
- [patch] hardware asset fields need more space and one more field (Issue [NMS-4585](#))
- Node label changes outside requisition editor on nodes with a foreign-source ID (Issue [NMS-4590](#))
- Brocade resource-type and fcTable collection could be nicer (Issue [NMS-4661](#))
- Default JDBC data collection config does not work (Issue [NMS-4662](#))
- Capsd may reparent duplicate interfaces from requisitioned nodes (Issue [NMS-4663](#))
- c-ping fails to configure (Issue [NMS-4677](#))
- Permissions on multiple files/directories are poor (allow world-write, have setuid) (Issue [NMS-4682](#))

- OpenNMS GoogleMaps geo-enocder no longer functioning and creates a 503 error in UI (Issue [NMS-4691](#))
- Email Notifications are not properly encoded when the message contains non us-ascii characters. (Issue [NMS-4692](#))
- Provisiond allows duplicate nodes (Issue [NMS-4695](#))
- Path not filtered correctly during build, etc/response-graph.properties (Issue [NMS-4697](#))
- Surveillance part of WEB GUI crashes after all default categories were removed and custom ones were created (Issue [NMS-4698](#))
- snmpStorageFlag="all" is being ignored by the threshold procesing (Issue [NMS-4700](#))
- Unable to add IPv6 address for discovery via web UI (Issue [NMS-4701](#))
- Data Collection Broken for some nodes in testing (Issue [NMS-4703](#))
- race condition in Provisiond IPv6 scanning (Issue [NMS-4717](#))
- When using the GoogleMaps remote poller interface, unchecked markers are visible on initialization (Issue [NMS-4734](#))
- Event Analysis report is missing in default configuration (Issue [NMS-4753](#))
- nodeList page fails to pass the foreignSource when "show interfaces" is selected (Issue [NMS-4777](#))
- DNS provisioning expression matching matches hostname but not record data (Issue [NMS-4783](#))
- DNS provisioning needs to allow foreign ID to be a hash of IP address instead of nodeLabel if administrator so chooses (Issue [NMS-4801](#))
- Word spelled wrong on log message (Issue [NMS-4804](#))
- SELECT tag not closed in asset/modify.jsp (Issue [NMS-4819](#))
- Reportd JavaMailDeliveryService always copies address in sendmail-message "to" attribute or root@localhost (Issue [NMS-4820](#))
- Trapd node-matching should prefer SNMP primary ifaces (Issue [NMS-4822](#))
- AttributeGroup and SiblingColumnStorageStrategy are producing a StackOverflowError (Issue [NMS-4832](#))
- Provisiond leaks file handles, eventually causing "Too many open files" crashes (Issue [NMS-4846](#))
- MExchangeDetectorClient is too verbose on exceptions (Issue [NMS-4856](#))

Enhancements

- Add IPv6 Support to OpenNMS (Issue [NMS-1094](#))
- Enhancement - Assets with clean date input (Issue [NMS-2834](#))
- Implement PersistenceSelectorStrategy framework (Issue [NMS-3164](#))
- allow trapd to bind to specific address (Issue [NMS-3956](#))

- Enhance default JVM Monitoring configurations (Issue [NMS-4363](#))
- Create a poller monitor to "proxy" pings via the CISCO-PING-MIB (Issue [NMS-4668](#))
- Add alarm-data annotation for Powerware upsDischarged trap event (Issue [NMS-4679](#))
- Better provisiond debugging (Issue [NMS-4694](#))
- Add time it takes to persist the data to the ILR (Issue [NMS-4705](#))
- Enable support for filtering the displayed data (Issue [NMS-4706](#))
- Add ability for HttpMonitor to use node label as virtual host for HTTP polls (Issue [NMS-4707](#))
- MicroBlog doesn't support -nm (Issue [NMS-4708](#))
- Add the possibility to modify eventparms (as text) from Vacuumd (Issue [NMS-4712](#))
- DbHelper class should use dao's (Issue [NMS-4721](#))
- Add new opennms mib events definition (Issue [NMS-4722](#))
- Sort by Stat (Issue [NMS-4728](#))
- Add Label to thresholds for display on "Edit Group" page (Issue [NMS-4742](#))
- Event Analysis Report should be usable on postgres older than 8.4 (Issue [NMS-4752](#))
- Add support for matching syslog messages by process name, severity, facility in ueiMatch (Issue [NMS-4772](#))
- Alphabetize group names in the Users/Groups list (Issue [NMS-4776](#))
- Split syslogd-configuration.xml (Issue [NMS-4779](#))
- Standardize the time zone format reports (Issue [NMS-4785](#))
- collectd log entries could be enhanced (Issue [NMS-4809](#))
- Add a BSF (bean scripting framework) notification strategy (Issue [NMS-4837](#))
- Convert Linkd to use Hibernate (Issue [NMS-4850](#))
- Add command option to NRPE in provisiond (Issue [NMS-4862](#))

Release 1.9.8

Release 1.9.8 is the latest in a series of development releases of OpenNMS. This represents what will eventually become OpenNMS 1.10.0 when it is declared feature-complete and stable.

The codename for 1.9.8 is *Pulalu*.

Bug

- deleted interfaces are included in polling package ip lists (Issue [NMS-1158](#))

- nsclient-datacollection-config.xml only collects on 1st attribute in wpm group (Issue [NMS-2692](#))
- DemoUI - Leaving the search field blank causes an "Unexpected Error" (Issue [NMS-3500](#))
- Cpu Usage graph missing when using rrdtool (Issue [NMS-3703](#))
- Unexpected error (Issue [NMS-3902](#))
- archive_events.sh still uses the old lib/scripts/* style initialization (Issue [NMS-3933](#))
- outage editor problems (Issue [NMS-4093](#))
- prevent automatic start after installation / upgrade (Issue [NMS-4110](#))
- null pointer exception from Admin ? Instrumentation Log Reader jsp page (Issue [NMS-4118](#))
- 'some' matchType for WMI Poller matches 2 or more, not 1 or more as documented (Issue [NMS-4172](#))
- Failed to load the required jicmp library (Issue [NMS-4211](#))
- No services are registered in the database (Issue [NMS-4230](#))
- Patch for "CPU Usage graph missing when using rrdtool" (Issue [NMS-4346](#))
- HTTP Collector throwing exception "Host must be set to create a host URL" (Issue [NMS-4445](#))
- Reports throughin Exception when doing traffic based reports and store-by-group (Issue [NMS-4454](#))
- System Report: only "full" is working (Issue [NMS-4465](#))
- UI exception when deleting a service from an interface (Issue [NMS-4472](#))
- RRD-based JasperReports fail with JRobin exception (Issue [NMS-4482](#))
- Mail Transport Monitor deletes all mail (Issue [NMS-4537](#))
- Quoting problems in contrib/maint_events.sh (Issue [NMS-4553](#))
- Page Sequence Monitor (PSM) doesn't appear to do retries (Issue [NMS-4558](#))
- org.opennms.netmgt.snmp.TableTracker writes to stderr. (Issue [NMS-4559](#))
- Report Issue - Average and Peak Traffic rates for Nodes by Interface (Issue [NMS-4565](#))
- Filter rules tend to get all IP addresses, even if they are deleted (Issue [NMS-4583](#))
- Remove ModelImporter stuff from log4j.properties (Issue [NMS-4587](#))
- service search constraints show up as "null" when used to filter the event list page (Issue [NMS-4591](#))
- Report Issue - Surveillance Category Not Correctly Chosen (Issue [NMS-4593](#))
- eventd cannot parse events which are missing an XML namespace (Issue [NMS-4595](#))
- send-event.pl errors on IPv6 addresses (Issue [NMS-4596](#))

- Primary keys are not set to not null (Issue [NMS-4597](#))
- Role provision has no effect (Issue [NMS-4598](#))
- MailTransportMonitor POP3 javax.mail.AuthenticationFailedException, but without connection to host at all (Issue [NMS-4605](#))
- Changing the default password in 1.9.7 (Issue [NMS-4608](#))
- Node Rescan node.jsp not found (Issue [NMS-4610](#))
- Problem accessing /opennms/KSC/KSC/customGraphEditDetails.htm. Reason: Not Found - 404 (Issue [NMS-4614](#))
- Report Issue - Total Bytes Transferred by Interface (Issue [NMS-4616](#))
- Refactor ICMP Implementations and make sure that main works for JNA (Issue [NMS-4617](#))
- refactor XSDs to not rely on common XSDs (types.xsd) (Issue [NMS-4634](#))
- Don't print out the database administrator password during install. (Issue [NMS-4638](#))
- KSC reports "add graph" fails with a 404 (Issue [NMS-4643](#))
- Unable to start OpenNMS "An error occurred while attempting to start the "OpenNMS:Name=Eventd" service" (Issue [NMS-4644](#))
- Deleted nodes are showing up in available nodes when creating/editing a surveillance category (Issue [NMS-4652](#))
- Inconsistent use of org.opennms.web.api.Util.calculateUrlBase(request) (Issue [NMS-4660](#))
- JNA library fails to work for IPv6 on Solaris (Issue [NMS-4664](#))
- Thresholds being evaluated on interfaces marked DISABLE_COLLECTION (Issue [NMS-4669](#))

Enhancements

- FilterDao calls need to return InetAddresses (Issue [NMS-4509](#))
- EventBuilder setInterface needs to take an InetAddress rather than a String (Issue [NMS-4510](#))
- Alphabetize the User List in the GUI (Issue [NMS-4561](#))
- make ICMP implementation configurable (Issue [NMS-4603](#))
- Add script execution, response times, logging, more to BSFMonitor (Issue [NMS-4604](#))
- add a No SNMP checkbox to the Node Quick-Add web page (Issue [NMS-4615](#))
- Maven settings.xml CR & LF format (Issue [NMS-4626](#))
- Convert snmp-config.xml code to use JAXB instead of Castor (Issue [NMS-4636](#))
- Add MSCHAPv1 and MSCHAPv2 support to RADIUS clients (Issue [NMS-4659](#))
- RADIUS MS-CHAPv2 (Issue [NMS-4665](#))

Release 1.9.7

Release 1.9.7 is the latest in a series of development releases of OpenNMS. This represents what will eventually become OpenNMS 1.10.0 when it is declared feature-complete and stable.

The codename for 1.9.7 is *Naqara*.

Bug

- NullPointerExceptions in node IP route information (Issue [NMS-2482](#))
- [syslogd] OpenNMS's syslogd implementation does not handle all syslog facilities (Issue [NMS-2640](#))
- correlator service unable to start : java.lang.NoSuchMethodError org.eclipse.jdt.internal.compiler.CompilationResult.getProblems() (Issue [NMS-2847](#))
- statistics report pdf creation does not work (Issue [NMS-3855](#))
- Provisiond Deleting IpAddr On Nodes After Rescan (Issue [NMS-3997](#))
- Provisiond - simple TCP detector fails to detect services (Issue [NMS-4033](#))
- provisioning node with NodeCategorySettingPolicy policy in foreign source does not work if node has no SNMP available (Issue [NMS-4039](#))
- stored report data in non-unique named files (Issue [NMS-4058](#))
- Need to be able to acknowledge notifications through the ReST service (Issue [NMS-4069](#))
- send-event.pl timestamp is not parsed correctly (Issue [NMS-4148](#))
- Rescans Not Happening for Default Nodes (Issue [NMS-4168](#))
- Memcached graph definitions left out of default configuration (Issue [NMS-4208](#))
- Exception when Provisioning an ipv6 address on a node with SNMP Enabled (Issue [NMS-4251](#))
- Null pointer exception when listing outstanding notifications (Issue [NMS-4352](#))
- Documentation can't be build off-line (Issue [NMS-4416](#))
- interface.jsp gives NPE (Issue [NMS-4469](#))
- PageSequenceMonitor double-URL-encodes query parameters (Issue [NMS-4484](#))
- Poller not responding to nodeGainedService events when event interface is an ipv6 address (Issue [NMS-4488](#))
- jdbc-datacollection-config.xml has hard coded path for rrdRepository (Issue [NMS-4491](#))
- Don't require all code to pass the PRESERVE_WHITESPACE constant to CastorUtils (Issue [NMS-4495](#))
- NSClient data collection only reads the first <nsclient-collection> tag (Issue [NMS-4499](#))
- Someone left two q's in the file ./WEB-INF/jsp/graph/chooserresource.jsp (Issue [NMS-4527](#))

- XSD definitions don't need to be anchored (Issue [NMS-4547](#))
- IP validation in web UI doesn't handle IPv6 (Issue [NMS-4555](#))
- Report Issue - Average and Peak Traffic rates for Nodes by Interface (Issue [NMS-4565](#))
- Physical Interface Page Doesn't load on IE (Issue [NMS-4575](#))
- Debian init script not LSB compatible (Issue [NMS-4578](#))
- The attribute "totalCount" for OnmsNodeList is not well calculated (Issue [NMS-4580](#))

Enhancements

- Debian Startup Script hides important Debian Specific Error Output (Issue [NMS-3411](#))
- Remove c3p0 dependencies from installer code so we can change the DB connection pooling implementation (Issue [NMS-4388](#))
- Increase servicename in table service in the core schema to accomodate services with names longer than 32 characters (Issue [NMS-4477](#))
- All Event creation should use the EventBuilder (Issue [NMS-4489](#))
- Get rid of PostgreSQL-specific calls in installation/upgrade tools. (Upgrade to Liquibase 2.0) (Issue [NMS-4496](#))
- OnmsMonitoredService getIpAddress returns a String rather than an InetAddress (Issue [NMS-4507](#))
- OnmsOutage does not following the same getIpInterface pattern as OnmsIpInterface (Issue [NMS-4508](#))
- Convert Event XML to JAXB (Issue [NMS-4535](#))
- New events for traps from Sun/Oracle ILOM cards (Issue [NMS-4541](#))
- Trap events for Comtech EF Data CDM-625 satellite modems (Issue [NMS-4554](#))
- provisiond needs to be able to scan the new ipAddress table, in addition to the (deprecated) ipAddr table, and handle IPv6 addresses (Issue [NMS-4577](#))
- [patch] add new asset fields for hardware configuration data (Issue [NMS-4579](#))
- OpenNMS needs a way to do in-depth configuration testing without starting the daemon (Issue [NMS-4336](#))
- create a tool for migrating RRDs (Issue [NMS-4450](#))

Release 1.9.6

Release 1.9.6 is the latest in a series of development releases of OpenNMS. This represents what will eventually become OpenNMS 1.10.0 when it is declared feature-complete and stable.

The codename for 1.9.6 is *Barbat*.

Bug

- Stop distributing the non-Jetty webapp as part of the base distribution (Issue [NMS-2572](#))

- rrd-configuration.properties error in comment (Issue [NMS-3068](#))
- Split example poller package into components (Issue [NMS-4053](#))
- database reports ui enhancement request (Issue [NMS-4057](#))
- null pointer exception from Admin ? Instrumentation Log Reader jsp page (Issue [NMS-4118](#))
- Javascript error in IE7 on 1.8.7 (Issue [NMS-4368](#))
- Configure SNMP Data Collection per Interface generates org.postgresql.util.PSQLException (Issue [NMS-4391](#))
- Unable to see Telnet/HTTP/OpenManage links in node.jsp (Issue [NMS-4398](#))
- KSC reports editor broken in IE7 (Issue [NMS-4406](#))
- OpenNMS not installing on RHEL6 x86_64 (Issue [NMS-4409](#))
- Node Availability report query incorrect (Issue [NMS-4410](#))
- opennms-webapp is built and contains all of the jars though they are not needed (Issue [NMS-4411](#))
- Java Exception opening Node Page Admin Configure SNMP Data Collection per Interface (Issue [NMS-4413](#))
- REST calls for iPhone and iPad App broken (Issue [NMS-4414](#))
- Deleting Foreign Source policy throws java.lang.NoSuchMethodException (Issue [NMS-4415](#))
- Interface Availability report query incorrect (Issue [NMS-4417](#))
- Need to update PostgreSQL JDBC JAR to 9.0 (Issue [NMS-4420](#))
- Only role.admin users are able to use the iphone app (Issue [NMS-4425](#))
- Acknowledging alarms results in an error (Issue [NMS-4426](#))
- Increase default max file descriptors setting (Issue [NMS-4428](#))
- runInPlace.sh script gives unclear instructions (Issue [NMS-4429](#))
- null pointer exception when attempting to enable snmp collection. (Issue [NMS-4432](#))
- WebUI Broken When Deleting Parameters in Foreign Sources (Issue [NMS-4438](#))

Enhancements

- OpenNMS 1.9.x needs to depend on PostgreSQL (>= 8.1) and IPLIKE (>= 2.0.0) (Issue [NMS-4389](#))
- installer should make sure IPLIKE has IPv6 support (Issue [NMS-4408](#))
- Change event-label name "OpenNMS" for restartPollingInterface event in eventconf.xml (Issue [NMS-4421](#)) upgrade to JRobin 1.5.10 (Issue [NMS-4431](#))

NOTE

JRobin 1.5.10 includes a new backend that can improve performance dramatically. For safety's sake, it is disabled by default, but users are encouraged on test systems to enable the new **MNIO** backend in `rrd-configuration.properties` and report issues.

Release 1.9.5

Release 1.9.5 is the latest in a series of development releases of OpenNMS. This represents what will eventually become OpenNMS 1.10.0 when it is declared feature-complete and stable.

The codename for 1.9.5 is *Canjo*.

Bug

- Installer still has RCS-style `Id` tag in banner (Issue [NMS-3922](#))
- OpenNMS unable to connect to opennms database with opennms username (Issue [NMS-4392](#))
- Clicking the Delete Icon next to a entity (node, interface, service) defined in the Edit provisioning group page causes exception (Issue [NMS-4394](#))
- yum update from 1.8.7 to 1.8.8 is breaking opennms (Issue [NMS-4396](#))
- rancid provisioning adapter jar still included in opennms-core RPM (Issue [NMS-4397](#))

Release 1.9.4

Release 1.9.4 is the latest in a series of development releases of OpenNMS. This represents what will eventually become OpenNMS 1.10.0 when it is declared feature-complete and stable.

The codename for 1.9.4 is *Guzheng*.

Bug

- icmp and http thresholds not working properly (Issue [NMS-1657](#))
- Liquibase: ERROR: there is no unique constraint matching given keys for referenced table "datalinkinterface" (Issue [NMS-3465](#))
- webapps won't deploy with Tomcat in 1.7.7 and 1.7.8-SNAPSHOT (Issue [NMS-3469](#))
- Can't proceed in Reports Database Run (Issue [NMS-3717](#))
- Invoking rest method with orderBy triggers sql error (Issue [NMS-3756](#))
- Case sensitive inconsistency between capsd and poller for HostResourceSwRunMonitor (Issue [NMS-3882](#))
- provision group does not validate ip-addr field on input (Issue [NMS-4084](#))
- JRFontNotFoundException for Early-Morning-Report (Issue [NMS-4102](#))
- On IE8/Win7 the date in the page banner is shown twice (Issue [NMS-4146](#))
- "View Node Link Detailed Info" problem (Issue [NMS-4243](#))
- Provisioning problem due to ipv6 address formatting (Issue [NMS-4252](#))

- Date offsets incorrectly applied when batch reports (Issue [NMS-4253](#))
- Upgrade from jetty 6.1.24 to 6.1.26 breaks AJP13-connections from apache 2.2.x (Issue [NMS-4275](#))
- OpenJDK fails privatevoidcheckJvmName() check (Issue [NMS-4277](#))
- Missing fonts when running newly committed reporting stuff in 1.8.7 (Issue [NMS-4286](#))
- NPE when trying to generate reports from JRB datasources (Issue [NMS-4287](#))
- Build failure - NtpDetector tests fail (Issue [NMS-4292](#))
- Remove option C from SNMP Primary pick-list in provisioning groups editor (Issue [NMS-4293](#))
- Node-Availability-Report failing - possibly due to a parameter that should be marked notForPrompting (Issue [NMS-4294](#))
- JRobin VDEFs sometimes do not work (Issue [NMS-4295](#))
- Provisiond discovers services on capsd provisioned nodes (Issue [NMS-4297](#))
- Default categories for CIORPTS (Issue [NMS-4299](#))
- linkd UndeclaredThrowableException (Issue [NMS-4303](#))
- "View Node Ip Route Info" link causes exception (Issue [NMS-4305](#))
- Topo map error popup: Load Label Map failed (Issue [NMS-4306](#))
- Provisioning Groups UI throws exception when trying to sync unmodified group (Issue [NMS-4308](#))
- duplicate jars in packages (Issue [NMS-4310](#))
- Asset adapter does not store Hex-STRINGs (Issue [NMS-4312](#))
- Dashboard loading image tag missing (Issue [NMS-4314](#))
- Serial Interface Utilization Report (Issue [NMS-4315](#))
- [Build] Some changes needed to get a clean build in Eclipse (Issue [NMS-4320](#))
- PSQLException - Configure SNMP Data Collection per Interface (Issue [NMS-4321](#))
- Fonts Very Large on KSC Reports and Admin Surveillance Categories (Issue [NMS-4322](#))
- Interface Page Broken in 1.8 Testing (Issue [NMS-4323](#))
- Opennms cannot start up without Internet access (Issue [NMS-4341](#))
- Typo in MemcachedMonitor.java (Issue [NMS-4347](#))
- Make compile.pl / assemble.pl actually exit with maven exit code (Issue [NMS-4349](#))
- generic values wrong for certain OIDs in Cisco2.events.xml (Issue [NMS-4351](#))

- Package building fails on Ubuntu due to default shell usage (Issue [NMS-4357](#))
- Exception raised when trying to view ip route info (Issue [NMS-4362](#))
- Change the logmsg and description fields for events and alarms to text object. (Issue [NMS-4369](#))
- OpenNMS will not start if unable to connect to the database as "postgres" (admin) user (Issue [NMS-4378](#))
- Provisioner always punts on deleteService events when discovery not enabled (Issue [NMS-4379](#))
- Make sure tests pass on bamboo (Issue [NMS-4384](#))

Enhancements

- Upgrade JasperReports 3.6.0 to 3.7.4 (Issue [NMS-4103](#))
- Sort saved database Reports and display more than 10 of them (Issue [NMS-4201](#))
- dispatcher-servlet.xml should be listed as a *config* file for debian package install (Issue [NMS-4296](#))
- reportd-configuration.xml, update quartz URL (Issue [NMS-4318](#))
- include script output in event reason text for *GpPoller* notifications (Issue [NMS-4325](#))
- Customize Subject on Emailed Batch Reports (Issue [NMS-4331](#))
- Catch NullPointerException when running BSFScripts (Issue [NMS-4332](#))
- Make Node available to the Beanshell (Issue [NMS-4358](#))
- Add a build script to clean everything (top-level and full assembly) (Issue [NMS-4386](#))
- make it easier to open support tickets from the web UI (Issue [NMS-4307](#))

Release 1.9.3

Release 1.9.3 is the latest in a series of development releases of OpenNMS. This represents what will eventually become OpenNMS 1.10.0 when it is declared feature-complete and stable.

The codename for 1.9.3 is *Recorder*.

Bug

- Web users can bypass ACLs by editing params of element/node.jsp URLs (Issue [NMS-3184](#))
- Going to edit KSC reports generates an uncaught exception (Issue [NMS-3414](#))
- Yet another uncaught exception, KSC reports (Issue [NMS-3455](#))
- Home / Admin / Provisioning Groups page generating bad HTML when a provisioning group has an apostrophe in the name (Issue [NMS-3601](#))
- provisiond logging to `output.log` (Issue [NMS-4023](#))
- DNS outage identified on interface X with reason code: IOException while polling address (Issue [NMS-4071](#))

- Bug in netapp.fsfile report (Issue [NMS-4171](#))
- deprecated -c installer option does not produce a warning or error (Issue [NMS-4174](#))
- Net-SNMP agent 5.5 always misreports sysObjectID as `.1.3` or `.0.1` (Issue [NMS-4192](#))
- Notifications fail when Notification name is longer than 63 chars (Issue [NMS-4194](#))
- NPE in "View Node Link Detailed Info" (Issue [NMS-4215](#))
- deleting old notifications is slow (Issue [NMS-4217](#))
- SNMP fails while accessing a Dell/Avocent 2161DS KVM Device (Issue [NMS-4219](#))
- 1.8.5 Solaris package fails to install (Issue [NMS-4227](#))
- ThresholdingVisitor: create: Can't create ThresholdingVisitor for <IP ADDRESS> (Issue [NMS-4233](#))
- JMX datacollection aliases longer than 19 characters (Issue [NMS-4236](#))
- Two BGP-related SNMP graphs use daily RRAs (Issue [NMS-4245](#))
- Acknowledgement Service bails when an ack is sent for an invalid ID (Issue [NMS-4248](#))
- TableTracker failing in some instances (Issue [NMS-4250](#))
- In-line thresholding should ignore Aliased Resources if they are not enabled (Issue [NMS-4255](#))
- Fix lower limit in Net-SNMP CPU graphs (Issue [NMS-4257](#))
- Make SNMPv2c the default in web SNMP config dialog (Issue [NMS-4263](#))
- build blacklists JDKs other than version 1.5 or 1.6 (Issue [NMS-4270](#))

Enhancements

- SNMP Asset Provisioning Adapter: suppress output like No such instance (Issue [NMS-4173](#))
- Add a few more Cisco Catalyst `sysObjectIDs` to default Linkd config (Issue [NMS-4191](#))
- Add events for Compuware ServerVantage traps (Issue [NMS-4195](#))
- Reportd should create events run or delivery failure (Issue [NMS-4213](#))
- fix locking in configuration file access (Issue [NMS-4234](#))
- make build system Maven3-compatible (Issue [NMS-4235](#))
- Add new options for `domain/ifalias` resource collection (Issue [NMS-4239](#))
- Improve Liebert power-related SNMP data collection and resource graph definitions (Issue [NMS-4241](#))
- Create performance resource graphs for MS HTTP stats (Issue [NMS-4242](#))

Release 1.9.2

Release 1.9.2 is the latest in a series of development releases of OpenNMS. This represents what will eventually become OpenNMS 1.10.0 when it is declared feature-complete and stable.

The codename for 1.9.2 is *Psaltery*.

Changes in OpenNMS 1.9.2

Version 1.9.2 is identical to 1.9.1, except it contains the changes present in [OpenNMS 1.8.5](#).

Release 1.9.1

Release 1.9.1 is the latest in a series of development releases of OpenNMS. This represents what will eventually become OpenNMS 1.10.0 when it is declared feature-complete and stable.

Since 1.9.0, [a few new features](#) were added.

The codename for 1.9.1 is *Oboe*.

Enhancements

- Some of the groundwork for IPv6 support has been started.
- Syslogd has been refactored and has a number of new features and parsing options. (Bug [#4112](#))
- You can now specify whether to be strict or loose when verifying HTTPS connections in the [PageSequenceMonitor](#). (Bug [#4113](#))

Release 1.9.0

Release 1.9.0 is the latest in a series of development releases of OpenNMS. This represents what will eventually become OpenNMS 1.10.0 when it is declared feature-complete and stable.

Since 1.8, [a few new features](#) were added.

The codename for 1.9.0 is *Timple*.

Enhancements

- You can now have syslogd bind to a specific IP address. (Bug [#3192](#))
- Threshold expressions have been enhanced and now use JEXL instead of JEP. (Bug [#3413](#))
- Data collection configuration has now been split out into multiple include files, like events. (Bug [#4031](#))

Chapter 2. Known Issues and Caveats

Here is the list of known issues in this release of OpenNMS:

2.1. Current Release

While an attempt was made to test the UI with Internet Explorer, there may be some lingering issues with IE. It is recommended that you use Chrome or Firefox with the OpenNMS UI.

Additionally, there has been significant refactoring of the remote pollers, and you should upgrade all remote pollers to 14.0.0.

2.2. OpenNMS 1.12.7 and Newer

As of OpenNMS 1.12.7, we have replaced the code that creates the OpenNMS web UI with the standard jetty.xml instead.

This means that if you need to do any customization (adding AJP support, changing limits on threads or post sizes, etc.) you can now do so by editing a standard jetty.xml file instead. While most of the simple Jetty configuration properties from `$OPENNMS_HOME/etc/opennms.properties` are still supported, it is strongly recommended that you instead copy `$OPENNMS_HOME/etc/examples/jetty.xml` to `$OPENNMS_HOME/etc/jetty.xml` and edit that, rather than relying on properties from the config file(s).

The majority of users will have to change nothing, but if you have done any configuration changes relating to Jetty, you may need to review them.

Chapter 3. Supported Systems

3.1. Supported UNIX-like OSes

OpenNMS is written almost entirely in Java, and should be able to run on any system that supports the Sun Java Virtual Machine — OpenNMS 14 requires Java 7 or higher.

The following are the systems that support or are known to run OpenNMS:

3.2. Fully Supported

The following systems are supported out-of-the-box with native installation packages:

- RPM-based Distributions (Using Yum)
 - Red hat Enterprise Linux 5 and higher
 - CentOS 5 and higher
 - Fedora 19 and higher (including 64-bit)
- Debian and Ubuntu Linux: Debian packages for Wheezy and later are available at the following apt repository:

```
deb http://debian.opennms.org/ unstable main
```

These same packages should work equally well with modern Ubuntu releases.

- Windows Server 2008/Windows 7 or Higher: Note that while it is technically possible to install on FAT32, NTFS is the only officially supported filesystem for Windows installs. Additionally, while Windows is supported, OpenNMS is much more heavily tested (and easier to maintain) on UNIX, and it is recommended that unless you have a specific reason to go with Windows, that you use one of the supported UNIX-based operating systems.

3.3. 3rd-Party Dependencies

OpenNMS 14 requires Java 7 JDK or greater, and PostgreSQL 8.4 or greater. In addition, for native RRD support (as opposed to the builtin Java-based JRobin round-robin database), RRDTOol 1.2 is required.